US ERA ARCHIVE DOCUMENT

Delisting

Note: Delisting is an optional requirement. If the State currently has a delisting program, then it must modify its delisting regulations to comply with these new standards. The changes to 260.22(b) were made at 54 FR 27114 (June 27, 1989). If a State was authorized for the changes addressed by this checklist prior to this rule's promulgation date, then the State need not make the required changes to 260.22(b) because these changes merely eliminate potential confusion as to existing regulatory requirements. However, States which are not authorized as of this date should make these changes if they choose to include delisting as part of their program.

Also, States submitting this checklist need to provide documentation regarding other delisting standards not covered by this checklist. The new SAM will contain a Consolidated Base Program Checklist addressing Part 260 requirements that may be helpful to a State preparing this documentation. The delisting program is addressed by 40 <u>CFR</u> 260.20 and 260.22.

FEDERAL REQUIREMENTS	EMENTS FEDERAL RCRA CITATION ANALOGOUS STATE CITATION	ANALOGOUS STATE CITATION		STATE A	NALOG IS	:
			EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE

PART 260 - HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART C - RULEMAKING PETITIONS

PETITION TO AMEND PART 261 TO EXCLUDE A WASTE PRODUCED AT A PARTICULAR FACILITY

petitions to exclude	260.22(a)	260.22(a)	×	
change "these" to "those" after "which is described in"; remove "contains a waste listed in Subpart D" after "listed in Subpart D"; change "section, except that where" to "section. Where"; remove "each constituent listed waste or" after "with respect to"; add statement that	260.22(b)	260.22(b)	X	
analyses must be for both constituents and				
factors that could cause mixture to be				
hazardous				

RCRA REVISION CHECKLIST 17 B: Delisting (cont'd)

FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION ANALOGOUS STATE CITATION		STATE ANALOG IS:			
			EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
waste listed for I, C, R or E	260.22(c)	260.22(c)	Х			
waste listed for T	260.22(d)	260.22(d)	X			
waste listed for H	260.22(e)	260.22(e)	X			•
remove temporary exclusion	260.22(m)	N/A	X			

Mining Waste Exclusion I 54 FR 36592-36642 September 1, 1989 (Non-HSWA Cluster VI)

This present checklist is titled "Mining Waste Exclusion I" indicating that it is the first of two amendments to this exclusion. The second amendment occurred at 55 <u>FR</u> 2322 on January 23, 1990 and is addressed by Revision Checklist 71 - Mining Waste Exclusion II. This latter checklist will be made available through SPA 9.

<u></u>	,				
		-	STA	TE ANALO	G IS:
FEDERAL REQUIREMENTS PART 2	FEDERAL RORA CITATION 261 - IDENTIFICATION HAZARDOUS WA		EQUIV- ALENT	MORE STRIN- GENT	BROADEF IN SCOPE
	SUBPART A - GE				
add exception for mixture of a 261.4(b)(7) waste and a solid waste exhibiting a Subpart C characteristic unless resultant mixture meets certain characteristic conditions; mixture is hazardous relative to the EP toxicity characteristic	261.3(a)(2)(i)	261.3(a)(2)(i)	X		
add "of this part" after "Subpart D"; add language excepting mixtures of hazardous waste and solid waste excluded under 261.4(b)(7) and the mixture no longer exhibits hazardous characteristics for which the hazardous waste was listed in Subpart D	261.3(a)(2)(iii)	261.3(a)(2)(iii)	×		
define beneficiation; replace the last three words of the paragraph, "does not			State th ad	CL 90 has a e chan dresse ion Ch	dopted ges

261.4(b)(7)

71 and 90.

261.4(b)(7)

include", with "includes only"

RCRA REVISION CHECKLIST 65: Mining Waste Exclusion I (cont'd)

			, STA	ATE ANALC	G IS:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV-	MORE STRIN- GENT	BROADER IN SCOPE
solid wastes, from ore and mineral processing, that are retained within exclusion	261.4(b)(7)(i)(A)-(E)	261.4(b)(7)(i)(A) -(E)	State the addre	CL 71. has ace changessed be checklis	dopted ges by that
solid wastes from ore and mineral processing that are conditionally retained within the exclusion	261.4(b)(7)(ii)(A)-(T)	261.4(b)(7)(ii)(A) -(T)	State the addre	CL 71. has ace changessed b Checklis	dopted ges by that

See subsequent technical correction to the definition of "beneficiation" as addressed by Revision Checklist 71 (55 <u>FR</u> 2322, January 23, 1990).

Testing and Monitoring Activities
54 <u>FR</u> 40260-40269
September 29, 1989
(Non-HSWA Cluster VI)

Technical corrections were made to this rule at 55 <u>FR</u> 8948 (March 9, 1990). These corrections are addressed by Revision Checklist 73 which will be made available through SPA 9. States are encouraged to adopt the technical corrections at the same time that the Revision Checklist 67 provisions are adopted.

provisions are adopted.	, ·		STA	TE ANALOG IS
	-	ANALOGOUS	EQUIV- MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT	IN SCOPE
PART 260	- HAZARDOUS WASTE	MANAGEMENT SY	STEM: GENERAL	
	SUBPART E	- DEFINITIONS		
change last clause				
of sentence regarding	*			
the Second Edition into				-
a sentence combining it with the price	•			
information	260.11(a)	260.11(a)	X	
***************************************	- IDENTIFICATION AN PENDIX III - CHEMICA			
revise Table 2, replacing			•	
First Edition information				
with Third Edition		•		
information	Appendix III	Appendix III	X(See CL73)	
revise Table 3, replacing	•		•	
First Edition information with Third Edition				
information	Appendix III	Appendix III	X(See CL73)	

Reportable Quantity Adjustment Methyl Bromide Production Wastes 54 <u>FR</u> 41402-41408 October 6, 1989 (HSWA Cluster II)

		•	STATE AN	
		ANALOGOUS	EQUIV- MORE	BROADE
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGER	IT IN SCOP
PART 26	1 - IDENTIFICATION AN	D LISTING OF HAZA	ARDOUS WASTE	
		· · ·		
	SUBPART D - LISTS C	OF HAZARDOUS WA	ASTES	•
HAZARDOUS WASTES	FROM SPECIFIC SOUP	RCES		
add K131 and K132				
o the subgroup				
Pesticides" as				
ndicated on 54				
FR 41407 (10/6/89)	261.32	261.32	X	
A	PPENDIX III - CHEMICAI	L ANALYSIS TEST N	METHODS	
add, in alphabetic order, to Table 1,				
wo compounds and		•		
nethods for their		•		
analysis as	·		•	
ndicated on				
54 FR 41407		•		
10/6/89)	Appendix III	Appendix III	X	
A D.C	PENDIX VII - BASIS FOR		NIC WASTE	
AFF	LINDIA VIII - BAGIO FUN	LIGHING HAZARDO	OU WASIE	
add, in numeric order,				
entries for K131 and				•
(132 as	•			
ndicated on				
54 FR 41407 (10/6/89)	Appendix VII	Appendix VII	X	

Reportable Quantity Adjustment 54 <u>FR</u> 50968-50979 December 11, 1989 (HSWA Cluster II)

Note: On January 8, 1991, an amendment to the preamble of the December 11, 1989 rule was published in the <u>Federal Register</u> (56 <u>FR</u> 643). This amendment elaborates upon the Agency's current position regarding the weight-of-evidence classification of tetrachloroethylene (perchloroethylene). It does not affect the listing of Waste No. F025 nor the identification of tetrachloroethylene (perchloroethylene) as a hazardous constituent of F025, both of which are addressed by this checklist.

		r	
` .			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT \$TRINGENT IN SCOPE
PART 26	61 - IDENTIFICATION ANI	D LISTING OF HAZ	ARDOUS WASTE
	SUBPART D - LISTS C	F HAZARDOUS W	ASTES
HAZARDOUS WASTES	FROM NONSPECIFIC S	OURCES	
revise listing			
for F024 as indicated	4		
on 54 <u>FR</u> 50977			•
(12/11 /89)	261.31	261.31	X
add F025 listing as			
indicated on 54 FR			
50977 (12/11/89)	261.31	261.31	- X
ADI	DENDIY VIII - DAGIC EOD	LICTINO LIAZADDO	NIC MACTE
API	PENDIX VII - BASIS FOR	LISTING HAZARDO	JUS WASTE
add F025 entry as		:	-
indicated on 54 FR		4	•
<u>50977 (12/11/89)</u>	Appendix VII	Appendix VII	X
	APPENDIX VIII - HAZA	RDOUS CONSTITU	JENTS
add compound as			
indicated on 54 FR	A	Ammonally MIII	V
50977 (12/11/89)	Appendix VIII	Appendix VIII	X

Changes to Part 124 Not Accounted for by Present Checklists 48 <u>FR</u> 14146-14295, April 1, 1983 48 <u>FR</u> 30113-30115, June 30, 1983 53 <u>FR</u> 28118-28157, July 26, 1988 53 <u>FR</u> 37396-37414, September 26, 1988 54 <u>FR</u> 246-258, January 4, 1989 (Non-HSWA Cluster VI)

Note: Part 124 was affected by the deconsolidation of EPA's Consolidated Permit Regulations (48 FR 14146, April 1, 1983). In reprinting the Part 124 in the FR, a number of typographical errors and inadvertent omissions of paragraphs were made. On June 30, 1983 (48 FR 30113) and on January 4, 1989 (54 FR 246), these errors were corrected so that most of Part 124 again reads as it was originally printed in the July 1, 1982 CFR. Of the changes made by the April 1, 1983 article, only those which were not negated by the June 30, 1983 or January 4, 1989 articles are included in this checklist. Similarly, only those changes made by the June 30, 1983 or January 4, -1989 notices which are not merely corrections of errors in the April 1, 1983 article have been included in this checklist.

			STATE ANALOG IS:
CEDERAL DECUMENTAL	CEDERAL RODA CITATION I	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
	PART 124 - PROCEDUR	ES FOR DECISION N	MAKING
\$	SUBPART A - GENERAL	PROGRAM REQUIR	EMENTS
APPLICATION FOR A	PERMIT		
	124.3(a)	124.3(a)	X
	124.3(a)(1)	124.3(a)(1)	Χ .
change cross-	124.3(a)(2)	124.3(a)(2)	X
references regarding RCRA permits	124.3(a)(3)	124.3(a)(3)	X
MODIFICATION, REVO	CATION AND REISSUAN	ICE, OR TERMINATI	ION OF PERMITS
	124.5(a)	124.5(a)	X
change cross-	124.5(c)(1) & (3)	124.5(c)(1)&(3)	X
references regarding RCRA	124.5(d)	124.5(d)	X
DRAFT PERMITS	***************************************		
change cross-			
references regarding RCRA permits			

1

EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 70: Changes to Part 124 Not Accounted for by Present Checklists (cont'd)

	* *			. STATI	E ANALOG IS
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
				-	
change "§ 122.28" to	·				
"Section 270.30"	124.6(d)(4)(i)	124.6(d)(4)(i)	X		
PUBLIC NOTICE OF PER	RMIT ACTIONS AND P	UBLIC COMMENT P	ERIOD		e
delete "and other		ı			
appropriate govern-		•	/		
ment agencies"; add		·			
"(Indian Tribes)" after	•		•		
"States"; add paren-			•		¥
thetical statement			,		
regarding Indian Tribes	•	,			
treated as States	124.10(c)(1)(iii)	124.10(c)(1)(iii)	X	-	
redesignate old					
124.10(c)(1)(viii)(A)-(C)		i .			
as 124.10(c)(1)(ix)					
(A)-(C)	124.10(c)(1)(ix)	124.10(c)(1)(ix)	X		
redesignate old					
124.10(c)(1)(ix)					
(A) and (B) as					
124.10(c)(1)(x)(A) and		•			
(B); delete "For RCRA	•				
permits only"	124.10(c)(1)(x)	124.10(c)(1)(x)	Χ	,	
		.= () () () () ()			
PUBLIC HEARINGS				* 4	
nsert "," after					
'whenever"	124.12(a)(2)	124.12(a)(2)	X.		

¹ 48 <u>FR</u> 14146-14295, April 1, 1983.

² Checklist 54 made additional changes to 124.5(c)(1) and (3) at 53 <u>FR</u> 37410 (September 28, 1988). State which have adopted the provisions addressed by that checklist should have already made those changes. States which have not adopted the provisions addressed by that checklist should refer to that checklist when revising this section of code.

³ 53 <u>FR</u> 37396-37414, September 26, 1988.

⁴ 53 <u>FR</u> 28118-28157, July 26, 1988.

⁵ 48 <u>FR</u> 30113-30115, June 30, 1983.

⁶ 54 <u>FR</u> 246-258, January 4, 1989.

Mining Waste Exclusion II 55 <u>FR</u> 2322-2354 January 23, 1990 (Non-HSWA Cluster VI)

Note: This is the second revision to the mining waste exclusion. The first occurred at 54 <u>FR</u> 36592 (September 1, 1989) and is addressed by Revision Checklist 65.

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
PART 260	- HAZARDOUS WASTI	E MANAGEMENT SY	STEM: GENERAL
	SUBPART	B - DEFINITIONS	
DEFINITIONS			•
revise "designated		٠.	
facility"	260.10	260.10	X
	SUBPAR	T A - GENERAL	,
EXCLUSIONS			
§261.4(b)(7)" replaces			
this paragraph" twice;			
roasting, autoclaving, and/or chlorination"			
eplaces "roasting";		•	
nsert "(and/or auto-		V	
claving and/or chlori-			•
ation)" after			•
roasting" within exis-			
ing parenthetical clause; semi-colons			
eplace a number of			
commas; significant			
evisions to last sen-			
ence which intro-		*	
duces list of wastes	261.4(b)(7)	261.4(b)(7)	X

RCRA REVISION CHECKLIST 71: Mining Waste Exclusion II (cont'd)

		ANALOGOUS	STATE ANALOG IS: EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
	261.4(b)(7)(i)	261.4(b)(7)(i)	X
· .	261.4(b)(7)(ii)	261.4(b)(7)(ii)	X
· · · · · · · · · · · · · · · · · · ·	261.4(b)(7)(iii)	261.4(b)(7)(iii)	X
	261.4(b)(7)(iv)	261.4(b)(7)(iv)	X
	261.4(b)(7)(v)	261.4(b)(7)(v)	X
•	261.4(b)(7)(vi)	261.4(b)(7)(vi)	X
· -	261.4(b)(7)(vii)	261.4(b)(7)(vii)	X
, -	261.4(b)(7)(viii)	261.4(b)(7)(viii)	<u>X</u> .
-	261.4(b)(7)(ix)	261.4(b)(7)(ix)	X
·	261.4(b)(7)(x)	261.4(b)(7)(x)	<u>X</u> (
-	261.4(b)(7)(xi)	261.4(b)(7)(xi)	<u>X</u>
-	261.4(b)(7)(xii)	261.4(b)(7)(xii)	X
· .	261.4(b)(7)(xiii)	261.4(b)(7)(xiii)	X
	261.4(b)(7)(xiv)	261.4(b)(7)(xiv)	X
roviniana ta liat af	261.4(b)(7)(xv)	261.4(b)(7)(xv)	X
revisions to list of excluded wastes;	261.4(b)(7)(xvi)	261.4(b)(7)(xvi)	X
(i)(A)-(E) and (ii)(A)-(T) are replaced	261.4(b)(7)(xvii)	261.4(b)(7)(xvii)	X
by (i)-(xx), with deletion of five	261.4(b)(7)(xviii)	261.4(b)(7)(xviii)	X
conditionally retained wastes and some	261.4(b)(7)(xix)	261.4(b)(7)(xix)	X
revisions in wording for retained wastes	261.4(b)(7)(xx)	261.4(b)(7)(xx)	X

RCRA REVISION CHECKLIST 71: Mining Waste Exclusion II (cont'd)

	· ·			STATE ANALO	G IS:
<u>.</u>		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE

PART 262 - STANDARDS APPLICABLE TO GENERATORS OF HAZARDOUS WASTE

SUBPART B - THE MANIFEST

USE OF THE MANIFEST

add new paragraph stating requirements when shipping hazardous waste to a designated facility in an authorized State which has not yet obtained authorization to regulate that particular waste as <u>hazardous</u>

262.23(e)

Note that this definition in the Federal Register (55 FR 2353, January 23, 1990) and in the July 1, 1990 CFR contains a typographical error. The reference to 260.20 should be 262.20.

Modification of F019 Listing 55 <u>FR</u> 5340-5342 February 14, 1990 (Non-HSWA Cluster VI)

PART 261 - IDENTIFICATION AND LISTING OF HAZARDOUS WASTE SUBPART D - LISTS OF HAZARDOUS WASTES HAZARDOUS WASTE FROM NON-SPECIFIC SOURCES revise entry "F019" 261.31 X									STATE ANALO	G IS:
PART 261 - IDENTIFICATION AND LISTING OF HAZARDOUS WASTE SUBPART D - LISTS OF HAZARDOUS WASTES HAZARDOUS WASTE FROM NON-SPECIFIC SOURCES revise entry "F019" 261.31 261.31 X Industry and EPA hazardous waste Hazardous waste Code Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating						ANALOGOUS	EC	UIV-	MORE	BROADER
SUBPART D - LISTS OF HAZARDOUS WASTES HAZARDOUS WASTE FROM NON-SPECIFIC SOURCES revise entry "F019" 261.31 261.31 X Industry and EPA hazardous waste Hazardous waste No. Hazardous waste code F019	F	EDERAL REQUIREMENT	FEDERAL	RCRA CITATION		STATE CITATION	AL	ENT	STRINGENT	IN SCOPE
HAZARDOUS WASTE FROM NON-SPECIFIC SOURCES revise entry "F019" 261.31 261.31 X Industry and EPA hazardous waste Hazardous waste code Waste No. Hazardous waste (T) Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating		PART 20	61 - IDENT	IFICATION	AND	LISTING OF H	IAZARDO	JS V	VASTE	
revise entry "F019" 261.31 261.31 X Industry and EPA hazardous waste Hazardous waste Code Waste No. Hazardous waste Code Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating			SUBPA	RT D - LIST	S OF	HAZARDOUS	WASTES		<u>:</u>	
Industry and EPA hazardous waste No. Hazardous waste Code Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating			FROM NO	N-SPECIFIC	c so	URCES		-		
Industry and EPA hazardous waste Hazardous waste code Waste No. Hazardous waste code Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating			261.31			261.31		Y		
F019		713	201.01			201.01			*	
chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating	Ind		rdous		Haz	zardous waste				Hazard code
chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating	÷	* *	*	•	*	*	*	•		٠
* * * * * * *	F0	19		chemical co except from aluminum o	onve n ziro can v	rsion coating of conium phospha vashing when s	aluminum ating in auch phosp	hatir	ng	(T)
		* *	*	*	*	*	*	*		

Testing and Monitoring Activities; Technical Corrections
55 FR 8948-8950
March 9, 1990
(Non-HSWA Cluster VI)

Note: This checklist contains technical corrections to the final rule addressed by Revision Checklist 67 (54 <u>FR</u> 40260; September 29, 1989). States are encouraged to adopt the corrections addressed by this present checklist at the same time that the Revision Checklist 67 provisions are adopted.

			STATE ANALOG IS:	
		ANALOGOUS	EQUIV- MORE BRO	DADEF
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN S	SCOPE
PART 260	- HAZARDOUS WASTE	MANAGEMENT S	YSTEM: GENERAL	
	SUBPART B	- DEFINITIONS		
REFERENCES				
add a list of the 47 analytical testing				
methods incorporated by reference	000.44(a)	000 11/a)	X	
by reference	260.11(a)	260.11(a)		
PART 261	- IDENTIFICATION AND	D LISTING OF HAZ	ZARDOUS WASTE	
	APPENDIX I	II TO PART 261		
CHEMICAL ANALYSIS T	EST METHODS			
revise Footnote "a" of Table 2	Appendix III/Table 2	Appendix III/Tab	le 2 X	
revise Methods 7081 and 7420 in Table 3	Appendix III/Table 3	Appendix III/Tab	le 3 X	

Listing of 1,1-Dimethylhydrazine Production Wastes 55 <u>FR</u> 18496-18506 May 2, 1990 HSWA Cluster II

								STATE ANALO	G IS:
		¥	•		ANALOGOU:	S ·	EQUIV-	MORE	BROADER
	FEDERAL REQUIREMENT	FEDERAL	RCRA CITATION		STATE CITAT	ION	ALENT	STRINGENT	IN SCOPE
	PART	261 - IDENT	IFICATION	AND L	ISTING OF	HAZAF	DOUS W	ASTE	
		SUBPAR	RT D - LIST	S OF I	HAZARDOI	JS WAS	TES		
	HAZARDOUS WAST	ES FROM SE	PECIFIC SC	URCE	S				
1	the subgroup								
	"Organic Chemicals"	261.32			261.32		Х		
	Organic Onemicals	201.02			_01.02				
	Industry and EPA hawaste No.	zardous		Haza	ırdous wast	te	`		Hazard code
		*	*	•	*	*	•		
	Organic chemicals:							•	
	* *	*	•	*	*	*	*		
	K107	•	Column bot the product from carbo	tion of	1,1-dimeth	ylhydrazi		H)	(C,T)
	K108		Condensed separation from the pr (UDMH) from	and co	ondensed rondensed rondensed r	eactor ve imethylhy	ent gases ydrazine		(I,T)
	K109		Spent filter purification 1,1-dimethy acid hydra	from t	the product	ion of	carboxylic	•	(T)
		•							

RCRA REVISION CHECKLIST 75: Listing of 1,1-Dimethylhydrazine Production Wastes (cont'd)

								STATE ANALO	
						NALOGOUS '	EQUIV-	MORE	BROADER
FEDERAL REQU	JIREMENT	FEDERA	AL RCRA	CITATION	ST	ATE CITATION	ALENT	STRINGENT	IN SCOPE
K110			sepa 1,1-c	ration fro	m the i	overheads from production of e (UDMH) fro		-	(T)
*	*	*	*	*		* *	•		
			AP	PENDIX I	II TO I	PART 261		-	
CHEMICAL A	NALYSIS	TEST M	ETHOD)S				·	. •
add compour analysis meth Table 1	nd and		ndix III		Apr	endix III	X		
	*	*	•	*	*	*			
,				IS METHO		OR ORGANIC W-846			**************************************
•	*	• ·	*	*	*	•		,	
	Com	pound		٠.		Method No.	-		
	*	*	*	*	*	*			·
	1,1-Dimet	nylhydra	zine (U	DMH)	•••••	8	250	•	
	*	*	*	. *	*	*			
			API	PENDIX V	/II TO	PART 261			-
BASIS FOR L		AZARDO	US WA	ASTE					×
add, in numer order, K107-K		Apper	ndix VII	11.00	Apr	endix VII	X		

				STATE ANALO	G IS:
	=	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REC	QUIREMENT FEDERAL RCR	A CITATION STATE CITATION	ALENT	STRINGENT	IN SCOPE
		<i>F</i>			
			·		
	EPA hazardous	Hazardous constituents fo	r		
	waste No.	which listed	1	•	
	waste ivo.	Willow Hotel			
	* * *	★ ***		•	
•	K107				
	K108				
	K109				
	K110		zine (UDM	H).	
	*	* * *			

The <u>Federal Register</u> for this Rule contains two typographical errors in the description of the K107 hazardous waste (55 <u>FR</u> 18505). "1,1-dimethyl-hydrazine" should be "1,1-dimethylhydrazine" and "hydrazines" should be "hydrazides." This revision checklist contains the corrected description for K107.

Criteria for Listing Toxic Wastes; Technical Amendment
55 <u>FR</u> 18726
May 4, 1990
(Non-HSWA Cluster VI)

		ANALOGOUS	EQUIV-	MORE	5564555
			24011	MUNE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
PART 261 .	- IDENTIFICATION AND	LISTING OF HAZ	A POOLIS M	ASTE	

SUBPART B - CRITERIA FOR IDENTIFYING THE CHARACTERISTICS OF HAZARDOUS WASTE AND FOR LISTING HAZARDOUS WASTE

CRITERIA FOR LISTING HAZARDOUS WASTE

replace "unless" after "Appendix VIII" with "and"; delete "any of" after "considering"; delete "not" after "waste is"

261.11(a)(3)

261.11(a)(3)

Organic air Emission Standards for Process Vents and Equipment Leaks 55 <u>FR</u> 25454-25519 June 21, 1990 (HSWA Cluster II)

Note: The <u>Federal Register</u> addressed by this checklist is the first of a multiphased regulatory effort to control air emissions at new and existing hazardous waste treatment, storage and disposal facilities (TSDFs). On April 26, 1991 (56 <u>FR</u> 19290; Revision Checklist 87), a technical amendment for this rule was published. States are strongly encouraged to adopt the technical corrections at the same time the Revision Checklist 79 provisions are adopted.

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
PART 260	- HAZARDOUS WASTE	MANAGEMENT SY	VSTEM: GENERAL
- FART 200	- HAZANDOUS WASTE	MANAGEMENT 3	TOTEIVI. GENERAL
	SUBPART B	- DEFINITIONS	
REFERENCES			
add "ASTM Standard			
Method for Analysis		•	
of Reformed Gas by			
Gas Chromatography"	260.11(a)	260.11(a)	X
add "ASTM Standard		•	
Test Method for			
Heat of Combustion			·
of Hydrocarbon			
Fuels by Bomb			
Calorimeter"	260.11(a)	260.11(a)	X
add "ASTM Standard	•		
Practices for			1
General Techniques of Ultraviolet-Visible			
	260.11(a)	260.11(a)	X
Quantitative Analysis" add "ASTM Standard	200.11(a)	200.11(a)	
Practices for	•	!	
General Techniques of			
Infrared Quantitative			
Analysis"	260.11(a)	260.11(a)	X

		ANALOGOUS	STATE ANALOG IS: EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
PEDERAL REGUITEMENT	TEBETIAE HOTIA OTTATION	OTATE OFFACION	TALERT OTTINGERT IN SCOPE
add "ASTM Standard			
Practice for Packed			
Column Gas			
Chromatography"	260.11(a)	260.11(a)	X
add "ASTM Standard	200.1.1(4)	200.11(4)	
Test Method for			
Aromatics in Light			
Naphthas and Aviation			
Gasolines by		•	-
Gas Chromatography"	260.11(a)	260.11(a)	X
Add "ASTM Standard	200.11(4)	200.11(4)	
Test Method for			
Vapor Pressure-			
Temperature Relation-			
ship and Initial		•	
Decomposition			
Temperature of	٠	•	
iquids by			· · · · · · · · · · · · · · · · · · ·
	260.11(a)	260.11(a)	X
SOLEDSCOOL			
soteriscope" add "APTI Course	200.11(a)	200.11(a)	
add "APTI Course	200.11(a)	200.11(a)	
add "APTI Course 115: Control of			
add "APTI Course 115: Control of	260.11(a)	260.11(a)	Х .
add "APTI Course 115: Control of Gaseous Emissions"		260.11(a)	Χ
add "APTI Course 115: Control of Gaseous Emissions"	260.11(a) 1 - IDENTIFICATION ANI	260.11(a) D LISTING OF HAZA	Χ .
add "APTI Course 115: Control of Gaseous Emissions"	260.11(a) 1 - IDENTIFICATION ANI	260.11(a)	X .
add "APTI Course 115: Control of Gaseous Emissions" PART 26	260.11(a) 1 - IDENTIFICATION ANI	260.11(a) D LISTING OF HAZA A - GENERAL	X
Add "APTI Course 115: Control of Gaseous Emissions" PART 26 PART 26 REQUIREMENTS FOR I	260.11(a) 1 - IDENTIFICATION ANI SUBPART	260.11(a) D LISTING OF HAZA A - GENERAL	X
REQUIREMENTS FOR Inter "L"; insert	260.11(a) 1 - IDENTIFICATION ANI SUBPART	260.11(a) D LISTING OF HAZA A - GENERAL	Χ .
REQUIREMENTS FOR Insert ", AA, and BB" except as	260.11(a) 1 - IDENTIFICATION ANI SUBPART	260.11(a) D LISTING OF HAZA A - GENERAL	X
REQUIREMENTS FOR Internal Property in the second se	260.11(a) 1 - IDENTIFICATION ANI SUBPART	260.11(a) D LISTING OF HAZA A - GENERAL	X
REQUIREMENTS FOR Insert ", AA, and BB" ifter "L"; insert except as provided in 261.6(d)."	260.11(a) 1 - IDENTIFICATION ANI SUBPART	260.11(a) D LISTING OF HAZA A - GENERAL	Χ .
REQUIREMENTS FOR Insert ", AA, and BB" except as provided in 261.6(d)."	260.11(a) 1 - IDENTIFICATION ANI SUBPART RECYCLABLE MATERIA	260.11(a) D LISTING OF HAZA A - GENERAL LS	X
REQUIREMENTS FOR Insert ", AA, and BB" except as provided in 261.6(d)." In the last sentence	260.11(a) 1 - IDENTIFICATION ANI SUBPART	260.11(a) D LISTING OF HAZA A - GENERAL	X ARDOUS WASTE
ACCUREMENTS FOR Intermediate in the last sentence and many paragraph	260.11(a) 1 - IDENTIFICATION ANI SUBPART RECYCLABLE MATERIA	260.11(a) D LISTING OF HAZA A - GENERAL LS	X ARDOUS WASTE
add "APTI Course 415: Control of Gaseous Emissions" PART 26	260.11(a) 1 - IDENTIFICATION ANI SUBPART RECYCLABLE MATERIA	260.11(a) D LISTING OF HAZA A - GENERAL LS	X ARDOUS WASTE

-			STATE ANALOG IS:
•		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
add now paragraph			
add new paragraph		•	
subjecting owners or		,	
operators of RCRA			
facilities to the			
requirements of			
Subparts AA and BB			
of Part 264 or 265			~
if they recycle	004.04.0	004.04.11	V
hazardous wastes	261.6(d)	261.6(d)	X
DART OCA (STANDARDS FOR OWNE		DE OF HAZABBOUG
	STANDARDS FOR OWNE		
WAS	STE TREATMENT, STORA	GE AND DISPOSA	L PAUILITIES
	SUBPART B - GENERA	L FACILITY STAND	DARDS
		•	
GENERAL WASTE ANA	ALYSIS		•
change "which" to			
"that; add			
references to			
264.1034(d) and	•		
264.1063(d)	264.13(b)(6)	264.13(b)(6)	X
GENERAL INSPECTION	N REQUIREMENTS		
add references to			
264.1033, 264.1052,			
264.1053, and			
264.1058	264.15(b)(4)	264.15(b)(4)	X
CHIDDADT	E MANUEEUT OVOTEM		AND DEPORTING
SUDPART	E - MANIFEST SYSTEM,		, AND REFORTING
OPERATION RECORD			
add references to	`		
264.1034 and			
264.1063	264.73(b)(3)	264.73(b)(3)	X
add references to			
264.1034(c)-(f),		•	
264.1035.			
264.1063(d)-(i),			
and 264.1064	264.73(b)(6)	264.73(b)(6)	X
ANG 207.1007	207.70(0)(0)	207.70(0)(0)	

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADE
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOP
ADDITIONAL REPORT	-S	•	
add references to			
Subparts			
AA and BB	264.77(c)	264.77(c)	X
SUBPA	RT AA - AIR EMISSION S	STANDARDS FOR P	ROCESS VENTS
APPLICABILITY			· .
regulations in			
this subpart apply			
to owners and			
operators of			
facilities that			
treat, store or			
dispose of			
hazardous waste	·		
except as provided			
in 264.1	264.1030(a)	264.1030(a)	X
except for		L. H.	
264.1034(d)			· .
and 264.1034(e),			
Subpart AA applies			
to process vents			
associated with			
operations managing	•		
hazardous wastes			~
with at least			
10-ppmw organic			,
concentrations if			
conducted in			
specific units	264.1030(b)	264.1030(b)	X
units subject to	20 4 .1030(b)	204.1000(0)	
the permitting			*
requirements of			
	264 1020/5//1	064 1000/b\/1\	v
Part 270	264.1030(b)(1)	264.1030(b)(1)	X

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
•			
hazardous waste			
recycling units			
located on			• .
hazardous waste		•	
management facilities			
otherwise subject			
to Part 270			•
permitting	004 4000(F)(O)	0044000(-)/0)	
requirements	264.1030(b)(2)	264.1030(b)(2)	X -
incorporation of			
264.1032 through			
264.1036 requirements			
for permits received			
under Section 3005			
of RCRA prior to			
December 21, 1990,			
when permit is	,		
reissued under			•
124.15 or reviewed		•	
under 270.50;			
note included	264.1030(c)	264.1030(c)	X
note included	204.1030(0)	204.1000(C)	
DEFINITIONS			·
	With the second		
introductory	004 4004	0044004	V
paragraph	264.1031	264.1031	X
"air stripping	004.4004		
operation"	264.1031	264.1031	X
"bottoms receiver"	264.1031	264.1031	X
"closed-vent system"	264.1031	264.1031	X
	-		·
"condenser"	264.1031	264.1031	X
			,
"connector"	264.1031	264.1031	X
		20111001	
"continuous recorder"	264.1031	264.1031	X
COMMINGUES TECOTAET	204.1031	204.1001	
"control device"	264 1021	264 1021	V
"control device"	264.1031	264.1031	X
"control device		0044004	V
shutdown"	264.1031	264.1031	X
"distillate receiver"	264.1031	264.1031	X

			STATE ANALOG IS:
CERERAL REQUIREMENT	SERVERAL DODA OLTATION I	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
"distillation operation"	264.1031	264.1031	X
"double block and		·	
bleed system"	264.1031	264.1031	X
"equipment"	264.1031	264.1031	Χ
"flame zone"	264.1031	264.1031	X
"flow indicator"	264.1031	264.1031	X
"first attempt			
at repair"	264.1031	264.1031	X .
"fractionation operation"	264.1031	264.1031	X
"hazardous waste			
management unit	004 1001	004 1001	V
shutdown"	264.1031	264.1031	X
"hot well"	264.1031	264.1031	x (
"in gas/vapor	064 1001	004 1001	X
service" "in heavy liquid	264.1031	264.1031	
service"	264.1031	264.1031	X
"in light liquid			
service" "in situ sampling	264.1031	264.1031	X
systems"	264.1031	264.1031	X
"in vacuum service"	264.1031	264.1031	X
"malfunction"	264.1031	264.1031	X
"open-ended			
valve or line"	264.1031	264.1031	X
"pressure release"	264.1031	264.1031	X
"process heater"	264.1031	264.1031	X
"process vent"	264.1031	264.1031	X
"repaired"	264.1031	264.1031	X
"sensor"	264.1031	264.1031	X (

***			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
"separator tank"	264.1031	264.1031	X
"solvent extraction			
operation"	264.1031	264.1031	X
"startup"	264.1031	264.1031	X
"steam stripping	004 1004	004 4004	. 🗸
operation"	264.1031	264.1031	X
"surge control tank"	264.1031	264.1031	Χ -
"thin-film			
evaporation			
operation"	264.1031	264.1031	X
"vapor incinerator"	264.1031	264.1031	X
"vented"	264.1031	264.1031	X
STANDARDS: PROCES	SS VENTS		
owner or operator of	O VENTO		
facility with process		•	
vents meeting			•
certain conditions			
shall either:	264.1032(a)	264.1032(a)	. X
reduce total organic		•	
emissions below 1.4	0044000(=)/4)		V
kg/h and 2.8 Mg/yr	264.1032(a)(1)	264.1032(a)(1)	X
using control device, reduce total organic			•
emissions by 95			
weight percent	264.1032(a)(2)	264.1032(a)(2)	X
264.1033 require-			
ments must be met if			•
owner or operator			
installs closed-vent			
system and control			
device to comply with			
264.1032(a) provisions	264.1032(b)	264.1032(b)	X

				STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
use of engineering		•			
calculations or					
performance tests			•		
•			•		
(conforming to					
264.1034(c)					
requirements) may be					
used for determi-					
nating 1) vent	•	·		•	
emissions and					
emission reductions					
or 2) total organic					
compound concen-					
trations achieved					
by add-on control					
devices	264.1032(c)	264.1032(c)	X		
use of 264.1034(c)					
procedures to					,
resolve disagreements					
between owner or					'
operator and Regional	•				
Administrator on					
vent determinations	264.1032(d)	264.1032(d)	X		
STANDARDS: CLOSED)-VENT SYSTEMS AND	CONTROL DEVICES	<u> </u>		
compliance with					
provisions of			*		
264.1033 by					
owners or operators	•				
of closed-vent					
or closed-verit					
systems and control					
systems and control devices used to comply with provisions					

				STATE ANALO	G IS:
. •		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
preparation of an implementation schedule by owner or operator, of existing facility, who cannot install a closed-vent system and control device to comply with Subpart AA provisions by effective date; units that begin operation after December 21, 1990, must comply with the rules immediately	264.1033(a)(2)	264.1033(a)(2)	X		
specification of efficiency standards for control device involving vapor recovery unless 264.1032(a)(1) emission limits can be attained	264.1033(b)	264.1033(b)	X		

				STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
organic emission standards for	1	,			
enclosed combustion device; for boiler					
or process heater	•				
used as control					
device, vent stream introduced into				٠	
flame zone	264.1033(c)	264.1033(c)	X		
	264.1033(d)(1)	264.1033(d)(1)	X		
	264.1033(d)(2)	264.1033(d)(2)	X		
	264.1033(d)(3)	264.1033(d)(3)	Χ	-	
	264.1033(d)(4)(i)	264.1033(d)(4)(i)	Χ		
	264.1033(d)(4)(ii)	264.1033(d)(4)(ii)	X		Transaction
	264.1033(d)(4)(iii)	264.1033(d)(4)(iii)	X		
specifications for the design and	264.1033(d)(5)	264.1033(d)(5)	<u>x</u>		
operation of a flare	264.1033(d)(6)	264.1033(d)(6)	X		
determination of compliance of a flare with the visible					
emission provisions of Subpart AA using Reference Method 22 in					
40 CFR Part 60	264.1033(e)(1)	264.1033(e)(1)	X		
calculation of net heating value of gas being					
combusted in a flare using					
specified equation	264.1033(e)(2)	264.1033(e)(2)	X		

				STATE ANALO	
	2	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
determination of					
actual exit				•	
velocity of a flare	**			7	
using flow rate	SA1		•		
as determined by					
Reference Methods					
2, 2A, 2C or 2D in				•	
40 CFR Part 60	264.1033(e)(3)	264.1033(e)(3)	X		
determination of					
maximum allowed					
velocity for a					
flare complying with					7 -
264.1033(d)(4)(iii)	264.1033(e)(4)	264.1033(e)(4)	X		
determination of					
maximum allowed					
velocity for an	004 4000(=)/E)	004 4000(+)(5)	V		
air-assisted flare	264.1033(e)(5)	264.1033(e)(5)	X		
monitoring and inspection of					
control device by					
owner and operator		•			
to ensure compliance	•				
with 264.1033 by	£				
implementing					
specified			A STATE OF THE STA	•	
requirements:	264.1033(f)	264.1033(f)	X		
installation, cali-					
bration, maintenance,					
and operation of a					
flow indicator; where					
sensor shall be					
installed	264.1033(f)(1)	264.1033(f)(1)	X		
specifications for					
installation, cali-					•
bration, maintenance,		•			
and operation of a	•				
device to continuously					
monitor control device	004.4000(0(0)		v		
operation:	264.1033(f)(2)	264.1033(f)(2)	X		

				STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
temperature monitor-					
ing device with a					
continuous recorder		•			
for a thermal vapor		•			
incinerator	264.1033(f)(2)(i)	264.1033(f)(2)(i)	Χ .		•
temperature monitor-	204.1000(1)(2)(1)	204.1000(1)(2)(1)	<u> </u>		
ing device with a					
continuous recorder for				_	
a catalytic vapor					
incinerator	264.1033(f)(2)(ii)	264.1033(f)(2)(ii)	X		
heat sensing monitor-					·
ing device with			•		
a continuous recorder					
for a flare	264.1033(f)(2)(iii)	264.1033(f)(2)(iii)	Χ		
temperature monitor-					
ing device with a					
continuous recorder					
for a boiler or process					(
heater having a					1
design heat input	· · · · · ·				
capacity less					
than 44 MW	264.1033(f)(2)(iv)	264.1033(f)(2)(iv)	Χ		
monitoring device with					
a continuous recorder					
for a boiler or process					
heater having a		v			
design heat input			•		
capacity greater					
than or equal to					
44 MW	264.1033(f)(2)(v)	264.1033(f)(2)(v)	X		
for a condenser,	· · · · · · · · · · · · · · · · · · ·				
either:	264.1033(f)(2)(vi)	264.1033(f)(2)(vi)	X		
monitoring device					
with a continuous					
recorder to					
measure concen-					
tration level of the					
organic compounds					
in the exhaust					
vent stream	004 4000(0)(0)(0)(0)	004.4000/0/0\/- "\/-			
from the condenser	264.1033(f)(2)(vi)(A)	264.1033(f)(2)(vi)(A	V) X		

	•	ANALOGOUS	EQUIV-	STATE ANALO	G IS: BROADE
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOP
- COLUMN TICOUNT TO THE TOTAL TO THE TOTAL	·		17.22.1	511.11.0E1111	111 0001
temperature monitor-	•				
ing device with a					
continuous recorder;	•				
specifications	264.1033(f)(2)(vi)(B)	264.1033(f)(2)(vi)(B)	Χ		
for a carbon		•			
adsorption system,					
either:	264.1033(f)(2)(vii)	264.1033(f)(2)(vii)	Χ	,	
monitoring device	V				
with a continuous				-	
recorder to measure					
concentration level					
of organic compounds					
in exhaust					
vent stream from					
carbon bed	264.1033(f)(2)(vii)(A)	264.1033(f)(2)(vii)(A)	X		
monitoring device					
with a continuous	•				
recorder to measure		•			
a parameter that					
indicates the carbon		•			
bed is regenerated					
on a regular pre-	004 4000(0(0)// !!! /!!)		v		
determined time cycle	264.1033(f)(2)(vii)(B)	264.1033(f)(2)(vii)(B)	X		<u>, , , , , , , , , , , , , , , , , , , </u>
daily inspection of					
readings from					
monitoring device					
required by					
264.1033(f)(1) and			_	•	
264.1033(f)(2); implement corrective					
measures if					
	264.1033(f)(3)	264.1033(f)(3)	X		
necessary replacement of	204.1033(1)(3)	204.1033(1)(3)	^		
existing carbon					
in control device					
by owner or operator		-			
using a fixed-bed		•			
carbon adsorber		. *			
that meets the					
264.1035(b)(4)(iii)(F)					
requirement	264.1033(g)	264.1033(g)	X		
requirement	207.1000(g)	204.1000(9)	^		

ANALOGOUS EQUIV- MORE BROADI					STATE ANALO	G IS:
replacement of carbon on a regular basis by owner or operator using a carbon canister 264.1033(h) 264.1033(h) X monitor organic compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iiii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	•		ANALOGOUS	EQUIV-		BROADER
carbon on a regular basis by owner or operator using a carbon canister 264.1033(h) 264.1033(h) X monitor organic compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
carbon on a regular basis by owner or operator using a carbon canister 264.1033(h) 264.1033(h) X monitor organic compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	replacement of					
basis by owner or operator using a carbon canister 264.1033(h) 264.1033(h) X monitor organic compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-			•			
or operator using a carbon canister 264.1033(h) 264.1033(h) X monitor organic compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-			· .			
a carbon canister 264.1033(h) 264.1033(h) X monitor organic compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-					•	
compounds daily or at interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-		264.1033(h)	264.1033(h)	_X		
interval no greater than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	monitor organic					
than 20 percent of time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
time required to consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
consume total carbon working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-					-	
working capacity established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	· · · · · · · · · · · · · · · · · · ·					
established at 264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-			'			
264.1035(b)(4)(iii)(G), whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
whichever is longer; replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
replace existing carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-		•			•	
carbon when carbon breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
breakthrough occurs 264.1033(h)(1) 264.1033(h)(1) X replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-			•			
replacement of existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-		264.1033(h)(1)	264.1033(h)(1)	X		
existing carbon at intervals less than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-				<u></u>		-
than design carbon replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	•	·				1
replacement interval established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-	at intervals less					1
established as a requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
requirement of 264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-						
264.1035(b)(4)(iii)(G) 264.1033(h)(2) 264.1033(h)(2) X alternative operational or process parameter may be monitored if specific demonstra-			,			
alternative operational or process parameter may be monitored if specific demonstra-	•					
or process parameter may be monitored if specific demonstra-		264.1033(h)(2)	264.1033(h)(2)	X		
may be monitored if specific demonstra-	•					
if specific demonstra-		•				
tion can be made 204.1000(I) 204.1000(I) A		264 1033(i)	264 1033/i\	Y		
	uon can be made	204.1000(1)	204.1000(1)			

-		ANALOGOUS	EQUIV-	STATE ANALO	
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	BROADER IN SCOPE
TEDERAL REGUIREMENT .	TEDETIAL HOHA CITATION (OTATE OTTATION	1 PALLINI	OTTIMOLITY	IIV GCOF L
documentation					
requirements for					
owner or operator					
seeking to comply with			1		
Part 264 provisions					
by using a control	•				
device other than				•	
a thermal vapor					
incinerator, catalytic				-	
vapor incinerator,					
flare, boiler,					
process heater					
condenser, or carbon					
adsorption system	264.1033(j)	264.1033(j)	X		
design and operational	· · · · · · · · · · · · · · · · · · ·	<u></u>			
requirements for				*	
closed-vent systems					
based on 264.1034(b)				•	
methods	264.1033(k)(1)	264.1033(k)(1)	X		
monitoring of					
closed-vent systems					
during initial leak			• *		
detection monitoring,					
conducted by					
the date that the	•				
facility becomes					
subject to 264.1033					
provisions, annually,					
and as requested by					
Regional Administrator	264.1033(k)(2)	264.1033(k)(2)	X		
control of detectable					
emissions no later					
than 15 calendar days	•		•		
after emission					
s detected	264.1033(k)(3)	264.1033(k)(3)	X		
first attempt at repair					
no later than 5					
calendar days					
after emission is			•		
detected	264.1033(k)(4)	264.1033(k)(4)	X		
	==:::==::::::::::::::::::::::::::::::::				

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
closed vent systems and control devices used to comply with provisions of Subpart AA shall be operated at all times when emissions may be vented to them	264.1033(I)	264.1033(I)	X -
vontou to them	204.1000(1)	204.1000(1)	
TEST METHODS AND	PROCEDURES		
compliance with 264.1034 test methods and procedures by owner or operator subject to provisions			
of Subpart AA	264.1034(a)	264.1034(a)	X
when testing a closed-vent system for compliance with 264.1033(k) requirements, comply with following			
test requirements:	264.1034(b)	264.1034(b)	X
monitoring in compliance with Reference Method 21		201.1001(0)	
in 40 CFR Part 60	264.1034(b)(1)	264.1034(b)(1)	X
detection instrument shall meet the performance criteria of Reference			
Method 21	264.1034(b)(2)	264.1034(b)(2)	X
calibration of instrument by procedures specified in Reference			
Method 21	264.1034(b)(3)	264.1034(b)(3)	X
calibration gases shall be:	264.1034(b)(4)	264.1034(b)(4)	X
zero air	264.1034(b)(4)(i)	264.1034(b)(4)(i)	X (

			STATE ANALO	GIS
•		ANALOGOUS	EQUIV- MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT	IN SCOPE
mixture of methane				
or n-hexane and air				
at specified				
concentration	264.1034(b)(4)(ii)	264.1034(b)(4)(ii)	X	
background level				
determined as set				•
forth in Reference				
Method 21	264.1034(b)(5)	264.1034(b)(5)	Χ	
instrument probe			-	· · · · · · · · · · · · · · · · · · ·
traverse requirements				
as described in				
Reference				
Method 21	264.1034(b)(6)	264.1034(b)(6)	X	
arithmetic difference	204.1004(D)(0)	204.1004(0)(0)		
compared with 500				
		•		
ppm for compliance	004 1004(5)(7)	004 4004(5)(7)	V	
determination	264.1034(b)(7)	264.1034(b)(7)	X	
performance test	•			
requirements to	*			
determine compliance	•			
with 264.1032(a)				
and 264.1033(c)	264.1034(c)	264.1034(c)	X	
reference methods	•	•		
and calculation				
procedures to use				
when determining				
total organic				
compound			N.	
concentrations and				
mass flow rates	264.1034(c)(1)	264.1034(c)(1)	X	
Method 2 in				
40 CFR Part 60				,
for velocity and				
volumetric flow rate	264.1034(c)(1)(i)	264.1034(c)(1)(i)	X	
Method 18 in	204.1004(0)(1)(1)	204.1004(0)(1)(1)		
40 CFR Part 60				
	264 1024(a)(1)(ii)	264 1024(5)(1)(6)	~	
for organic content	264.1034(c)(1)(ii)	264.1034(c)(1)(ii)	<u>X</u>	
performance tests				
in three separate				
runs; conditions for				
conducting runs;		•		
averaging results on a				
time-weighted basis	264.1034(c)(1)(iii)	264.1034(c)(1)(iii)	X	

			STATE ANAL	OG IS:
		ANALOGOUS	EQUIV- MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT	IN SCOPE
agustian for				
equation for		•		
determining	•			
total organic mass flow rates	264 1024(a)(1)(iv)	064 1004(*)(1)(6)	V	
equation for	264.1034(c)(1)(iv)	264.1034(c)(1)(iv)	<u>X</u>	
•				
determining annual total organic				
emission rate	264.1034(c)(1)(v)	264 1024(5)(1)(4)	Χ	
determination of	204.1034(C)(1)(V)	264.1034(c)(1)(v)	<u> </u>	,
total organic	•			
emissions from all				
process vents using				
264.1034(c)(1)(iv)				
equation and		v		
264.1034(c)(1)(v)		•		
equation	264.1034(c)(1)(vi)	264.1034(c)(1)(vi)	X	
recording of process	204:1004(0)(1)(41)	204.1004(0)(1)(4)		
information necessary				(
to determine				
performance test				
conditions; certain	•	. ,		
operational periods				•
not applicable	264.1034(c)(2)	264.1034(c)(2)	Χ	
performance testing	20.11.00.12/12/			
facilities provided				
by owner or operator	264.1034(c)(3)	264.1034(c)(3)	X	
sampling ports				
adequate for				
264.1034(c)(1)				,
test methods	264.1034(c)(3)(i)	264.1034(c)(3)(i)	X	
safe sampling				
platform(s)	264.1034(c)(3)(ii)	264.1034(c)(3)(ii)	X	
safe access to				
sampling platform(s)	264.1034(c)(3)(iii)	264.1034(c)(3)(iii)	X	
utilities for sampling	÷			1 .
and testing equipment	264.1034(c)(3)(iv)	264.1034(c)(3)(iv)	Χ	."

			STATE ANALOG IS:
·		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
use of time-weighted			
average of three runs			
in making compliance			>
determinations;		•	
Regional Administrator	•		
approval needed for			
average based on two			
runs if a sample is		*	
accidentally lost			
or certain	·		
conditions occur	264.1034(c)(4)	264.1034(c)(4)	X
to demonstrate a	20 100 . (0)(!)	201.1001(0)(1)	
process vent is not			
subject to Subpart			
AA requirements,			
use one of two			
methods to determine			
an annual average			-
total organic			
concentration of less			
than 10 ppmw	264.1034(d)	264.1034(d)	X
direct measurement			
using the following			
procedures:	264.1034(d)(1)	264.1034(d)(1)	X
minimum of four			
grab samples under			•
specified process			·
conditions	264.1034(d)(1)(i)	264.1034(d)(1)(i)	X
for waste generated			
onsite, collect grab	•		
samples before		' •	
exposure to the			
atmosphere; for			
waste generated		•	
offsite, collect grab	•		
samples at the inlet	•		•
to the first waste			. · ·
management unit that	,	•	
receives the waste			
under specific			
conditions	264.1034(d)(1)(ii)	264.1034(d)(1)(ii)	X

			CTATE ANALOG IS
		ANALOGOUS	STATE ANALOG IS: EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
I EDERAL REQUIREMENT	LEBERAL RODA CHARON	STATE STATION	TACCAL STRINGENT IN SCOPE
sample analysis			
using Method 9060	•	,	
or 8240 of		•	
SW-846	264.1034(d)(1)(iii)	264.1034(d)(1)(iii)	X
calculation of	204.1004(0)(1)(11)	204.1004(4)(1)(11)	
time-weighted, annual			
average total organic			
	264 1024(d)(1)(in)	264 1024(4)(1)(iv)	X
concentration of waste	264.1034(d)(1)(iv)	264.1034(d)(1)(iv)	
using knowledge of			- .
the waste to			•
determine its total			,
organic concentration			
is less than 10 ppmw;			
documentation of the	•		
waste determination			
is required; examples			
of acceptable			
documentation	264.1034(d)(2)	264.1034(d)(2)	X (
guidelines for the			
determination that	264.1034(e)	264.1034(e)	X
hazardous wastes			
are managed with	264.1034(e)(1)	264.1034(e)(1)	X time-weighted,
annual average total	264.1034(e)(2)	264.1034(e)(2)	X time-weighted,
organic concentrations			
less than 10 ppmw	264.1034(e)(3)	264.1034(e)(3)	X
Method 8240	3-7-7-		
procedures		•	
used to resolve			•
dispute in case			
of disagreement		•	·
between owner or			
operator and Regional		. *	
Administrator regarding			
the determination			
made in	004.400.4/6	004 400 470	V
264.1034(e)	264.1034(f)	264.1034(f)	X
RECORDKEEPING REG	HIBEMENTS		
compliance with	O. ILIVILIA IO		
recordkeeping			
requirements	264.1035(a)(1)	264.1035(a)(1)	X
requirements	204.1030(a)(1)	204.1033(a)(1)	

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
recordkeeping			
requirements for			•
more than one			
hazardous waste			·
management unit	•		
in one recordkeeping		•	
system	264.1035(a)(2)	264.1035(a)(2)	Χ
information that must			_
be recorded in the			
facility operating	•		
record	264.1035(b)	264.1035(b)	X
for 264.1033(a)(2)-			
complying facilities,			
an implementation	•	•	
schedule that			
includes specified			
dates and rationale;			
inclusion in operating			
record by effective			
date the facility becomes subject to		•	
Subpart AA provisions	264.1035(b)(1)	264.1035(b)(1)	X
up-to-date documen-	204:1035(b)(1)	204.1035(b)(1)	
tation of 264.1032			·
standards	264.1035(b)(2)	264.1035(b)(2)	X
information and			
data identifying			
all affected process			
vents and specific			
information for			
each vent	264.1035(b)(2)(i)	264.1035(b)(2)(i)	X
information and data			300000000000000000000000000000000000000
supporting determina-			•
tions of vent			•
emissions and	•		
emission reductions;			
new determination			
required if any action			
taken increases total			
emissions	264.1035(b)(2)(ii)	264.1035(b)(2)(ii)	Χ

				STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
a performance test plan for owners or operators using test data					
for determination	264.1035(b)(3)	264.1035(b)(3)	X		
a description of the determination that a planned test will be conducted when unit is operating at the highest load or					
capacity level	264.1035(b)(3)(i)	264.1035(b)(3)(i)	X		
	264.1035(b)(3)(ii)	264.1035(b)(3)(ii)	X		
	264.1035(b)(3)(ii)(A)	264.1035(b)(3)(ii)(A)	X		
	264.1035(b)(3)(ii)(B)	264.1035(b)(3)(ii)(B)	X		(
	264.1035(b)(3)(ii)(C)	264.1035(b)(3)(ii)(C)	Χ		<u></u>
detailed engineering description of closed-vent system	264.1035(b)(3)(ii)(D)	264.1035(b)(3)(ii)(D)	X		
and control device	264.1035(b)(3)(ii)(E)	264.1035(b)(3)(ii)(E)	X		
detailed description of sampling and monitor- ing procedures	264.1035(b)(3)(iii)	264.1035(b)(3)(iii)	X		,
documentation of compliance with					
264.1033	264.1035(b)(4)	264.1035(b)(4)	<u>X</u>		
information references and sources	264.1035(b)(4)(i)	264.1035(b)(4)(i)	X		
records including the dates of each compliance test required	,				
by 264.1033(k)	264.1035(b)(4)(ii)	264.1035(b)(4)(ii)	X		

				STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
if engineering calculations are used, a design analysis and other documents that					
present basic control device design information; design					
analysis addresses vent stream characteristics and				-	
control device operation parameters	264.1035(b)(4)(iii)	264.1035(b)(4)(iii)	X		
design analysis requirements for a thermal vapor incinerator	264.1035(b)(4)(iii)(A)	264.1035(b)(4)(iii)(A) X		
design analysis requirements for a catalytic vapor incinerator	264.1035(b)(4)(iii)(B)	264.1035(b)(4)(iii)(B		-	
design analysis requirements for a boiler or process heater		264.1035(b)(4)(iii)(C	,		
design analysis requirements for a flare	264.1035(b)(4)(iii)(C) 264.1035(b)(4)(iii)(D)	264.1035(b)(4)(iii)(D			
design analysis requirements for a condenser	264.1035(b)(4)(iii)(E)	264.1035(b)(4)(iii)(E) X		
design analysis requirements for carbon adsorption system that regenerates the			,	÷	
carbon bed directly onsite	264.1035(b)(4)(iii)(F)	264.1035(b)(4)(iii)(F) X		

			STATE ANALOG	
		ANALOGOUS		BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT	IN SCOPE
design analysis				
requirements for a			4	
carbon adsorption				
system that does not				
regenerate the carbon	•			
bed directly onsite	264.1035(b)(4)(iii)(G)	264.1035(b)(4)(iii)(0	G) X	
certification state-			ŀ	
ment signed and	•	· ·		
dated by owner or			•	
operator regarding				
operating				
parameters	264.1035(b)(4)(iv)	264.1035(b)(4)(iv)	X	
certification state-			•	
ment signed and				
dated by owner or				
operator regarding				•
control equipment				
meeting design				
specifications	264.1035(b)(4)(v)	264.1035(b)(4)(v)	X	
all test results				
when performance				
tests are used to				
demonstrate				
compliance	264.1035(b)(4)(vi)	264.1035(b)(4)(vi)	X	
information to be				
recorded and kept				
up-to-date in the				
facility operating				
record for each		•	• .	
closed-vent system				
and control device				
subject to the Part	204 1025(a)	004.4005(~)	V	
264 regulations	264.1035(c)	264.1035(c)	X	
description and date	•			
of each	204 1025(-)/1)	064.4005/-\/4\	V	
modification	264.1035(c)(1)	264.1035(c)(1)	X	

				STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
identification of operating parameter, description of monitoring device					,
and location diagram for compliance with 264.1033(f)(1) and			•		
(f)(2)	264.1035(c)(2)	264.1035(c)(2)	Χ	-	
information required by 264.1033(f)-(k)	264.1035(c)(3)	264.1035(c)(3)	X		
date, time and duration of each period that occurs while control			·		
device is operating when any monitored parameter exceeds					
the value established in the design analysis	264.1035(c)(4)	264.1035(c)(4)	X		
when combustion temperature is below 760°C for a	264.1035(c)(4)(i)	264.1035(c)(4)(i)	X		
thermal vapor incinerator	264.1035(c)(4)(ii)	264.1035(c)(4)(ii)	X		
when temperature of vent stream is more than 28°C below	204.1000(0)(4)(11)	254.1005(6)(4)(11)			
average temperature or when temperature		·			
difference across catalyst bed is less than 80 percent of		•			
the design average	264.1035(c)(4)(iii)	264.1035(c)(4)(iii)	X		
temperature difference for a	264.1035(c)(4)(iii)(A)	264.1035(c)(4)(iii)(A	() X	· .	
catalytic vapor incinerator	264.1035(c)(4)(iii)(B)	264.1035(c)(4)(iii)(B	3) X		
boiler or process heater	264.1035(c)(4)(iv)	264.1035(c)(4)(iv)	X		

				STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
flame zone			e ^r		
temperature is more					
than 28°C below					
design average					
temperature	264.1035(c)(4)(iv)(A)	264.1035(c)(4)(iv)(A)) X		
position	Zo coolon .W.M.				
changes	264.1035(c)(4)(iv)(B)	264.1035(c)(4)(iv)(B)) X		
period when the pilot			<u> </u>	-	
flame is not ignited					
for a flare	264.1035(c)(4)(v)	264.1035(c)(4)(v)	·Χ		
period when organic		v			
compounds are more					
than 20 percent					
greater than the					
design level for					
a condenser	264.1035(c)(4)(vi)	264.1035(c)(4)(vi)	Χ		
condenser that					
complies with		•			***************************************
264.1033(f)(2)(vi)(B)	264.1035(c)(4)(vii)	264.1035(c)(4)(vii)	X	,	
temperature of					
exhaust vent stream					•
is more than 6°C					
above design					
average temperature	264.1035(c)(4)(vii)(A)	264.1035(c)(4)(vii)(A	() X		
temperature of					
exiting coolant fluid			,		
is more than 6°C					•
above design average					
temperature	264.1035(c)(4)(vii)(B)	264.1035(c)(4)(vii)(B	3) X		
period when organic					
compounds are more					
than 20 percent					
greater than the					
design level for a		•			
carbon adsorption					
system	264.1035(c)(4)(viii)	264.1035(c)(4)(viii)	X		
period when vent					
stream flow exceeds					•
predetermined					
regeneration time	•				
for a carbon	004400#(3/43/23	0044005()(4)(1)	V		
adsorption system	264.1035(c)(4)(ix)	264.1035(c)(4)(ix)	X		

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
explanation for each period under 264.1035(c)(4) of the cause for parameters being exceeded and			
measures	0044005(-)(5)	0044005(-)(5)	V
implemented date when existing	264.1035(c)(5)	264.1035(c)(5)	X
carbon is replaced	264.1035(c)(6)	264.1035(c)(6)	Χ -
	264.1035(c)(7)	264.1035(c)(7)	X
	264.1035(c)(7)(i)	264.1035(c)(7)(i)	X
log to record specific dates	264.1035(c)(7)(ii)	264.1035(c)(7)(ii)	X
date of each control	204.1000(0)(7)(11)	204.1000(0)(7)(11)	
device startup			•
and shutdown	264.1035(c)(8)	264.1035(c)(8)	X
records required by paragraphs 264.1035(c)(3)-(c)(8) need be kept only		·	
3 years	264.1035(d)	264.1035(d)	X
specification of recordkeeping requirements for certain control devices by Regional Administrator logging of information	264.1035(e)	264.1035(e)	X
used to determine if process vent is subject to 264.1032 and 264.1032(d)(2)	264.1035(f)	264.1035(f)	X
REPORTING REQUIREM	#ENTS		•
semiannual report submitted by date specified by Regional Adminis- trator; information the report must			
contain:	264.1036(a)	264.1036(a)	X
*	•		1

			STATE ANALOG IS:		
•	•	ANALOGOUS	EQUIV- MORE BROADER		
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE		
EPA ID number, name and address of facility	264.1036(a)(1)	264.1036(a)(1)	×		
dates when design specifications are exceeded, duration and cause, and corrective					
measures taken	264.1036(a)(2)	264.1036(a)(2)	X		
exception to reporting requirements specified in			X		
264.1036(a)	264.1036(b)	264.1036(b)			

SUBPART BB - AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS

	•				1
APPLICABILITY					
owners and operators					
of facilities that treat, store					
or dispose of			3		
hazardous wastes					
except as provided				•	P
<u>in 264.1</u>	264.1050(a)	264.1050(a)	X		
except as provided			•		
in 264.1064(k),			*		
applicability of Subpart BB to equip-					
ment that contains or					
contacts hazardous	•				
wastes with organic					
concentrations of at			•		•
least 10 percent by	004 4050(%)	064 1050/b\	X		•
weight that are managed in units or	264.1050(b)	264.1050(b)			
facilities subject to	264.1050(b)(1)	264.1050(b)(1)	Χ		
Part 270 permitting					
requirements	264.1050(b)(2)	264.1050(b)(2)	X		
*					

					STATE ANALO	
EEDERAL REQUIREMENT	EEDEDAL BODA CITATION	,	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION		STATE CITATION	ALENT	STRINGENT	IN SCOPE
for permits received						
under Section 3005						
of RCRA prior to		٠				
December 21, 1990,	• .					
requirements of 264.1052-264.1065		•	*			
must be incorporated	•				•	
when permit is	٧					
reissued under 124.15					-	
or reviewed under						
270.50	264.1050(c)	•	264.1050(c)	X		
equipment subject						
to Subpart BB, Part	004.4050(4)		004 4050(4)	V		
264 shall be marked equipment in vacuum	264.1050(d)		264.1050(d)	X		
service excluded						
from requirements of						
264.1052 to 264.1060						
if identified						
as required in	0044050()	•	204.42524.			
264.1064(g)(5)	264.1050(e)		264.1050(e)	<u> </u>		
DEFINITIONS						
all terms have						
meaning given them			•			•
in 264.1031, the Act,						
and Parts 260-266	264.1051		264.1051	X		
STANDARDS: PUMPS	IN LIGHT LIQUID SEF	RVIC)E			
monthly monitoring						
to detect leaks						
as specified by				·		
264.1063(b) methods	•					
except as provided				•		
in 264.1052(d), (e) and (f)	264.1052(a)(1)		264.1052(a)(1)	X		
visual inspection each	204.1002(a)(1)		204.1002(a)(1)	^	·	·
calendar week	264.1052(a)(2)		264.1052(a)(2)	X		
conditions	064 1050/5//1)		264 1052/5/41	v		* * *
conditions indicating a	264.1052(b)(1)		264.1052(b)(1)	X		
leak is detected	264.1052(b)(2)	•	264.1052(b)(2)	X		

	,		STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
time frame for	•		
leak repair, except			
as provided in			•
264.1059	264.1052(c)(1)	264.1052(c)(1)	X
first attempt	,		
at leak repair			
not to exceed			
5 calendar			
days after	004 4050(-)(0)	004.4050(-)(0)	
leak detection	264.1052(c)(2)	264.1052(c)(2)	X
pump equipped with			
dual mechanical seal system that includes		٠	
a barrier fluid			
system is exempt			
from 264.1052(a) if			
specific requirements			•
are met:	264.1052(d)	264.1052(d)	X (
	264.1052(d)(1)	264.1052(d)(1)	X
			·
operational and	264.1052(d)(1)(i)	264.1052(d)(1)(i)	X
equipment			
requirements for a	264.1052(d)(1)(ii)	264.1052(d)(1)(ii)	
dual mechanical seal system	264.1052(d)(1)(iii)	264.1052(d)(1)(iii)	X
organic concentra-	264.1032(d)(1)(iii)	264.1032(0)(1)(11)	
tion limitation			
for barrier			
fluid system	264.1052(d)(2)	264.1052(d)(2)	X
sensor requirement	264.1052(d)(3)	264.1052(d)(3)	X
weekly visual check			
of pump	264.1052(d)(4)	264.1052(d)(4)	X
daily check of			
barrier fluid			
system sensor		•	
or monthly check	0044050/19/59/0	0044050/19/59/9	
of audible alarm	264.1052(d)(5)(i)	264.1052(d)(5)(i)	X
determination of		•	
criterion to indicate	264 1062(4)(5)(ii)	264 1052(4)(5)(0)	•
failure of systems	264.1052(d)(5)(ii)	264.1052(d)(5)(ii)	<u> </u>

•			STATE ANALOG IS:
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- MORE BROADER ALENT STRINGENT IN SCOPE
TESTIVE RESULTANTAL			
leak detection	0044050(1)(0)(1)	00440504040	~
criteria	264.1052(d)(6)(i)	264.1052(d)(6)(i)	X
repair of leak not to exceed			
15 calendar days,			•
except as provided			
in 264.1059	264.1052(d)(6)(ii)	264.1052(d)(6)(ii)	X
first attempt at		•	-
leak repair not to exceed 5			
calendar days			
after leak detection	264.1052(d)(6)(iii)	264.1052(d)(6)(iii)	X
		=	
conditions under	264.1052(e)	264.1052(e)	X
which pump	004 4050(=)(4)	004 4050(5)(4)	
designated for no detectable emissions	264.1052(e)(1)	264.1052(e)(1)	X
is exempt from	264.1052(e)(2)	264.1052(e)(2)	X
264.1052(a), (c)	<u> </u>		
and (d) requirements	264.1052(e)(3)	264.1052(e)(3)	X
pump equipped with		•	
closed-vent system and control device in			
compliance with			
264.1060 is exempt			
from 264.1052(a)-(e)			
requirements	264.1052(f)	264.1052(f)	_X
STANDARDS: COMPRE			
seal system	-550110		
requirement for			
compressor, except			
as provided in			
264.1053(h) and (i)	264.1053(a)	264.1053(a)	X
	264.1053(b)	264.1053(b)	X
	264 1052/b\/1\		X
	264.1053(b)(1)	264.1053(b)(1)	^
specifications	264.1053(b)(2)	264.1053(b)(2)	X
for compressor seal system	264.1053(b)(3)	264.1053(b)(3)	X

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
organia concentration			
organic concentration limitation for		,	
	264 1052(a)	264 1052(a)	X
barrier fluid	264.1053(c)	264.1053(c)	
sensor	264 1053(4)	264.1053(d)	X
requirement daily check of	264.1053(d)	264.1033(u)	
barrier fluid	•		
			· _
system sensor			•
or monthly check			
of audible alarm;	·		
daily check if			
compressor located			•
within boundary	004 4050/ \/4\	0044050(-)(4)	Y
of unmanned site	264.1053(e)(1)	264.1053(e)(1)	<u> </u>
determination of			
criterion to indicate	0044050()(0)	004.4050//01	V
failure of systems	264.1053(e)(2)	264.1053(e)(2)	X
leak detection			
criteria	264.1053(f)	264.1053(f)	X
repair of leak not			·
to exceed 15		•	
calendar days,			,
except as	,		
provided in			
264.1059	264.1053(g)(1)	264.1053(g)(1)	X
first attempt at			
leak repair not		*	
to exceed 5			
calendar days after	•		
leak detection	264.1053(g)(2)	264.1053(g)(2)	X
compressor equipped			
with closed-vent		•	
system and control			
device in compliance	· .		
with 264.1060 is	•		
exempt from			•
264.1053(a) and (b)			
requirements, except			
as provided in			·
264.1053(i)	264.1053(h)	264.1053(h)	Χ .
* * * * * * * * * * * * * * * * * * *			

		~		STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
conditions under					
which compressor	4 · *				
designated for no	264.1053(i)	264.1053(i)	Χ		
detectable emissions	·				
is exempt from	264.1053(i)(1)	264.1053(i)(1)	X		
264.1053(a) through	264 1052(i)/2)	264.1053(i)(2)	X		
(h) requirements	264.1053(i)(2)	204.1033(1)(2)	^		
STANDARDS: PRESSU	IRE RELIEF DEVICES IN	GAS/VAPOR SERV	ICE	-	
except during pressure	· · · · · · · · · · · · · · · · · · ·	,		· .	
releases, no		•			
detectable emission					
standards for the			•		
operation of pressure relief device					
in gas/vapor service,					
as measured by	→				
264.1063(c) method	264.1054(a)	264.1054(a)	X	•	
time requirement and					
criteria for					
return of pressure	•				
relief device to a				•	
condition of no		,		•	
detectable emissions, except as provided in			`		
264.1059	264.1054(b)(1)	264.1054(b)(1)	X		
monitoring of pressure					
relief device within 5	٠				
calendar days after					
pressure relief to		•			
confirm no					
detectable emissions,	•				
as measured by 264.1063(c) method	264.1054(b)(2)	264.1054(b)(2)	X		
pressure relief	207.1007(DJ(Z)	204.1004(DJ(ZJ			
device equipped with					•
closed-vent system					
and control device	,				
in compliance with		,			
264.1060 is exempt					
from 264.1054(a)		00440#445			
and (b)	264.1054(c)	264.1054(c)	Χ .		

				STATE ANALO	
	-	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
STANDARDS SAMPL	ING CONNECTING SYST	EMS			
sampling connecting					
system equipped					
with closed purge					
or closed-vent					
system	264.1055(a)	264.1055(a)	<u> </u>		
	264.1055(b)	264.1055(b)	X	-	
return, collect and					
recycle purged waste	264.1055(b)(1)	264.1055(b)(1)	X		
with no detectable	004 4055(5)(0)	004 4055(5)(0)	V		
emissions; control	264.1055(b)(2)	264.1055(b)(2)	X	<u> </u>	
device in compliance with 264.1060	264 1055(b)/2):	264.1055(b)(3)	X		
in situ sampling	264.1055(b)(3)	264.1033(0)(3)	^		 ,
systems exempt from					
264.1055(a) and (b)					
requirements	264.1055(c)	264.1055(c)	X		
requirements	204.1000(0)	204.1000(0)			
STANDARDS: OPEN-E	NDED VALVES OR LINE	S			
each open-ended					,
valve or line shall be					
equipped with a cap,					
blind flange,					
plug, or a second					
valve	264.1056(a)(1)	264.1056(a)(1)	X		
requirement to seal				2	
open end at all					
times except during		:004 4050()/O)	.,		•
specified operations	264.1056(a)(2)	264.1056(a)(2)	X		
operational require-					
ments for open-ended					
valve or line equipped	0044050(b)	004 4050(h)	V		*
with a second valve	264.1056(b)	264.1056(b)	X		·
requirements for					
oleed valve or line when a					
double block and					
bleed system is used;					
compliance with					
264.1056(a)	264.1056(c)	264.1056(c)	×		,
-UT. 1000(a)	<u> </u>	207.1000(b)		· · · · · · · · · · · · · · · · · · ·	

			STATE ANALOG IS:	
FEDERAL DEGLIDENCHIZ		ANALOGOUS	•	ADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT STRINGENT IN SC	COPE
STANDARDS: VALVES	IN GASVAPÕR SERVI	CE OR IN LIGHT LIC	OUID SERVICE	
monthly monitoring	0	OC OTT IN CIGHT LIC	ZOID GETTINGE	
of each valve in				
gas/vapor or light				
liquid service using			-	
264.1063(b) methods;				
compliance with				
264.1057(b)-(e),				
			-	
except as provided in				
264.1057(f), (g) and				
(h), 264.1061	004.4057(-)	0044057(-)	·	
and 264.1062	264.1057(a)	264.1057(a)	X	
instrument reading		<i>2</i>	•	
of 10,000 ppm or				
greater indicates leak	264.1057(b)	264.1057(b)	X	
monitoring	·			
requirements if				
leak not detected for				
wo successive months	264.1057(c)(1)	264.1057(c)(1)	X	
monthly monitoring				
requirement if	-			
eak detected	264.1057(c)(2)	264.1057(c)(2)	X	
epair of leak not to	201.100/10/12/			
exceed 15 calendar		•		
days, except				
as provided in			•	
	264 1057(4)(1)	004 1057(4)(1)	V	
264.1059	264.1057(d)(1)	264.1057(d)(1)	X	
irst attempt				
at leak repair				
not to exceed			•	
5 calendar	•			
days after				
eak detection	264.1057(d)(2)	264.1057(d)(2)	X	
			•	
	_264.1057(e)	264.1057(e)	X	
		, , , , , , , , , , , , , , , , , , , ,		
	264.1057(e)(1)	264.1057(e)(1)	X	
		<u> </u>		
	264.1057(e)(2)	264.1057(e)(2)	Χ	
pest practices to	264 1057(5)(2)	264 1057/5\/2\	X	
nclude in first	264.1057(e)(3)	264.1057(e)(3)		
	264 1057(=)(4)	004.1057(a)(4)	v	
attempt at repair	264.1057(e)(4)	264.1057(e)(4)	X	

· · ·			
		ANALOGOUS	STATE ANALOG IS: EQUIV- MORE BROADER
	EEDERAL BODA OITATION A		,
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
valve designated			•
for no detectable			
emissions under	264.1057(f)	264.1057(f)	X
264.1064(g)(2)	201.1001111	201.1007(1)	
is exempt	264.1057(f)(1)	264.1057(f)(1)	X
from 264.1057(a)	201.10071.)/1.7	201007(1)(1)	
requirements	264.1057(f)(2)	264.1057(f)(2)	X
f specified	2011.1007(1)(2)	201.1007(1)(2)	
conditions are met	264.1057(f)(3)	264.1057(f)(3)	X
conditions under which	204.1037(1)(3)	204.1007(1)(0)	
an unsafe-to-monitor			
alve as described in	264.1057(g)	264.1057(g)	X
264.1064(h)(1) is	264.1057(g)	264.1037(g)	
exempt from	264.1057(g)(1)	264 1057(a)(1)	X
	264.1037(g)(1)	264.1057(g)(1)	
264.1057(a)	264 1057(~)(2)	004 1057(~)(0)	X
equirements	264.1057(g)(2)	264.1057(g)(2)	
anditions under which	004 1057(b)	004 1057(5)	X
conditions under which	264.1057(h)	264.1057(h)	
difficult-to-monitor	004 1057(5)(1)	004 4057(5)(4)	V
valve as described in	264.1057(h)(1)	264.1057(h)(1)	X
264.1064(h)(2) is	004 4057/51/01	004 4057(%)(0)	V *
exempt from	264.1057(h)(2)	264.1057(h)(2)	X .
264.1057(a)	0044057/13/03	00440574140	
equirements	264.1057(h)(3)	264.1057(h)(3)	X
			55500155
	AND VALVES IN HEAVY		
	GHT LIQUID OR HEAVY	LIQUID SERVICE,	AND FLANGES
AND OTHER CONNECT	ORS	1.2	
nonitoring of			•
pecified pumps			
ind valves,			
ressure relief			·
levices, flanges and			
ther connectors			
vithin 5 days using			
64.1063(b) methods			
n case a potential			
eaks	264.1058(a)	264.1058(a)	X
eading of 10,000	207.1000(a)	207.1000(a)	
opm or greater ndicates leak	264.1058(b)	264.1058(b)	Χ

	STATE ANALOG		· ·	
BROADER		ANALOGOUS		
NT IN SCOPE	ALENT STRINGENT	STATE CITATION	FEDERAL RCRA CITATION	FEDERAL REQUIREMENT
			-	repair of leak
	See See			not to exceed 15
				calendar days,
*				except as
				provided in
	X	264.1058(c)(1)	264.1058(c)(1)	264.1059
		204.1030(0)(1)	204.1038(0)(1)	first attempt
				at leak repair
	-			not to exceed
		•	*	5 calendar
	Χ	264 1059(6)(2)	264.1058(c)(2)	days after leak detection
***************************************		264.1058(c)(2)	264.1038(0)(2)	first attempt at
				repair includes
				best practices
				described
	X	064 1050(4)	264.1058(d)	under 264.1057(e)
		264.1058(d)	264.1036(u)	under 204.1057(e)
			F REPAIR	STANDARDS: DELAY O
				requirements for the
				delay of repair of
•				equipment for which
				leaks have been
	Χ	264.1059(a)	264.1059(a)	detected
		204.1003(a)	204.1005(a)	type of equipment for
				which delay of repair
	X	264.1059(b)	264.1059(b)	allowed
<u> </u>		204.1003(b)	204.1003(b)	anowed
	X	264.1059(c)	264.1059(c)	
		201.1000(0)	20111000(0)	conditions
	X	264.1059(c)(1)	264.1059(c)(1)	under which
		201.1000(0)(1)	201.1003(0)(1)	delay of repair of
	Χ	264.1059(c)(2)	264.1059(c)(2)	valves allowed
		204.1003(0)(2.)	204.1003(0)(2)	Varves anowed
	Χ	264 1059(d)	264.1059(d)	
,		207.1000(u)	204.1005(0)	conditions -
	X	264 1059(d)(1)	264 1059(d)(1)	
<u> </u>		204.1003(U)(1)	204.1005(4)(1)	
	X	264 1059(4)(2)	264 1059(d)(2)	
		207.1003(U)(2)	204.1003(4)(2)	pumps anomed
	X X	264.1059(d) 264.1059(d)(1) 264.1059(d)(2)	264.1059(d)(1) 264.1059(d)(2)	conditions under which delay of repair of pumps allowed

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
conditions for delay of repair beyond a hazardous waste management unit			
shutdown	264.1059(e)	264.1059(e)	X
STANDARDS: CLOSED	LVENT SYSTEMS AND	CONTROL DEVICES	
owners or operators of closed-vent systems and control	TVENT OTOTEMO AND	OONTHOE BEVIOLO	
devices shall comply with 264.1033	· · · · · · · · · · · · · · · · · · ·		
provisions	264.1060	264.1060	X
SERVICE: PERCENTAGE alternative standard allowing no greater than 2 percent of valves to leak for an owner or	GE OF VALVES ALLOW!	ED TO LEAK	. (
operator subject to 264.1057 requirements	264.1061(a)	264.1061(a)	X
notification,	264.1061(b)	264.1061(b)	X
performance test, and repair	264.1061(b)(1)	264.1061(b)(1)	X
requirements if an owner or operator	264.1061(b)(2)	264.1061(b)(2)	X
decides to comply with alternative standard	264.1061(b)(3)	264.1061(b)(3)	X
monitoring	264.1061(c)	264.1061(c)	X
standards, leak detection criterion	264.1061(c)(1)	264.1061(c)(1)	X
and determination of leak percentage	264.1061(c)(2)	264.1061(c)(2)	X
when conducting performance tests	264.1061(c)(3)	264.1061(c)(3)	X

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
written notification to Regional Administrator of intent to follow 264.1057(a)-(e) work			
practice standard			
if owner or operator			
decides to no longer	•		
comply with 264.1061	264.1061(d)	264.1061(d)	X -
Comply With 204.1001	204.1001(4)	204.1001(u)	
ALTERNATIVE STANDA SERVICE: SKIP PERIO			E OR IN LIGHT LIQUID
election to comply			
with 264.1062(b)(2)			
and (3) alternative			
work practices by			
owner or operator			
subject to 264.1057			
requirements	264.1062(a)(1)	264.1062(a)(1)	X
notification of			
Regional Administrator			
before implementing			
alternative			
work practice	264.1062(a)(2)	264.1062(a)(2)	X
compliance with			
264.1057			
requirements, except			
as described	•		
in 264.1062(b)(2)			
and (b)(3)	264.1062(b)(1)	264.1062(b)(1)	X
conditions under			
which an owner			
or operator			
may begin to skip			•
one of the quarterly			
leak detection		•	
periods for valves			
subject to 264.1057	en e		
requirements	264.1062(b)(2)	264.1062(b)(2)	<u> X</u>

		ANIA 000110	FOUR	STATE ANALO	
·		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
conditions under					
which an owner			•		
or operator may					
begin to skip three					
of the quarterly					
leak detection				•	
periods for valves		•			
subject to 264.1057		•	N.		
requirements	264.1062(b)(3)	264.1062(b)(3)	X	-	
compliance with	204.1002(0)(0)	204.1002(0)(0)			
264.1057 monthly					
monitoring require-					
ments if percentage					
of valves leaking					
exceeds 2 percent;					•
may elect to use				v	
264.1062 require-					
ments again					/
after meeting					
264.1057(c)(1)		•			`
requirements	264.1062(b)(4)	264 1062(b)(4)	X		
requirements	204.1002(D)(4)	264.1062(b)(4)	^		
TEST METHODS AND	PROCEDURES				
compliance with test					
methods and proced-					
ure requirements by					
owner or operator					
subject to provisions			·		
of Subpart BB	264.1063(a)	264.1063(a)	X		•
leak detection	204.1000(4)	204.1000(2)			
monitoring as					
required in	•				
264.1052-264.1062					
shall comply with		•	·		
specified			•		
requirements:	264.1063(b)	264.1063(b)	X		
monitoring in	204.1000(b)	204.1000(D)	^_		
compliance with					
Reference Method					
21 in 40 CFR					•
Part 60	264.1063(b)(1)	264.1063(b)(1)	X		
i dit oo	207.1000(D)(1)	£07.(1000(D)(1)	^		

		· · · · · · · · · · · · · · · · · · ·	STATE ANALOG IS:
· .		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
detection instrument shall meet the performance criteria of Reference			
Method 21	264.1063(b)(2)	264.1063(b)(2)	X
calibration of instru- ment by procedures specified in	,		÷
Reference Method 21	264.1063(b)(3)	264.1063(b)(3)	<u>X</u>
calibration gases shall be:	264.1063(b)(4)	264.1063(b)(4)	X
zero air	264.1063(b)(4)(i)	264.1063(b)(4)(i)	X
mixture of methane or n-hexane and air at specified			
concentration	264.1063(b)(4)(ii)	264.1063(b)(4)(ii)	X
instrument probe traverse requirements as described in			
Reference Method 21	264.1063(b)(5)	264.1063(b)(5)	X
test compliance requirements for	264.1063(c)	264.1063(c)	_ X
equipment with no detectable emissions	264.1063(c)(1)	264.1063(c)(1)	X
as required in 264.1052(e),	264.1063(c)(2)	264.1063(c)(2)	_ X
264.1053(i), 264.1054 and	264.1063(c)(3)	264.1063(c)(3)	X
264.1057(f)	264.1063(c)(4)	264.1063(c)(4)	X
in accordance with 264.13(b), determination by owner or operator of whether equipment contains or contacts a		·	
hazardous waste with organic concentration equal to or greater			
than 10% by weight using the following:	264.1063(d)	264.1063(d)	X

methods described in ASTM Methods D 267-88, E 169-87, E 168-88 and E 260-85	•			STATE ANALOG IS:
methods described in ASTM Methods D 2267-88, E 169-87, E 168-88 and E 260-85	•			
in ASTM Methods D 2267-88, E 169-87, E 168-88 and E 260-85	FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
in ASTM Methods D 2267-88, E 169-87, E 168-88 and E 260-85	methods described			
D 2267-88, E 169-87, E 168-88 and E 260-85			•	
E 169-87, E 168-88 and E 260-85				·
E 168-88 and E 260-85	•			
and E 260-85	•			•
Method 9060 or 8240 of SW-846 264.1063(d)(2) 264.1063(d)(2) X application of the knowledge of the nature of the hazardous waste stream or the process by which it was produced; documentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	~	264.1063(d)(1)	264.1063(d)(1)	X
application of the knowledge of the nature of the hazardous waste stream or the process by which it was produced; documentation required; examples of documentation as specified in 264.1063(d) (a) 264.1063(d)(3) X determination as specified in 264.1063(d) (an be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
knowledge of the nature of the hazardous waste stream or the process by which it was produced; docu- mentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	8240 of SW-846	264.1063(d)(2)	264.1063(d)(2)	X
nature of the hazardous waste stream or the process by which it was produced; documentation required; examples of documentation as specified in 264.1063(d) (an be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	application of the			
hazardous waste stream or the process by which it was produced; documentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	knowledge of the	•		
stream or the process by which it was produced; docu- mentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	nature of the			
by which it was produced; documentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	hazardous waste	•		
produced; documentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	stream or the process			
mentation required; examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected		•		
examples of documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	produced; docu-		•	
documentation 264.1063(d)(3) 264.1063(d)(3) X determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
determination as specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	examples of			,
specified in 264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected		264.1063(d)(3)	264.1063(d)(3)	(
264.1063(d) can be revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
revised only after following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) X samples used for determination representative of highest expected	•			
following 264.1063(d)(1) or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
264.1063(d)(1) or (d)(2) procedures 264.1063(e) Z64.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) Z64.1063(f) X samples used for determination representative of highest expected				
or (d)(2) procedures 264.1063(e) 264.1063(e) X use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
use of 264.1063(d)(1) or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
or (d)(2) to resolve determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected		264.1063(e)	264.1063(e)	<u>X</u> .
determination disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
disputes between owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected				
owner or operator and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	j.		•	,
and Regional Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected	•		•	
Administrator 264.1063(f) 264.1063(f) X samples used for determination representative of highest expected			•	
samples used for determination representative of highest expected				
for determination representative of highest expected		264.1063(f)	264.1063(f)	X
representative of highest expected				
of highest expected			•	
total organic content				
	total organic content			
hazardous waste 264.1063(g) 264.1063(g) X	hazardous waste	264.1063(g)	264.1063(g)	X

		,		STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
to determine if numbe			*		
to determine if pumps or valves are in light		•			
liquid service, vapor					
pressures of	· ·				
constituents may be	·				
obtained from					,
standard reference					
texts or may be					
determined by				•	
ASTM D-2879-86	264.1063(h)	264.1063(h)	X		
performance tests					
for control device					
shall comply with					
264.1034(c)(1)					
through (c)(4)					
procedures	264.1063(i)	264.1063(i)	X	<u> </u>	
RECORDKEEPING REC	DUIREMENTS	,			
compliance with					
recordkeeping					
requirements	264.1064(a)(1)	264.1064(a)(1)	X		
recordkeeping					
requirements for					
more than one				- mari	
hazardous waste					
management unit					
in one					
recordkeeping	004 1004(=)(0)	004 4004/-1/01			
system	264.1064(a)(2)	264.1064(a)(2)	Χ ,		·

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
	264.1064(b)	264.1064(b)	X
	264.1064(b)(1)	264.1064(b)(1)	X
	264.1064(b)(1)(i)	264.1064(b)(1)(i)	X
•	264.1064(b)(1)(ii)	264.1064(b)(1)(ii)	X
•	264.1064(b)(1)(iii)	264.1064(b)(1)(iii)	Χ -
specific information that owners and	264.1064(b)(1)(iv)	264.1064(b)(1)(iv)	X
operators must record	264.1064(b)(1)(v)	264.1064(b)(1)(v)	X
in the facility operating record for facilities that	264.1064(b)(1)(vi)	264.1064(b)(1)(vi)	X
comply with the provisions of 264.1033(a)(2), an implementation schedule as specified in			· (
264.1033(a)(2)	264.1064(b)(2)	264.1064(b)(2)	Χ
performance test plan as specified in 264.1035(b)(3) if test data are used for control device			
demonstration	264.1064(b)(3)	264.1064(b)(3)	X
documentation of compliance with 264.1060, including documentation or results exactly in			
results specified in 264:1035(b)(4)	264.1064(b)(4)	264.1064(b)(4)	Χ

·•			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
information require-	264.1064(c)	264.1064(c)	X
ments when each leak is detected	264.1064(c)(1)	264.1064(c)(1)	X
as specified in 264.1052, 264.1053, 264.1057	264.1064(c)(2)	264.1064(c)(2)	X
and 264.1058	264.1064(c)(3)	264.1064(c)(3)	Χ
	264.1064(d)	264.1064(d)	X
	264.1064(d)(1)	264.1064(d)(1)	X
	264.1064(d)(2)	264.1064(d)(2)	X
	264.1064(d)(3)	264.1064(d)(3)	X
	264.1064(d)(4)	264.1064(d)(4)	X
	264.1064(d)(5)	264.1064(d)(5)	X
•	264.1064(d)(6)	264.1064(d)(6)	X
inspection log	264.1064(d)(7)	264.1064(d)(7)	X
information require- ments when each	264.1064(d)(8)	264.1064(d)(8)	X
leak is detected as specified in	264.1064(d)(9)	264.1064(d)(9)	X
264.1052, 264.1053, 264.1057 and 264.1058	264.1064(d)(10)	264.1064(d)(10)	X
for each closed-vent system and control device subject to 264.1060,			
design documentation and monitoring, operating and			
inspection informa- tion recorded in facility operating			
record as specified in 264.1035(c)	264.1064(e)	264.1064(e)	Χ

-		ANALOGOUS	STATE ANALOG IS: EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
for a control device other than thermal vapor incinerator, catalytic vapor		•	
incinerator, flare, boiler, process	•		
heater, condenser, or carbon adsorption system, Regional			
Administrator will specify appropriate recordkeeping			
requirements	264.1064(f)	264.1064(f)	_X
-	264.1064(g)	264.1064(g)	X
	264.1064(g)(1)	264.1064(g)(1)	X
	264.1064(g)(2)(i)	264.1064(g)(2)(i)	X
information	264.1064(g)(2)(ii)	264.1064(g)(2)(ii)	X
requirements for	264.1064(g)(3)	264.1064(g)(3)	X
equipment subject to the requirements of	264.1064(g)(4)(i)	264.1064(g)(4)(i)	X
264.1052 through 264.1060 to be	264.1064(g)(4)(ii)	264.1064(g)(4)(ii)	X
recorded in a log and kept in the	264.1064(g)(4)(iii)	264.1064(g)(4)(iii)	X
facility operating record	264.1064(g)(5)	264.1064(g)(5)	X
information	264.1064(h)	264.1064(h)	X
requirements for valves subject to the	264.1064(h)(1)	264.1064(h)(1)	Χ
requirements of 264.1057(g) and (h)	264.1064(h)(2)	264.1064(h)(2)	X
	264.1064(i)	264.1064(i)	X
information requirements for	264.1064(i)(1)	264.1064(i)(1)	Χ
valves complying with 264.1062	264.1064(i)(2)	264.1064(i)(2)	(

				STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
additional information		•			
requirements	264.1064(j)	264.1064(j)	X		
criteria required		•			-
in 264.1052(d)(5)(ii)					
and 264.1053(e)(2)		i		•	
and an explanation of					
the design criteria	264.1064(j)(1)	264.1064(j)(1)	X		
any changes to the	•	•		N	
criteria and the				-	
reasons for the	•				
changes	264.1064(j)(2)	264.1064(j)(2)	X		
information require-					
ments to be		1			
recorded in a log	264.1064(k)	264.1064(k)	X		
for determining					
exemptions as	_264.1064(k)(1)	264.1064(k)(1)	X		
provided in the	004.400.4(1)(0)	004406483403			
applicability section	264.1064(k)(2)	264.1064(k)(2)	X		
of Subpart BB and	004 4004(1)(0)	004 400 4(1) (0)			
other specific Subparts	264.1064(k)(3)	264.1064(k)(3)	X		
records of equipment					
leak and operating					
information need be			*		
kept for only	004 1004(1)	004 4004(1)	V		
three years	264.1064(I)	264.1064(I)	X		

		ANALOGOUS	STATE ANALO	G IS: BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT	IN SCOPE
			· .	
the owner or operator				
of facility subject to Subpart BB and to				
egulations at				
40 CFR Part 60,				
Subpart VV, or				
40 CFR Part 61,				
Subpart V, may			•	
elect to determine				
compliance by				
documentation either				
pursuant to 264.1064	·			
or provisions of 40 CFR Part 60 or				
Part 61, to the	•			
extent that the				
documentation				
duplicates the				/
documentation				
required				
under Subpart BB	264.1064(m)	264.1064(m)	X	
REPORTING REQUIREN	MENTS			•
a semiannual report				
submitted by owners			,	
or operators to				
Regional	•		•	
Administrator by	064 1065(a)	064 106E(a)	V	
pecified dates	264.1065(a)	264.1065(a)	X	
	264.1065(a)(1)	264.1065(a)(1)	X	
	264.1065(a)(2)	264.1065(a)(2)	Χ.	
		264 1065(a)(2)(i)	X	
	264.1065(a)(2)(i)	264.1065(a)(2)(i)		
·	264.1065(a)(2)(ii)	264.1065(a)(2)(ii)	X	<u></u>
	264.1065(a)(2)(iii)	264.1065(a)(2)(iii)	Χ	
	264 1065(6)(2)	264 1065(~)(2)	v	
pecific information he semiannual eport must	264.1065(a)(3)	264.1065(a)(3)	X	

				STATE ANALO	<u>G IS:</u>
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT I	IN SCOP
a report to Regional	•				
Administrator	•	•			
not required if,					
during the semi-					
annual reporting					
period, leaks from	•				
•					
valves, pumps, and					
compressors are	•				
repaired per	•				
264.1057(d),					
264.1052(c) and				•	
(d)(6) and 264.1053(g)			,		
requirements and the	•				
control device does					
not exceed or operate					
outside 264.1064(e)			2		
specifications for	004400575	004 4005(%)	V.		
more than 24 hours	264.1065(b)	264.1065(b)	X		
		20 1. 1000(8)			****
	264.1066 - 264.1079	264.1066 - 264.10			
eserved PART 265 - INT		264.1066 - 264.10	079 X S AND OPE		•
reserved PART 265 - INT	264.1066 - 264.1079 ERIM STATUS STANDAI	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA		
reserved PART 265 - INT HAZARDOU GENERAL WASTE ANA	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA		= .
PART 265 - INT HAZARDOU GENERAL WASTE ANA	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA		T .
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		-
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA		=
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and 265.1063(d)	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		T .
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and 265.1063(d) GENERAL INSPECTION	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		-
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and 265.1063(d) GENERAL INSPECTION change "items" to	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		= .
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and 265.1063(d) GENERAL INSPECTION change "items" to 'terms"; add	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		= .
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and 265.1063(d) GENERAL INSPECTION change "items" to "terms"; add references to	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		Ξ.
PART 265 - INT HAZARDOU GENERAL WASTE ANA add references to 265.1034(d) and 265.1063(d) GENERAL INSPECTION change "items" to "terms"; add references to 265.1033, 265.1052,	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		
reserved PART 265 - INT	264.1066 - 264.1079 TERIM STATUS STANDAI S WASTE TREATMENT, SUBPART B - GENERA LYSIS 265.13(b)(6)	264.1066 - 264.10 RDS FOR OWNERS STORAGE AND DIS	079 X S AND OPE SPOSAL FA DARDS		

				BROADER
FEDERAL RCRA CITATION	STATE CITATION	IALENT	STRINGENT	IN SCOPE
E - MANIFEST SYSTEM,	RECORDKEEPING	, AND REF	PORTING	
005 70/5\/0\	005 70/5)/0)	V		
265.73(b)(3)	265./3(D)(3)	X	-	
	•			
•				
265.73(b)(6)	265.73(b)(6)	X		
3	•			
	•			
265.77(d)	265.77(d)	X		
T 44 AID EMICOLOM OF		D00500\	(ENTO	·
RI AA - AIR EMISSION SI	ANDARDS FOR P	ROCESS V	ENIS	
				·
				·
				·
	265.73(b)(3) 265.73(b)(6) 3	E - MANIFEST SYSTEM, RECORDKEEPING 265.73(b)(3) 265.73(b)(6) 265.73(b)(6) 265.77(d) 265.77(d)	E - MANIFEST SYSTEM, RECORDKEEPING, AND REF 265.73(b)(3) 265.73(b)(6) X 265.77(d) 265.77(d) X	E - MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING 265.73(b)(3) 265.73(b)(6) 265.73(b)(6) X

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
except for			
265.1034(d)			
and 265.1034(e),			
Subpart AA applies			
to process vents			
associated with			,
operations managing			
hazardous wastes	·		
with at least			
10-ppmw organic			
concentrations if			
conducted in	005 1000/5)	005 1000/5)	
specific units units subject to	265.1030(b)	265.1030(b)	X
the permitting			
requirements of			
Part 270	265.1030(b)(1)	265.1030(b)(1)	X
hazardous waste			
recycling units			
located on			
hazardous waste		•	
management facilities		•	
otherwise subject			
to Part 270			
permitting	005 1000(5)(0)	005 1000(h)(0)	V
requirements	265.1030(b)(2)	265.1030(b)(2)	X
DEFINITIONS			
all terms have			
meaning given them			
in 264.1031, the Act,			
and Parts 260-266	265.1031	265.1031	X
OTANDADDO DOCCO	00 1/51/50		•
STANDARDS: PROCES	SS VENIS		
owner or operator of facility with process			
vents meeting			
certain conditions			
shall either:	265.1032(a)	265.1032(a)	X
reduce total organic	٢٥٥.١٥٥٢(۵)	200.1002(a)	
emissions below 1.4			
kg/h and 2.8 Mg/yr	265.1032(a)(1)	265.1032(a)(1)	X

using control device, reduce total organic emissions by 95 weight percent 265.1032(a)(2) 265.1032(a)(2) X 265.1033 require- ments must be met if owner or operator installs closed-vent system and control device to comply with 265.1032(a) provisions use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1034(c) recording to 265.1032(c) 265.1032(c) X use of 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1034(c) recording to 265.1034(c) recording to 265.1034(c) recording to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1032(c) X use of 265.1034(c) recording to 265.1034(c) r					STATE ANALO	OG IS:
using control device, reduce total organic emissions by 95 weight percent 265.1032(a)(2) 265.1032(a)(2) X 265.1033 require- ments must be met if owner or operator installs closed-vent system and control device to comply with 265.1032(a) provisions 265.1032(b) 265.1032(b) X use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1034(c) procedures to resolve disagreements between owner or		•	ANALOGOUS	EQUIV	- MORE	BROADER
reduce total organic emissions by 95 weight percent 265.1032(a)(2) 265.1032(a)(2) X 265.1033 require- ments must be met if owner or operator installs closed-vent system and control device to comply with 265.1032(a) provisions 265.1032(b) 265.1032(b) X use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emissions reductions or total organic compound concentrations achieved by add-on control devices 265.1034(c) procedures to resolve disagreements between owner or	FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
265.1033 requirements must be met if owner or operator installs closed-vent system and control device to comply with 265.1032(a) provisions 265.1032(b) 265.1032(b) X use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1034(c) procedures to resolve disagreements between owner or	reduce total organic emissions by 95			,		
ments must be met if owner or operator installs closed-vent system and control device to comply with 265.1032(a) provisions 265.1032(b) 265.1032(b) X use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1034(c) procedures to resolve disagreements between owner or		265.1032(a)(2)	265.1032(a)(2)	X		
265.1032(a) provisions 265.1032(b) X use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control devices 265.1032(c) 265.1032(c) X use of 265.1034(c) procedures to resolve disagreements between owner or	ments must be met if owner or operator installs closed-vent system and control					
use of engineering calculations or performance tests conforming to 265.1034(c) requirements may be used for determi- nation of vent emissions and emission reductions or total organic compound concen- trations achieved by add-on control devices 265.1032(c) 265.1032(c) X use of 265.1034(c) procedures to resolve disagreements between owner or		265.1032(b)	265.1032(b)	X		
use of 265.1034(c) procedures to resolve disagreements between owner or	calculations or performance tests conforming to 265.1034(c) requirements may be used for determination of vent emissions and emission reductions or total organic compound concentrations achieved by add-on control					
procedures to resolve disagreements between owner or		265.1032(c)	265.1032(c)	<u> X</u>		
	procedures to resolve disagreements between owner or operator and Regional					
Administrator on vent determinations 265.1032(d) 265.1032(d) X		265.1032(d)	265.1032(d)	X		

				STATE ANALOG IS:		
		ANALOGOUS	EQUIV-	MORE	BROADER	
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE	
STANDARDS: CLOSE	D-VENT SYSTEMS AND	CONTROL DEVICE	S			
compliance with						
provisions of						
265.1033 by						
owners or operators				•		
of closed-vent						
systems and control	•					
devices used to				-		
comply with provisions of Part 265	265.1033(a)(1)	265 1022(5)(1)	X			
preparation of an	200.1000(a)(+)	265.1033(a)(1)				
implementation						
schedule by owner						
or operator, of						
existing facility,						
who cannot install a						
closed-vent system						
and control device			,	·		
to comply with				•		
Subpart AA provisions	•				•	
by effective date;						
units that begin						
operation after						
December 21, 1990,						
must comply with the	005 4000()(0)	005 4000()(0)		•		
rules immediately	265.1033(a)(2)	265.1033(a)(2)	X			
specification of		•				
efficiency standards for control device						
-	•	*				
nvolving vapor recovery unless						
265.1032(a)(1)						
emission limits	•					
can be attained	265.1033(b)	265.1033(b)	Χ .		*	
Jan Do allamou	200.1000(b)					

•			STATE ANALOG IS:
	empenal pont official	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
organic emission standards for enclosed combustion device; for boiler or process heater used as control device, vent stream			
introduced into	005.4000(.)		· -
flame zone	265.1033(c)	265.1033(c)	X
	265.1033(d)(1)	265.1033(d)(1)	X
	265.1033(d)(2)	265.1033(d)(2)	X
	265.1033(d)(3)	265.1033(d)(3)	X
•	265.1033(d)(4)(i)	265.1033(d)(4)(i)	X
	265.1033(d)(4)(ii)	265.1033(d)(4)(ii)	X
	265.1033(d)(4)(iii)	265.1033(d)(4)(iii)	X
specifications for the design and	265.1033(d)(5)	265.1033(d)(5)	X
operation of a flare	265.1033(d)(6)	265.1033(d)(6)	X
determination of compliance of a flare with the visible emission provisions of Subpart AA using Reference			
Method 22 in 40 CFR Part 60	265.1033(e)(1)	265.1033(e)(1)	X
calculation of net heating value of gas being combusted in a flare using	• • • • • • • • • • • • • • • • • • •		
specified equation	265.1033(e)(2)	265.1033(e)(2)	X

			STATE ANALOG IS:
· .	-	ANALOGOUS / -	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
determination of			
actual exit			
velocity of a flare			
using flow rate			
as determined by			
Reference Methods			
2, 2A, 2C or 2D in			· ·
40 CFR Part 60	265.1033(e)(3)	265.1033(e)(3)	X
determination of			
maximum allowed			
velocity for a			
flare complying with		**************************************	
265.1033(d)(4)(iii)	265.1033(e)(4)	265.1033(e)(4)	X
determination of			
maximum allowed			
velocity for an	205 1022(5)(5)	205 1022/5/5/	v
air-assisted flare monitoring and	265.1033(e)(5)	265.1033(e)(5)	X
inspection of			·
control device by		,	
owner and operator			
to ensure compliance			
with 265.1033 by			
implementing		•	
specified			
requirements:	265.1033(f)	265.1033(f)	X
installation, cali-			
bration, maintenance,	•		
and operation of a			
flow indicator; where			(
sensor shall be		00= 4000(0(4)	
installed	265.1033(f)(1)	265.1033(f)(1)	X
specifications for			
installation, cali-			•
bration, maintenance,			•
and operation of a device to continuously			
monitor control device			
operation:	265.1033(f)(2)	265.1033(f)(2)	X
operation.	200.1000(1)(2)	200.1000(1/(2)	

		AVA 000110		STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
temperature monitor-					
ing device with a					
continuous recorder	•	• •			
for a thermal vapor					
incinerator	265.1033(f)(2)(i)	265.1033(f)(2)(i)	Χ		
temperature monitor-					·
ing device with a		•			
continuous recorder for				-	
a catalytic vapor					
incinerator	265.1033(f)(2)(ii)	265.1033(f)(2)(ii)	Χ		
heat sensing monitor-					·
ing device with					
a continuous recorder					
for a flare	265.1033(f)(2)(iii)	265.1033(f)(2)(iii)	Χ		
temperature monitor-					
ing device with a					
continuous recorder					
for a boiler or process					
heater having a					1
design heat input		4			
capacity less					
than 44 MW	265.1033(f)(2)(iv)	265.1033(f)(2)(iv)	X		
monitoring device with					
a continuous recorder					
for a boiler or process	•				•
heater having a					
design heat input					
capacity greater					
than or equal to	005 4000(0)(0)(0)	005 4000(0(0)()			:
44 MW	265.1033(f)(2)(v)	265.1033(f)(2)(v)	X	· · · · · · · · · · · · · · · · · · ·	
for a condenser,	005 4000(5(0)(-i)	005 4000(8/0)()	V		
either:	265.1033(f)(2)(vi)	265.1033(f)(2)(vi)	X		
monitoring device	•	•			
with a continuous	•	•			
recorder to					•
measure concen-					
tration level of the					
organic compounds					
in the exhaust					
vent stream from the condenser	265 1022(4)(2)(ci)(A)	265 1022(4)(2)(6)(4)	\\ Y		
nom the condenser	265.1033(f)(2)(vi)(A)	265.1033(f)(2)(vi)(A	<u> </u>		

				STATE ANALO	
•		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
temperature monitor-	•				
ing device with a					
continuous recorder;					
specifications	265.1033(f)(2)(vi)(B)	265.1033(f)(2)(vi)(B)	X		
for a carbon				-	
adsorption system,					
either:	265.1033(f)(2)(vii)	265.1033(f)(2)(vii)	Χ		
monitoring device		,		-	
with a continuous					
recorder to measure				n	
concentration level					
of organic compounds					
in exhaust					
vent stream from	•		•		
carbon bed	265.1033(f)(2)(vii)(A)	265.1033(f)(2)(vii)(A) X	*	
monitoring device			•		
with a continuous	•	ř			
recorder to measure				•	
a parameter that					
indicates the carbon					•
bed is regenerated		,			
on a regular pre-					
determined time cycle	265.1033(f)(2)(vii)(B)	265.1033(f)(2)(vii)(B) X _		
daily inspection of					
readings from					
monitoring device					
required by		•			
265.1033(f)(1) and					
265.1033(f)(2);	•				
implement corrective					
measures if		•			
necessary	265.1033(f)(3)	265.1033(f)(3)	Χ		
replacement of					
existing carbon					
in control device					
by owner or operator					
using a fixed-bed					
carbon adsorber					
that meets the					
265.1035(b)(4)(iii)(F)		4		•	
requirement	265.1033(g)	265.1033(g)	X		

replacement of carbon on a regular basis by owner	BROADER IN SCOPE
replacement of carbon on a regular	IN SCOPE
carbon on a regular	
the experience of the contract	
or operator using	
a carbon canister 265.1033(h) 265.1033(h) X	
monitor organic	
compounds daily or at	
interval no greater	
than 20 percent of	
time required to	
consume total carbon	
working capacity	
established at	
265.1035(b)(4)(iii)(G),	
whichever is longer;	
replace existing	
carbon when carbon	
<u>breakthrough occurs</u> 265.1033(h)(1) 265.1033(h)(1) X	(
replacement of	/
existing carbon	
at intervals less	
than design carbon	•
replacement interval	
established as a	
requirement of	
265.1035(b)(4)(iii)(G) 265.1033(h)(2) 265.1033(h)(2) X	
documentation	
requirements for	
owner or operator	
seeking to comply with	
Part 265 provisions	
by using a control	
device other than	
a thermal vapor	
incinerator, catalytic	
vapor incinerator,	
flare, boiler,	
process heater	
condenser, or carbon	
adsorption system 265.1033(i) 265.1033(i) X	

•	·/		STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
design and operational	• .	*	
requirements for			
closed-vent systems			
based on 265.1034(b)	· ·		
methods	265.1033(j)(1)	265.1033(j)(1)	X
monitoring of	203.1033(()(1)	200.1000([/(1/	
closed-vent systems			
during initial leak			-
detection monitoring,			
conducted by		#	
the date that the	,		
facility becomes			
subject to 265.1033			
provisions, annually,			
and as requested by			
Regional Administrator	265.1033(j)(2)	265.1033(j)(2)	X
control of detectable	203.1033([)(2)	203.1033([](2)	
emissions no later			
than 15 calendar days			
after emission			•
is detected	265 1022(i)/2)	265 1022(1)/2)	×
first attempt at repair	265.1033(j)(3)	265.1033(j)(3)	
no later than 5			
calendar days	•		
after emission is			
detected	265.1033(j)(4)	265.1033(j)(4)	×
closed vent systems	263.1033([)(4)	265.1033([)(4)	· · · · · · · · · · · · · · · · · · ·
and control devices			
used to comply with provisions of Subpart			
AA shall be operated			
at all times when		,	
emissions may be	265 1022(6)	265 1022/14	~
vented to them	265.1033(k)	265.1033(k)	X
TEST METHODS AND P	POCEDLIBES		•
compliance with	HOCEDONES		
265.1034 test			
methods and			
procedures by			
owner or operator			
subject to provisions	005 1004/->	005 4004/->	· · · · · ·
of Subpart AA	265.1034(a)	265.1034(a)	<u>X</u>

			STATE ANALOG IS:
	CERERAL BORA OITATION	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
when testing a		· ·	
closed-vent system			
for compliance with		•	
265.1033(j)			
requirements, comply			•
with following			
test requirements:	265.1034(b)	265.1034(b)	Χ
monitoring in			•
compliance with	\$		
Reference Method 21			
in 40 CFR Part 60	265.1034(b)(1)	265.1034(b)(1)	X
detection instrument	·		•
shall meet the			
performance criteria			
of Reference			
Method 21	265.1034(b)(2)	265.1034(b)(2)	X
calibration of	•		
instrument by			
procedures specified			
in Reference			
Method 21	265.1034(b)(3)	265.1034(b)(3)	X
calibration gases			
shall be:	005 400 4(1) (4)	007 400 4(1) (4)	
·	265.1034(b)(4)	265.1034(b)(4)	<u>X</u>
zero air	265.1034(b)(4)(i)	265.1034(b)(4)(i)	X
mixture of methane	200:100-(0)(-)(1)	200.1004(b)(4)(1)	
or n-hexane and air			
at specified			
concentration	265.1034(b)(4)(ii)	265.1034(b)(4)(ii)	X
background level	200:100 ((8)(-)(11)	2001.00 1,27(1,7(1))	
determined as set			•
forth in Reference		•	
Method 21	265.1034(b)(5)	265.1034(b)(5)	X
instrument probe			
traverse requirements		•	
as described in			
Reference			
Method 21	265.1034(b)(6)	265.1034(b)(6)	Χ
arithmetic difference	A		
compared with 500		,	
ppm for compliance			1
determination	265.1034(b)(7)	265.1034(b)(7)	<u>X</u>
			· · · · · · · · · · · · · · · · · · ·

		ANALOCOUC	STATE ANALOG IS: EQUIV- MORE BROADER
EEDEDAL DEOLUDENENT	FEDERAL BORA OITATION	ANALOGOUS'	
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
performance test	•		
requirements to			
determine compliance		•	
with 265.1032(a)			•
and 265.1033(c)	265.1034(c)	265.1034(c)	X
reference methods			
and calculation			
procedures to use			-
when determining			
total organic			
compound			
concentrations and			
mass flow rates	265.1034(c)(1)	265.1034(c)(1)	X
Method 2 in			
40 CFR Part 60			
for velocity and volumetric flow rate	005 1004(a)(1)(i)	005 4004/-\/4\/:\	V
Method 18 in	265.1034(c)(1)(i)	265.1034(c)(1)(i)	X
40 CFR Part 60		•	
for organic content	265.1034(c)(1)(ii)	265.1034(c)(1)(ii)	X
performance tests	203.1034(0)(1)(1)	203.1034(0)(1)(11)	
in three separate			
runs; conditions for		•	
conducting runs;			
averaging results on a			
time-weighted basis	265.1034(c)(1)(iii)	265.1034(c)(1)(iii)	X
equation for			
determining			•
total organic			
mass flow rates	265.1034(c)(1)(iv)	265.1034(c)(1)(iv)	X
equation for			
determining annual			
total organic	•	•	
emission rate	265.1034(c)(1)(v)	265.1034(c)(1)(v)	X
determination of			-
otal organic			
emissions from all			•
process vents using			,
265.1034(c)(1)(iv)			
equation and			
265.1034(c)(1)(v)	OGE 1004/c\/4\/cd\	005 4004/-\/4\/-	~
equation	265.1034(c)(1)(vi)	265.1034(c)(1)(vi)	X

				STATE ANALO	G IS
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
recording of process information necessary to determine performance test					
conditions; certain operational periods not applicable	265.1034(c)(2)	265.1034(c)(2)	X		Mad-1400,
performance testing facilities provided by owner or operator sampling ports	265.1034(c)(3)	265.1034(c)(3)	Χ		
adequate for 265.1034(c)(1) test methods safe sampling	265.1034(c)(3)(i)	265.1034(c)(3)(i)	. X		
platform(s)	265.1034(c)(3)(ii)	265.1034(c)(3)(ii)	Χ		
safe access to sampling platform(s) utilities for sampling	265.1034(c)(3)(iii)	265.1034(c)(3)(iii)	Х		(
and testing equipment	265.1034(c)(3)(iv)	265.1034(c)(3)(iv)	Χ		
use of time-weighted average of three runs in making compliance determinations; Regional Administrator approval needed for average based on two runs if a sample is accidentally lost or certain conditions occur to demonstrate a	265.1034(c)(4)	265.1034(c)(4)	X		
process vent is not subject to Subpart AA requirements, use one of two methods to determine an annual average total organic concentration of less than 10 ppmw	265.1034(d)	265.1034(d)	X		

,			STATE ANALOG IS:
,	•	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
direct measurement using the following procedures:	265.1034(d)(1)	265.1034(d)(1)	X
minimum of four grab samples under specified process conditions	265.1034(d)(1)(i)	265.1034(d)(1)(i)	X
for waste generated onsite, collect grab samples before exposure to the atmosphere; for waste generated offsite, collect grab samples at the inlet to the first waste management unit that receives the waste under specific	200.100 1(4)(1)(1)	200.100 ((4)(1)(1)	
conditions	265.1034(d)(1)(ii)	265.1034(d)(1)(ii)	X
sample analysis using Method 9060 or 8240 of			
SW-846	265.1034(d)(1)(iii)	265.1034(d)(1)(iii)	X
calculation of time-weighted, annual average total organic concentration of waste	265.1034(d)(1)(iv)	265.1034(d)(1)(iv)	X
using knowledge of the waste to determine its total organic concentration is less than 10 ppmw; documentation of the waste determination is required; examples of acceptable			
documentation	265.1034(d)(2)	265.1034(d)(2)	X

				STATE ANALOG IS:
·		ANALOGOUS	EQUIV-	MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT IN SCOPE
avidalinas for the				
guidelines for the determination that	265.1034(e)	265.1034(e)	X	•
hazardous wastes	203.1034(e)	203.1034(8)		
are managed with	265.1034(e)(1)	265.1034(e)(1)	X	time-weighted,
annual average total	265.1034(e)(2)	265.1034(e)(2)	X	unie-weighted,
organic concentrations	200.100 ((0)(2)	200.100 1(0)(2)		
less than 10 ppmw	265.1034(e)(3)	265.1034(e)(3)	X	
Method 8240				
procedures				
used to resolve				•
dispute in case				,
of disagreement				
between öwner or				
operator and Regional				
Administrator regarding				
the determination				
made in	005 1004(5)	005 4004/6	V	
265.1034(e)	265.1034(f)	265.1034(f)	X	
RECORDKEEPING REQ	UIREMENTS			•
compliance with		¢		
recordkeeping				
requirements	265.1035(a)(1)	265.1035(a)(1)	X	
recordkeeping				
requirements for				
more than one				
hazardous waste				
management unit .				
in one recordkeeping	005 4005()(0)	005 4005()(0)	.,	
system	265.1035(a)(2)	265.1035(a)(2)	X	
information that must be recorded in the				
facility operating				
record	265.1035(b)	265.1035(b)	X	
Todord	200.1000(b)	200.1000(0)		

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
for 265.1033(a)(2)-			
complying facilities,		•	
an implementation			
schedule that	•		
includes specified			
dates and rationale;			
inclusion in operating	•		
record by effective			
date the facility			- -
becomes subject to		•	
Subpart AA provisions	265.1035(b)(1)	265.1035(b)(1)	X
up-to-date documen-			
tation of 265.1032			
standards	265.1035(b)(2)	265.1035(b)(2)	X
information and			
data identifying			
all affected process			
vents and specific			
information for			
each vent	265.1035(b)(2)(i)	265.1035(b)(2)(i)	X
information and data			
supporting determina-			•
tions of vent		•	
emissions and			
emission reductions;			
new determination	•		
required if any action			
taken increases total	265 1025/b\/2\/;;\	265-1025/6\/2\(ii\	X
emissions a performance test	265.1035(b)(2)(ii)	265.1035(b)(2)(ii)	
plan for owners or			
operators using	•		
test data			
for determination	265.1035(b)(3)	265.1035(b)(3)	X
a description of the	200.1000(0)(0)	200.1000(0)(0)	
determination that a			
planned test will be			•
conducted when unit			
is operating at the			
highest load or			
capacity level	265.1035(b)(3)(i)	265.1035(b)(3)(i)	χ .
	= = = = = = = = = = = = = = = = = = = =	=======================================	

,				STATE ANALOG	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
	265.1035(b)(3)(ii)	265.1035(b)(3)(ii)	X		•
	265.1035(b)(3)(ii)(A)	265.1035(b)(3)(ii)(A)	X		
	265.1035(b)(3)(ii)(B)	265.1035(b)(3)(ii)(B)	X		
detailed engineering	265.1035(b)(3)(ii)(C)	265.1035(b)(3)(ii)(C)	X	· -	
description of closed-vent system	265.1035(b)(3)(ii)(D)	265.1035(b)(3)(ii)(D)	X		
and control device detailed description of	265.1035(b)(3)(ii)(E)	265.1035(b)(3)(ii)(E)	X		· .
sampling and monitor- ing procedures	265.1035(b)(3)(iii)	265.1035(b)(3)(iii)	X		
documentation of compliance with				•	
265.1033	265.1035(b)(4)	265.1035(b)(4)	Χ .		
information references and sources	265.1035(b)(4)(i)	265.1035(b)(4)(i)	X		
records including the dates of each compliance test required					
by 265.1033(j)	265.1035(b)(4)(ii)	265.1035(b)(4)(ii)	X		
if engineering calculations are used, a design analysis and other					
documents that present basic control device design					
information; design analysis addresses vent stream					
characteristics and control device	,	•	•		•
operation					
parameters	265.1035(b)(4)(iii)	265.1035(b)(4)(iii)	<u>X</u>		
design analysis requirements for a thermal vapor					
incinerator	265.1035(b)(4)(iii)(A)	265.1035(b)(4)(iii)(A)	X		

				STATE ANALO	
1		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
design analysis		•		v	
requirements for a					
catalytic vapor					
incinerator	265.1035(b)(4)(iii)(B)	265.1035(b)(4)(iii)(B)	χ .		
design analysis	200:1000(b)(1)(iii)(b)	200.1000(D)(4)(III)(D)	/`		· · · · · · · · · · · · · · · · · · ·
requirements for a					
boiler or process					
heater	265.1035(b)(4)(iii)(C)	265.1035(b)(4)(iii)(C)	Χ	-	
design analysis					***************************************
requirements for a					
flare	265.1035(b)(4)(iii)(D)	265.1035(b)(4)(iii)(D)	Χ		
design analysis					
requirements for a		,			
condenser	265.1035(b)(4)(iii)(E)	265.1035(b)(4)(iii)(E)	X		
design analysis	•	•			
requirements for					
carbon adsorption					
system that					
regenerates the	•				
carbon bed directly	005 4005(5)/4)/(3)/5)	005 4005(1)/4)/((()/5)	V		
onsite	265.1035(b)(4)(iii)(F)	265.1035(b)(4)(iii)(F)	Х		-
design analysis					
requirements for a					
carbon adsorption system that does not			*	•	
regenerate the carbon					
bed directly onsite	265.1035(b)(4)(iii)(G)	265.1035(b)(4)(iii)(G)	Y		
certification state-	200.1000(b)(4)(iii)(C)	200.1000(b)(+)(iii)(Q)			
ment signed and					
dated by owner or	•				
operator regarding					
operating					
parameters	265.1035(b)(4)(iv)	265.1035(b)(4)(iv)	Χ		
certification state-					
ment signed and			ŧ		
dated by owner or			•		
operator regarding					
control equipment					
meeting design		•			
specifications	265.1035(b)(4)(v)	265.1035(b)(4)(v)	<u>X</u>		

***************************************			STATE ANALOG IS:
•		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
all test results			
when performance tests are used to			
		•	
demonstrate	265 1025/b)/4)/vi)	265 1025/b\/4\/\vi\	v
compliance information to be	265.1035(b)(4)(vi)	265.1035(b)(4)(vi)	<u>X</u>
recorded and kept			
up-to-date in the			
facility operating			•
record for each	p.		
closed-vent system			
and control device			
subject to the Part	•		
265 regulations	265.1035(c)	265.1035(c)	X
description and date	200.1000(0)	200.1000(0)	
of each			
modification	265.1035(c)(1)	265.1035(c)(1)	X
identification of	200.1000(0)(1)	200.1000(0)(1)	
operating parameter,			· ·
description of			
monitoring device			
and location diagram	•		
for compliance with			
265.1033(f)(1) and			
(f)(2)	265.1035(c)(2)	265.1035(c)(2)	X
information required	3		
by 265.1033(f)-(j)	265.1035(c)(3)	265.1035(c)(3)	X
date, time and			
duration of each			
period that occurs			
while control			
device is operating		,	
when any monitored			1
parameter exceeds			
the value established			
in the design			
analysis	265.1035(c)(4)	265.1035(c)(4)	X
when combustion		•	
temperature is below	•		•
760°C for a	265.1035(c)(4)(i)	265.1035(c)(4)(i)	X
thermal vapor	•		•
incinerator	265.1035(c)(4)(ii)	265.1035(c)(4)(ii)	X

EPA ARCHIVE DOCUMENT

when temperature of vent stream is more than 28°C below average temperature difference for a catalystic vapor incinerator 265.1035(c)(4)(iii)(A) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iii)(B) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iii)(A) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iii)(B) 265					STATE ANALO	G IS:
when temperature of vent stream is more than 28°C below average temperature of or when temperature difference across catalyst bed is less than 80 percent of the design average temperature difference for a catalytic vapor incinerator 265.1035(c)(4)(iii) (A) 265.1035(c)(4)(iii) (A) X catalytic vapor incinerator 265.1035(c)(4)(iii)(B) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iii) (B) 265.1035(c)(4)(iii) (B) X boiler or process heater 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X flame zone temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X period when organic compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream			ANALOGOUS	EQUIV-	MORE	BROADER
vent stream is more than 28°C below average temperature or when temperature difference across catalyst bed is less than 80 percent of the design average temperature difference for a 265.1035(c)(4)(iii) (A) 265.1035(c)(4)(iiii) (B) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
or when temperature difference across catalyst bed is less than 80 percent of the design average temperature difference for a catalytic vapor incinerator 265.1035(c)(4)(iii)(A) 265.1035(c)(4)(iii)(A) X catalytic vapor incinerator 265.1035(c)(4)(iii)(B) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iii) 265.1035(c)(4)(iii) X lame zone temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X period when organic compounds are more than 20 percent greater than the design level for a condenser that condenser that complies with 265.1033(f)(2)(iv)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	vent stream is more than 28°C below					
the design average temperature difference for a catalytic vapor incinerator 265.1035(c)(4)(iii)(A) 265.1035(c)(4)(iii)(A) X catalytic vapor incinerator 265.1035(c)(4)(iii)(B) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X flame zone temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	or when temperature difference across catalyst bed is less			·		
difference for a catalytic vapor incinerator 265.1035(c)(4)(iii)(B) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X flame zone temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	the design average	265.1035(c)(4)(iii)	265.1035(c)(4)(iii)	X	_	
incinerator 265.1035(c)(4)(iii)(B) 265.1035(c)(4)(iii)(B) X boiler or process heater 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X flame zone temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser that complies with 265.1035(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	difference for a	265.1035(c)(4)(iii)(A)	265.1035(c)(4)(iii)(A)	X		
heater 265.1035(c)(4)(iv) 265.1035(c)(4)(iv) X flame zone temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream		265.1035(c)(4)(iii)(B)	265.1035(c)(4)(iii)(B)	X		
temperature is more than 28°C below design average temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	heater					
temperature 265.1035(c)(4)(iv)(A) 265.1035(c)(4)(iv)(A) X position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	temperature is more than 28°C below			,		
position changes 265.1035(c)(4)(iv)(B) 265.1035(c)(4)(iv)(B) X period when the pilot flame is not ignited for a flare 265.1035(c)(4)(v) 265.1035(c)(4)(v) X period when organic compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	•	265.1035(c)(4)(iv)(A)	265.1035(c)(4)(iv)(A)	X		
flame is not ignited for a flare period when organic compounds are more than 20 percent greater than the design level for a condenser complies with 265.1035(c)(4)(vi) 265.1035(c)(4)(vii) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	position changes					
compounds are more than 20 percent greater than the design level for a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) 265.1035(c)(4)(viii) X temperature of exhaust vent stream	flame is not ignited	265.1035(c)(4)(v)	265.1035(c)(4)(v)	X		
a condenser 265.1035(c)(4)(vi) 265.1035(c)(4)(vi) X condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) 265.1035(c)(4)(vii) X temperature of exhaust vent stream	compounds are more than 20 percent greater than the					
condenser that complies with 265.1033(f)(2)(vi)(B) 265.1035(c)(4)(vii) 265.1035(c)(4)(vii) X temperature of exhaust vent stream		265.1035(c)(4)(vi)	265.1035(c)(4)(vi)	X		
temperature of exhaust vent stream	condenser that complies with				÷	
is more than 6 ^o C above design	temperature of exhaust vent stream is more than 6°C	203.1035(C)(4)(VII)	203.1033(C)(4)(VII)	^		
average temperature 265.1035(c)(4)(vii)(A) 265.1035(c)(4)(vii)(A) X		265.1035(c)(4)(vii)(A)	265.1035(c)(4)(vii)(A) X		

EPA ARCHIVE DOCUMENT

•		ANALOGOUS	EQUIV-	STATE ANALO	
EEDERAL REGUIREMENT	FEDERAL BODA OITATION		-		BROADE
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOP
temperature of	•				
exiting coolant fluid			•		
is more than 6°C					
above design average					
temperature	265.1035(c)(4)(vii)(B)	265.1035(c)(4)(vii)(E	3) X		
period when organic					
compounds are more		i.			
than 20 percent		,			
greater than the					
design level for a					
carbon adsorption					
system	265.1035(c)(4)(viii)	265.1035(c)(4)(viii)	X	•	
period when vent			·		
stream flow exceeds					
predetermined		•			
regeneration time		•			
for a carbon					
adsorption system	265.1035(c)(4)(ix)	265.1035(c)(4)(ix)	X		
explanation for each					
period under					
265.1035(c)(4) of the					
cause for parameters					
being exceeded and					
measures	•				
implemented	265.1035(c)(5)	265.1035(c)(5)	X		
date when existing					
carbon is replaced	265.1035(c)(6)	265.1035(c)(6)	Χ		
		λ. Αλ.			
	265.1035(c)(7)	265.1035(c)(7)	Χ		
	265.1035(c)(7)(i)	265.1035(c)(7)(i)	X		
log to record					
specific dates	265.1035(c)(7)(ii)	265.1035(c)(7)(ii)	X		
date of each control		•			
device startup	-				•
and shutdown	265.1035(c)(8)	265.1035(c)(8)	X		
records required					
oy paragraphs					
265.1035(c)(3)-(c)(8)					
need be kept only					
3 years	265.1035(d)	265.1035(d)	Χ		

•	-			STATE ANALO	
	<u></u>	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT [IN SCOPE
monitoring and					
inspection infor-					
mation for control					
device other than					
a thermal vapor	•				*
incinerator,					
catalytic vapor		•			٠
incinerator, flare,	,				
boiler, process				-	
heater, condenser,		•			
or carbon adsorption		•			
system must be					
recorded in the					,
facility	•				
operating record	265.1035(e)	265.1035(e)	X		
logging of information	200.1000(0)	200.1000(0)			
used to determine if					
process vent is					
subject to 265.1032				·	
and 265.1032(d)(2)	265.1035(f)	265.1035(f)	X		
<u>u-10 200. 1002(0/(2/</u>			<u> </u>		
reserved	265.1036 - 265.1049	265.1036 - 265.104	9 X		
SUBPAR	T BB - AIR EMISSION ST	ANDARDS FOR EQU	IPMENT L	.EAKS	
APPLICABILITY					
owners and operators					
of facilities	•				
that treat, store		•			
or dispose of				¥	
hazardous wastes					
except as provided					
in 265.1	265.1050(a)	265.1050(a)	Χ		
111 400.1	200.1000(a)	200.1000(a)			

•		8	STATE ANAL		LOG IS:	
		ANALOGOUS	EQUIV-	MORE	BROADER	
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE	
except as provided						
in 265.1064(j),						
applicability of						
Subpart BB to equip-						
ment that contains or	• .					
contacts hazardous						
wastes with organic						
concentrations of at						
least 10 percent by				-		
weight that are	_265.1050(b)	265.1050(b)	X			
managed in units or						
facilities subject to	265.1050(b)(1)	265.1050(b)(1)	Χ	- 		
Part 270 permitting						
requirements	265.1050(b)(2)	265.1050(b)(2)	X	······································		
equipment subject						
to Subpart BB, Part	005 4050()	005 (050()				
265 shall be marked	265.1050(c)	265.1050(c)	X	<u>.</u>	·	
equipment in vacuum service excluded						
from requirements of						
265.1052 to 265.1060						
requirements if						
identified						
as required in	•	,				
265.1064(g)(5)	265.1050(d)	265.1050(d)	X			
,			· ·			
DEFINITIONS						
all terms have				•		
meaning given them						
in 264.1031, the Act,	005 4054	005 4054	.,			
and Parts 260-266	<u> 265.1051 </u>	<u> 265.10</u> 51	<u> </u>		`	

•			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
STANDARDS: PUMPS I	N LIGHT LIQUID SERVI	CE	
monthly monitoring	•	•	
to detect leaks	•	•	
as specified by			
265.1063(b) methods except as provided			
in 265.1052(d), (e)			
and (f)	265.1052(a)(1)	265.1052(a)(1)	X
visual inspection each	200.1002(4/1.1/	200002\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
calendar week	265.1052(a)(2)	265.1052(a)(2)	X
conditions	265.1052(b)(1)	265.1052(b)(1)	X
indicating a			
leak is detected	265.1052(b)(2)	265.1052(b)(2)	X
time frame for			•
leak repair, except			
as provided in 265.1059	265.1052(c)(1)	265.1052(c)(1)	X
first attempt	265.1052(0)(1)	263.1032(0)(1)	^
at leak repair		•	
not to exceed			
5 calendar			
days after			
leak detection	265.1052(c)(2)	265.1052(c)(2)	X
pump equipped with			
dual mechanical seal			
system that includes			
a barrier fluid			
system is exempt			
from 265.1052(a) if			
specific requirements are met:	265.1052(d)	265.1052(d)	X
are met.	203.1032(0)	200.1002(0)	
	265.1052(d)(1)	265.1052(d)(1)	X .
•			
operational and	265.1052(d)(1)(i)	265.1052(d)(1)(i)	X
equipment			
requirements for a	265.1052(d)(1)(ii)	265.1052(d)(1)(ii)	X
dual mechanical			
seal system	265.1052(d)(1)(iii)	265.1052(d)(1)(iii)	X

8

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
organic concentra- tion limitation for barrier			
fluid system	265.1052(d)(2)	265.1052(d)(2)	X
sensor requirement weekly visual check	265.1052(d)(3)	265.1052(d)(3)	X
of pump	265.1052(d)(4)	265.1052(d)(4)	χ -
daily check of barrier fluid system sensor or monthly check			
of audible alarm	265.1052(d)(5)(i)	265.1052(d)(5)(i)	X
determination of criterion to indicate			
failure of systems leak detection	265.1052(d)(5)(ii)	265.1052(d)(5)(ii)	X
criteria	265.1052(d)(6)(i)	265.1052(d)(6)(i)	X
repair of leak not to exceed 15 calendar days, except as provided in 265.1059	265.1052(d)(6)(ii)	265.1052(d)(6)(ii)	X
first attempt at leak repair not to exceed 5 calendar days	200.1002(0)(0)(1)	200.1002(0)(0)(11)	
after leak detection	265.1052(d)(6)(iii)	265.1052(d)(6)(iii)	Χ
conditions under which pump	265.1052(e)	265.1052(e)	X
designated for no	265.1052(e)(1)	265.1052(e)(1)	Χ
detectable emissions is exempt from	_265.1052(e)(2)	265.1052(e)(2)	X
265.1052(a), (c) and (d) requirements pump equipped with	265.1052(e)(3)	265.1052(e)(3)	X
closed-vent system and control device in compliance with 265.1060 is exempt from 265.1052(a)-(e)		,	
requirements	265.1052(f)	265.1052(f)	× (

			STATE ANALOG IS:
	•	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
STANDARDS: COMPRE	SSORS		
seal system			
requirement for			
compressor, except			
as provided in			·
265.1053(h) and (i)	265.1053(a)	265.1053(a)	X
	005 1050(b)	00E 10E2(b)	V
	265.1053(b)	265.1053(b)	<u>X</u>
•	265.1053(b)(1)	265.1053(b)(1)	X
	005.4050/1.1/0	005 4050 (1) (0)	
specifications	265.1053(b)(2)	265.1053(b)(2)	X
for compressor	265 1052(b)(2)	00E 40E0(b)(0)	· •
seal system organic concentration	265.1053(b)(3)	265.1053(b)(3)	X
limitation for			
barrier fluid	265.1053(c)	265.1053(c)	X
sensor	200.1000(0)	200.1000(0)	
requirement	265.1053(d)	265.1053(d)	X
daily check of			
barrier fluid			
system sensor			
or monthly check			
of audible alarm;			
daily check if			
compressor located -			•
within boundary			
of unmanned site	265.1053(e)(1)	265.1053(e)(1)	X
determination of			
criterion to indicate	005 4050(-)(0)		V
failure of systems	265.1053(e)(2)	265.1053(e)(2)	X
leak detection	265 1052(4)	00E 40E0/f)	Υ
criteria	265.1053(f)	265.1053(f)	
repair of leak not to exceed 15			
calendar days,			
except as			
provided in			•
265.1059	265.1053(g)(1)	265.1053(g)(1)	Χ
200.1000	200.1000(g)(1)	200.1000(4)(1)	

		ANALOGOUS	STATE ANALOG IS: EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
`			
first attempt at			
leak repair not			
to exceed 5			
calendar days after	+ 4		
eak detection	265.1053(g)(2)	265.1053(g)(2)	X
compressor equipped			
with closed-vent	•	•	
system and control			•
device in compliance			
with 265.1060 is			
exempt from			
265.1053(a) and (b)		4	
requirements, except			
as provided in	•		
265.1053(i)	265.1053(h)	265.1053(h)	X
conditions under			
which compressor			
designated for no	265.1053(i)	265.1053(i)	X
detectable emissions			
s exempt from	265.1053(i)(1)	265.1053(i)(1)	X
265.1053(a) through			
(h) requirements	265.1053(i)(2)	265.1053(i)(2)	X
	155 55 155 55 VACC 1		u ò =
	JRE RELIEF DEVICES I	N GAS/VAPOR SERV	VICE
except during pressure			
eleases, no			
detectable emission			·
standards for the			
operation of	•		
pressure relief device			
n gas/vapor service,			
as measured by	005 4054(-)	005 4054()	, V
265.1063(c) method	265.1054(a)	265.1054(a)	X
ime requirement and			
criteria for			
eturn of pressure	•		
elief device to a			
condition of no			
detectable emissions,			
except as provided in 265.1059	265.1054(b)(1)	265.1054(b)(1)	X

		ANALOGOUS	EQUIV-	STATE ANALO	
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT	STRINGENT (BROADER IN SCOPE
monitoring of pressure relief device within 5					
calendar days after			•		
pressure relief to					•
confirm no					
detectable emissions, as measured by			,		
265.1063(c) method	265.1054(b)(2)	265.1054(b)(2)	×		
pressure relief	200.100.10/(2)				
device equipped with			•		
closed-vent system and control device					
in compliance with					
265.1060 is exempt					•
from 265.1054(a)					
and (b)	265.1054(c)	265.1054(c)	X .	*	
STANDARDS: SAMPLI	NG CONNECTING SYSTI	EMS			
sampling connecting					
system equipped					
with closed purge or closed-vent	·				
system	265.1055(a)	265.1055(a)	X		
	265.1055(b)	265.1055(b)	X		
return, collect and					
recycle purged waste with no detectable	265.1055(b)(1)	265.1055(b)(1)	X		
emissions; control	265.1055(b)(2)	265.1055(b)(2)	X		
device in compliance with 265.1060	265.1055(b)(3)	265.1055(b)(3)	Χ		
in situ sampling					
systems exempt from				·	
265.1055(a) and (b) requirements	265.1055(c)	265.1055(c)	X		
oquiomono	200.1000(0)	200.7000\01			
	NDED VALVES OR LINE	S			
each open-ended valve or line shall be					
equipped with a cap,					
olind flange,					
plug, or a second					
valve	265.1056(a)(1)	265.1056(a)(1)	X		

				STATE ANALO	
· · · · · · · · · · · · · · · · · · ·	·	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
requirement to seal					
open end at all					
times except during					
specified operations	265.1056(a)(2)	265.1056(a)(2)	Χ	*	
operational require-					
ments for open-ended					•
valve or line equipped					
with a second valve	265.1056(b)	265.1056(b)	X	-	
requirements for					
oleed valve	•			•	
or line when a					
double block and	•				
bleed system is used;					
compliance with 265.1056(a)	265.1056(c)	265.1056(c)	X		
200.1000(a)	200.1000(0)	203.1030(0)			
STANDARDS: VALVES	IN GAS/VAPOR SERVIC	E OR IN LIGHT LIQU	JID SERV	/ICE	
nonthly monitoring					·
of each valve in					
gas/vapor or light				·	
iquid service using					
265.1063(b) methods;					
compliance with					
265.1057(b)-(e),					
except as provided in					
265.1057(f), (g) and					
(h), 265.1061	005 1057(a)	005 ±057/a\	· 🗸		
and 265.1062 nstrument reading	265.1057(a)	265.1057(a)	_X		
of 10,000 ppm or					
greater indicates leak	265.1057(b)	265.1057(b)	X		
nonitoring	200.1007(0)	200.1007[0]			
requirements if					
eak not detected for					
wo successive months	265.1057(c)(1)	265.1057(c)(1)	Χ		
nonthly monitoring					
equirement if					
eak detected	265.1057(c)(2)	265.1057(c)(2)	Χ		
epair of leak not to		1			
exceed 15 calendar					
lays, except		•		•	
as provided in 265.1059	265.1057(d)(1)	265.1057(d)(1)	X		

			STATE ANALOG IS:
·		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
first attempt at leak repair not to exceed 5 calendar days after			
leak detection	265.1057(d)(2)	265.1057(d)(2)	X
ican detection	265.1057(e)	265.1057(e)	X .
	265.1057(e)(1)	265.1057(e)(1)	X
	265.1057(e)(2)	265.1057(e)(2)	X
best practices to	265.1057(e)(3)	265.1057(e)(3)	X
include in first attempt at repair	265.1057(e)(4)	265.1057(e)(4)	X
valve designated for no detectable emissions under	265.1057(f)	265.1057(f)	X
265.1064(g)(2) is exempt	265.1057(f)(1)	265.1057(f)(1)	X
from 265.1057(a) requirements	265.1057(f)(2)	265.1057(f)(2)	X
if specified conditions are met	265.1057(f)(3)	265.1057(f)(3)	X
conditions under which an unsafe-to-monitor valve as described in	265.1057(g)	265.1057(g)	X
265.1064(h)(1) is exempt from	265.1057(g)(1)	265.1057(g)(1)	X
265.1057(a) requirements	265.1057(g)(2)	265.1057(g)(2)	X
conditions under which	265.1057(h)	265.1057(h)	X
a difficult-to-monitor valve as described in	265.1057(h)(1)	265.1057(h)(1)	X
265.1064(h)(2) is exempt from	265.1057(h)(2)	265.1057(h)(2)	X
265.1057(a) requirements	265.1057(h)(3)	265.1057(h)(3)	X

		· ·		STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
OTANDARDO: BUMBO	AND MALVED IN LIEAMS	(LIQUID CEDVICE	DDECCUE	\ _	
	AND VALVES IN HEAV				d.
	IGHT LIQUID OR HEAVY	LIQUID SERVICE,	AND FLAN	GES	
AND OTHER CONNEC	TORS	····			
monitoring of					
specified pumps					
and valves,					
pressure relief		•		.	
devices, flanges and					
other connectors					
within 5 days using					
265.1063(b) methods					
in case of potential					
leaks	265.1058(a)	265.1058(a)	X		
reading of 10,000					
ppm or greater					
indicates leak	265.1058(b)	265.1058(b)	X		
repair of leak					
not to exceed 15					
calendar days,					
except as		,			
provided in					
265.1059	265.1058(c)(1)	265.1058(c)(1)	Χ		
first attempt	2001.000(0)(1)	200.1000(0)(1)			
at leak repair					
not to exceed					
5 calendar					
days after	-				
leak detection	265.1058(c)(2)	265.1058(c)(2)	X		
first attempt at	200.1000(0)(2)	200.1000(0)(2)	^		
repair includes					
best practices					
described	005 1050(-1)	005 4050(4)	V		
under 265.1057(e)	265.1058(d)	265.1058(d)	<u> </u>		
CTANDADDO: DELAY	OF DEDAID				
STANDARDS: DELAY	OF REPAIR				
requirements for the					
delay of repair of	,				
equipment for which					
leaks have been					
detected	265.1059(a)	265.1059(a)	X		

•			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
type of equipment for which delay of repair	205 1050/h)	205 1050/5\	
allowed	265.1059(b)	265.1059(b)	
conditions	265.1059(c)	265.1059(c)	X
under which	265.1059(c)(1)	265.1059(c)(1)	X
delay of repair of valves allowed	265.1059(c)(2)	265.1059(c)(2)	X
	265.1059(d)	265.1059(d)	Χ
conditions under which	265.1059(d)(1)	265.1059(d)(1)	X
delay of repair of pumps allowed	265.1059(d)(2)	265.1059(d)(2)	X
conditions for delay of repair beyond a hazardous waste management unit			
shutdown	265.1059(e)	265.1059(e)	X
STANDARDS: CLOSED owners or operators of closed-vent	O-VENT SYSTEMS AND (CONTROL DEVICES	
systems and control devices shall comply with 265.1033			•
provisions	265.1060	265.1060	_X
SERVICE: PERCENTAG	RDS FOR VALVES IN G		OR IN LIGHT LIQUID
alternative standard allowing no greater than 2 percent of		w.	
valves to leak for an owner or operator subject			
to 265.1057	265.1061(a)	265 1061(a)	X
requirements	200.1001(a)	265.1061(a)	^

				STATE ANAL	OG IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE ,
notification,	265.1061(b)	265.1061(b)	Χ		
performance test, and repair	265.1061(b)(1)	265.1061(b)(1)	X		
requirements if an owner or operator	265.1061(b)(2)	265.1061(b)(2)	Χ		
decides to comply with alternative standard	265.1061(b)(3)	265.1061(b)(3)	Χ	. ,	
monitoring	265.1061(c)	265.1061(c)	X	-	
standards, leak detection criterion	265.1061(c)(1)	265.1061(c)(1)	X		
and determination of leak percentage	265.1061(c)(2)	265.1061(c)(2)	X		
when conducting performance tests	265.1061(c)(3)	265.1061(c)(3)	X		
written notification to Regional					
Administrator of intent to follow					The state of the s
265.1057(a)-(e) work practice standard					
if owner or operator					
decides to no longer comply with 265.1061	265.1061(d)	265.1061(d)	×		
ALTERNATIVE STANDA SERVICE: SKIP PERIO			CE OR IN	LIGHT LIQU	סוע
election to comply with 265.1062(b)(2)				,	
and (3) alternative work practices by				·	
owner or operator subject to 265.1057					•
requirements notification of	265.1062(a)(1)	265.1062(a)(1)	X	,	
Regional Administrator before implementing					
alternative work practice	265.1062(a)(2)	265.1062(a)(2)	X		

	•			STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
compliance with 265.1057					•
requirements, except as described	•				
	·				
in 265.1062(b)(2)	265 1062(b)(1)	265 1062(b)(1)	~		
and (b)(3) conditions under	265.1062(b)(1)	265.1062(b)(1)	X		
which an owner				•	
or operator		•		•	
may begin to skip					
one of the quarterly	-				
leak detection			ř		
periods for valves					~
subject to 265.1057	00E 1000(b)(0)	005 4000/5/(0)	V		
requirements	265.1062(b)(2)	265.1062(b)(2)	X		
conditions under					
which an owner	4				
or operator may		•			2
begin to skip three		•			
of the quarterly leak detection					
periods for valves					
•					
subject to 265.1057	265.1062(b)(3)	00E 1000(b)(0)	X		
requirements compliance with	265.1062(b)(3)	265.1062(b)(3)			
265.1057 monthly					
monitoring require-					
ments if percentage		•			
of valves leaking					
exceeds 2 percent;			•		
may elect to use		,	*		
265.1062 require-			•		
ments again					
after meeting					
265.1057(c)(1)	005 1000(b)(4)	005 1000(5)(4)	. 🗸		
requirements	265.1062(b)(4)	265.1062(b)(4)	X		

				STATE ANALO	G IS:
·		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
TEST METHODS AND P	ROCEDURES				
compliance with test		• .			•
methods and procedure		•			
requirements by owner					
or operator subject			*		
to provisions of					
Subpart BB	265.1063(a)	265.1063(a)	X		
leak detection	•			-	
monitoring as	•				
required in					
265.1052-265.1062					
shall comply					
with specified					
requirements:	265.1063(b)	265.1063(b)	X		
monitoring in		,			
compliance with		•			
Reference Method		•			
21 in 40 CFR					(
Part 60	265.1063(b)(1)	265.1063(b)(1)	X		
detection instrument					
shall meet the					
performance criteria		· E.			•
of Reference					
Method 21	265.1063(b)(2)	265.1063(b)(2)	Χ		
calibration of instru-					
ment by procedures					
specified in					
Reference Method 21	265.1063(b)(3)	265.1063(b)(3)	X		
calibration gases					
shall be:	265.1063(b)(4)	265.1063(b)(4)	Χ		
zero air	265.1063(b)(4)(i)	265.1063(b)(4)(i)	X		
mixture of methane	•				
or n-hexane and					
air at specified		•			•
concentration	265.1063(b)(4)(ii)	265.1063(b)(4)(ii)	X		
instrument probe		-			
traverse					
requirements as					
described in	·	•			
Reference Method 21	265.1063(b)(5)	265.1063(b)(5)	X		

			STATE ANALOG IS:
	:	ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
test compliance	265.1063(c)	265.1063(c)	X
requirements for			
equipment with no detectable emissions	265.1063(c)(1)	265.1063(c)(1)	X
as required in	265.1063(c)(2)	265.1063(c)(2)	X
265.1052(e),			
265.1053(i),	265.1063(c)(3)	265.1063(c)(3)	X .
265.1054 and	005 4000(a)(4)	005 1000(-)/4)	- V
265.1057(f)	× 265.1063(c)(4)	265.1063(c)(4)	<u> </u>
in accordance with 265.13(b), determina-			
tion by owner or			
operator of whether			
equipment contains			
or contacts a			
hazardous waste with			
organic concentration			•
equal to or greater			•
than 10% by weight	OCE 4000(4)	OCE 4 OCO(4)	· · ·
using the following: methods described	265.1063(d)	265.1063(d)	X
in ASTM Methods	•		
D 2267-88.			
E 169-87,			
E`168-88			
and E 260-85	265.1063(d)(1)	265.1063(d)(1)	Χ .
Method 9060 or			
8240 of SW-846	265.1063(d)(2)	265.1063(d)(2)	X
application of the		•	
knowledge of the			
nature of the			
hazardous waste			
stream or the process			
by which it was			
produced; docu-			
mentation required;			
examples of			
documentation	265.1063(d)(3)	265.1063(d)(3)	<u>X</u>

		ANIAL 0000110	STATE ANAL	
•		ANALOGOUS	EQUIV- MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT	IN SCOPE
determination as				
specified in				
265.1063(d) can be			ı	
revised only after	•	•		
following				
265.1063(d)(1)		•		
or (d)(2) procedures	265.1063(e)	265.1063(e)	Χ	
use of 265.1063(d)(1)				· · · · · · · · · · · · · · · · · · ·
or (d)(2) to resolve			,	•
determination				
disputes between				
owner or operator				
and Regional				
Administrator	265.1063(f)	265.1063(f)	Χ	
samples used				
for determination				
representative				
of highest expected				
total organic content			•	
hazardous waste	265.1063(g)	265.1063(g)	Χ	
to determine if pumps				
or valves are in light		•		
liquid service, vapor				
pressures of				
constituents may be				
obtained from				
standard reference				
texts or may be				
determined by				
ASTM D-2879-86	265.1063(h)	265.1063(h)	Χ	
performance tests	200.1000(11)	200.1000(11)		
for control device				
shall comply with			•	
265.1034(c)(1)				
through (c)(4)				
orocedures	265.1063(i)	265.1063(i)	X	
21.000.00	200.1000(1)			
RECORDKEEPING REC	QUIREMENTS	-	·	
compliance with				
recordkeeping				
requirements	265.1064(a)(1)	265.1064(a)(1)	X	

			STATE ANALOG IS:
•		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
recordkeeping			
requirements for			
more than one			
hazardous waste			
management unit			
in one			
recordkeeping system	265.1064(a)(2)	265.1064(a)(2)	Χ -
	265 1064/b)	265 1064(b)	X
	265.1064(b)	265.1064(b)	
	265.1064(b)(1)	265.1064(b)(1)	X
	265.1064(b)(1)(i)	265.1064(b)(1)(i)	X
	265.1064(b)(1)(ii)	265.1064(b)(1)(ii)	X
	265.1064(b)(1)(iii)	265.1064(b)(1)(iii)	X
specific information			
that owners and	265.1064(b)(1)(iv)	265.1064(b)(1)(iv)	X
operators must record	265.1064(b)(1)(v)	265.1064(b)(1)(v)	X
in the facility operating record	265.1064(b)(1)(vi)	265.1064(b)(1)(vi)	X
for facilities that			
comply with the			
provisions of			
265.1033(a)(2), an			
implementation schedule as			
specified in			
265.1033(a)(2)	265.1064(b)(2)	265.1064(b)(2)	X
performance test plan			
as specified in			
265.1035(b)(3)			
if test data			
are used for control device			
demonstration	265.1064(b)(3)	265.1064(b)(3)	X

	the second of th			STATE ANALOG IS:		
			ANALOGOUS	EQUIV- MORE BROADER		
	FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE		
	documentation of compliance with 265.1060, including		·			
	documentation or results specified in			•		
	265.1035(b)(4)	265.1064(b)(4)	265.1064(b)(4)	X		
9		265.1064(c)	265.1064(c)	Χ -		
	ments when each leak is detected	265.1064(c)(1)	265.1064(c)(1)	X		
	as specified in 165.1052,	265.1064(c)(2)	265.1064(c)(2)	Х		
	265.1053, 265.1057 and 265.1058	265.1064(c)(3)	265.1064(c)(3)	X		
		265.1064(d)	265.1064(d)	X		
		265:1064(d)(1)	265.1064(d)(1)	X (
	·	265.1064(d)(2)	265.1064(d)(2)	X		
		265.1064(d)(3)	265.1064(d)(3)	Χ		
		265.1064(d)(4)	265.1064(d)(4)	X		
		265.1064(d)(5)	265.1064(d)(5)	X		
		265.1064(d)(6)	265.1064(d)(6)	X		
	inspection log	265.1064(d)(7)	265.1064(d)(7)	X		
•	information require- ments when each	265.1064(d)(8)	265.1064(d)(8)	X		
	leak is detected as specified in	265.1064(d)(9)	265.1064(d)(9)	X		
	265.1052, 265.1053, 265.1057 and 265.1058	265.1064(d)(10)	265.1064(d)(10)	Χ		

T			STATE ANALOG IS:		
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
		* · ·			
for each closed-vent					
system and control					
device subject to					
265.1060,					
design documentation					
and monitoring,					
operating and				*	
inspection informa-				-	
tion recorded in		*			
facility operating					
record as specified	OCE 1004(a)	005 1001(a)	Χ		
in 265.1035(c)	265.1064(e)	265.1064(e)	^_		
monitoring and					
inspection infor- mation for control	-				
device other than					
a thermal vapor					
incinerator.					
catalytic vapor					
incinerator, flare,					
boiler, process					
heater, condenser,				•	
or carbon adsorption					•
system must be					
recorded in the					7 .
facility					
operating record	265.1064(f)	265.1064(f)	Χ		

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
	265.1064(g)	265.1064(g)	X
	265.1064(g)(1)	265.1064(g)(1)	X
	265.1064(g)(2)(i)	265.1064(g)(2)(i)	X
	265.1064(g)(2)(ii)	265.1064(g)(2)(ii)	Χ
information requirements for	265.1064(g)(3)	265.1064(g)(3)	Χ
equipment subject to the requirements of	265.1064(g)(4)(i)	265.1064(g)(4)(i)	X
265.1052 through 265.1060 to be	265.1064(g)(4)(ii)	265.1064(g)(4)(ii)	X
recorded in a log and kept in the facility operating	265.1064(g)(4)(iii)	265.1064(g)(4)(iii)	X
record	265.1064(g)(5)	265.1064(g)(5)	X
information requirements for	265.1064(h)	265.1064(h)	X
valves subject to the	265.1064(h)(1)	265.1064(h)(1)	X
requirements of 265.1057(g) and (h)	265.1064(h)(2)	265.1064(h)(2)	X
information	265.1064(i)	265.1064(i)	X
requirements for	265.1064(i)(1)	265.1064(i)(1)	X
valves complying with 265.1062 additional information	265.1064(i)(2)	265.1064(i)(2)	X
requirements	265.1064(j)	265.1064(j)	X
criteria required in 265.1052(d)(5)(ii) and 265.1053(e)(2) and an explanation of			
the design criteria	265.1064(j)(1)	265.1064(j)(1)	X
any changes to the criteria and the reasons for the			
changes	265.1064(j)(2)	265.1064(j)(2)	X

				ATE ANALOG IS:
	•	ANALOGOUS		MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STE	RINGENT IN SCOPE
information require-		•		
ments to be			•	
recorded in a log	265.1064(k)	· 265.1064(k)	X	
for determining				
exemptions as	265.1064(k)(1)	265.1064(k)(1)	X	
provided in the		•		,
applicability section	265.1064(k)(2)	265.1064(k)(2)	X	
of Subpart BB and				
other specific Subparts	265.1064(k)(3)	265.1064(k)(3)	X	
records of equipment				
leak and operating information need be				
kept for only				
three years	265.1064(I)	265.1064(I)	X	
the owner or operator	203.1004(1)	203.1004(1)	^	
of facility subject to	•			
Subpart BB and to				
regulations at	•		•	
40 CFR Part 60,				
Subpart VV, or	•			
40 CFR Part 61,	, which is a second of the sec			
Subpart V, may				
elect to determine		•		
compliance by				
documentation either			,	
pursuant to 265.1064				•
or provisions of			•	
40 CFR Part 60 or				
Part 61, to the				
extent that the				
documentation				
duplicates the				
documentation required				
under Subpart BB	265.1064(m)	265.1064(m)	X	
under Subpart DD	200.1004(111)	200.1004(111)		
reserved	265.1065 - 265.1079	265.1065 - 265.1	079 X	

			STATE ANALO	
•				BROADE
FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOP
				•
THE HAZARDOUS W	ASTE PERMIT PROC	GRAM		
SUBPART B - P	ERMIT APPLICATION	1		
B: GENERAL REQUIRE	MENTS			
270:14(b)(5)	122.14(b)(5)			
270.14(b)(8)(iv)	122.14(b)(8)(iv)	Χ		
				_
270.14(b)(8)(v)	122.14(b)(8)(v)	X		
		,		
270 14(h)(8)(vi)	122 14(b)(8)(vi)	Υ		
270.14(0)(0)(4)	122.13(0)(0)(4))			
DRMATION REQUIREM	ENTS FOR PROCES	S VENTS		
		,		
•	×			
270 24	122 24	Y		
	THE HAZARDOUS W SUBPART B - P B: GENERAL REQUIRE 270.14(b)(5) 270.14(b)(8)(iv) 270.14(b)(8)(v)	ART 270 - EPA-ADMINISTERED PERMIT PROCEST THE HAZARDOUS WASTE PERMIT PROCEST PERMIT PROCEST PERMIT APPLICATION SUBPART B - PERMIT APPLICATION B: GENERAL REQUIREMENTS 270.14(b)(5)	### FEDERAL RCRA CITATION STATE CITATION ALENT ### ART 270 - EPA-ADMINISTERED PERMIT PROGRAMS: THE HAZARDOUS WASTE PERMIT PROGRAM SUBPART B - PERMIT APPLICATION	### ANALOGOUS EQUIV- MORE FEDERAL RCRA CITATION STATE CITATION ALENT STRINGENT #### ART 270 - EPA-ADMINISTERED PERMIT PROGRAMS: THE HAZARDOUS WASTE PERMIT PROGRAM SUBPART B - PERMIT APPLICATION

		ANALOGOUS	EQUIV-	STATE ANALO	
FEDERAL PROMOTATION	EEDERAL BORA OITATION	•			BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	[ALENT	STRINGENT	IN SCOPE
implementation					
schedule as					
specified in		,			
264.1033(a)(2) for					
facilities that		•			
cannot install	•				
a closed-vent					
system and control				-	
device to comply	•				
with Part 264					
Subpart AA					
provisions					
on the effective					
date the facility					
becomes subject to					•
Part 264 or Part					
265 Subpart AA				•	
provisions	270.24(a)	122.24(a)	X		
documentation of					
compliance with		•			
process vent					
standards in	•		. •	•	
264.1032 including:	270.24(b)	122.24(b)	X		
information and data					
identifying all					
affected process					
vents and specific					
information for					
each vent	270.24(b)(1)	122.24(b)(1)	X		
information and					
data supporting	•				
estimates of vent					
emissions and	•				
emission reductions;					
estimates made using					
parameter values	•	•		•	
representing highest					
load or capacity			•		
level conditions	270.24(b)(2)	122.24(b)(2)	X		

BROADER

STATE ANALOG IS:

EQUIV-

EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 79: Organic air Emission Standards for Process Vents and Equipment Leaks (cont'd)

ANALOGOUS

	FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
	information and			
	data for determining			
	if a process vent is			
	subject to 264.1032			
	requirements	270.24(b)(3)	122.24(b)(3)	X
	a performance test			
	plan as specified			
	in 264.1035(b)(3) if			÷
	applying to use	`		·
	certain control			
	devices and using	·		
	test data to			
	determine efficiency			
	or concentration	270.24(c)	122.24(c)	X
	documentation of			
	compliance with	*	i	
	264.1033 including:	270.24(d)	122.24(d)	X
	references and			
	sources used in			
	preparing			•
	documentation	270.24(d)(1)	122.24(d)(1)	X
10	records including			·
	dates of each			,
	compliance test	,		
	required by			
	264.1033(k)	270.24(d)(2)	122.24(d)(2)	X
	design analysis and	•		
	other documents that			
	present basic control			
	device design informa-			
	tion; design analysis			
	addresses vent stream			,
	characteristics and			t .
	control device			
	operation parameters			
	as specified in			
	264.1035(b)(4)(iii)	270.24(d)(3)	122.24(d)(3)	X
				•

		ANALOGOUS	STATE AN EQUIV- MORE	ALOG IS: BROADER
EEDEDAL DEGUIDEMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGEN	
FEDERAL REQUIREMENT	FEDERAL RUMA CHATION	STATE CHARLON	INCENT STAINGER	IT IN SCOPE
certification state-				
nent signed and				
dated by owner or		•		-
operator regarding				
operating parameters				
used in design				
analysis	270.24(d)(4)	122.24(d)(4)	X	
certification state-	·		-	
nent signed and				
ated by owner or				
operator regarding				
control device		•		
neeting efficiency design specifications	270.24(d)(5)	122.24(d)(5)	X	
Journal of Contraction of the Co	<u> </u>			
SPECIFIC PART B INFO	DRMATION REQUIREME	NTS FOR EQUIPM	ENT	
additional infor-		·		
nation that must be	,			
provided by owners		•		
and operators of				
acilities that have				
equipment to which				
Subpart BB of				
Part 264		•		
applies, except as provided in 264.1	270.25	122.25	X	
or each piece of	270.25	122.25		
equipment to which				
Subpart BB of Part		•		
264 applies:	270.25(a)	122.25(a)	X	
equipment identifi-				
ation number and				
azardous waste				
nanagement unit				•
dentification	270.25(a)(1)	122.25(a)(1)	Χ	
pproximate locations				
vithin the facility	270.25(a)(2)	122.25(a)(2)	X	
	070 05(-)(0)	100.05(=)(0)	V	
ype of equipment	270.25(a)(3)	122.25(a)(3)	X	

				STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
percent by weight total organics in the hazardous waste stream at the			1		
equipment	270.25(a)(4)	122.25(a)(4)	×		
hazardous waste state at the equipment	270.25(a)(5)	122.25(a)(5)	X		
method of	27 0.20(4)(0)				
compliance with the standard	270.25(a)(6)	122.25(a)(6)	X		
implementation schedule as specified in 264.1033(a)(2) for facilities that cannot install a closed-vent system and control device to comply with Part 264 Subpart BB provisions on the effective date the facility becomes subject to Part 264 or Part 265 Subpart BB					
provisions	270.25(b)	122.25(b)	X		
a performance test plan as specified in 264.1035(b)(3) if applying to use certain control devices and using test data to determine efficiency or concentration	270.25(c)	122.25(c)	X		

			STATE ANALOG IS:
		ANALOGOUS	EQUIV- MORE BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT STRINGENT IN SCOPE
documentation	•		
demonstrating		· · · · · · · · · · · · · · · · · · ·	•
compliance with			
264.1052 to 264.1059			
equipment standards			
and containing			
records required			
under 264.1064;			<i>₹</i>
Regional Administrator			
may request further	070 05(4)	100.05(-1)	V
documentation documentation to	270.25(d)	122.25(d)	X
demonstrate			
compliance with			
264.1060 shall			
include:	270.25(e)	122.25(e)	X
references and			
sources used in			
preparing	ı	•	•
documentation	270.25(e)(1)	122.25(e)(1)	X
records including			. ′
dates of each			•
compliance test			
required	070.05(=)(0)	100.05/~\/0\	V
by 264.1033(j) design analysis and	270.25(e)(2)	122.25(e)(2)	X
other documents that		•	
present basic control	*		
device design infor-		*	
mation; design analysis			
addresses vent			
stream characteris-			
tics and control		·	
device operation			
parameters as	•		
specified in			
264.1035(b)(4)(iii)	270.25(e)(3)	122.25(e)(3)	X

				STATE ANALO	G IS:
•	•	ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
certification state-					
ment signed and	•	•			
dated by owner or		• •			•
operator regarding					*
operating parameters					
used in design	·				
analysis	270.25(e)(4)	122.25(e)(4)	X		
certification state-	·	· · · · · · · · · · · · · · · · · · ·		-	
ment signed and				•	
dated by owner or					
operator regarding				~	
control device					
meeting efficiency					
design specifications	270.25(e)(5)	122.25(e)(5)	X		

- There is a typographical error in the <u>Federal Register</u> notice for this checklist (55 <u>FR</u> 25494, June 21, 1990). The reference to "2641" in paragraph 264.1030(a) should be to "264.1."
- There is a typographical error in the <u>Federal Register</u> notice for this checklist (55 <u>FR</u> 25494, June 21, 1990). The reference to "264.1035(e)" in paragraph 264.1030(b) should be to "264.1034(e)."
- The reference to "paragraphs (1) and (2) of this section" in the <u>Federal Register</u> (55 <u>FR</u> 25454, June 21, 1990) in paragraph 264.1033(f)(3) should be to "paragraphs (f)(1) and (f)(2) of this section."
- There is an error in the July 1, 1989 <u>CFR</u> which is repeated in the <u>Federal Register</u> for this checklist (55 <u>FR</u> 25506 and 25507, June 21, 1990). The reference to "265.193" should be to "265.200."
- There is a typographical error in the <u>Federal Register</u> notice for this checklist (55 <u>FR</u> 25507, June 21, 1990). The reference to "265.1035(d)" in paragraph 265.1030(b) should be to "265.1034(e)."
- There is a typographical error in the <u>Federal Register</u> notice for this checklist (55 <u>FR</u> 25510, June 21, 1990). The first reference to "(c)(1)(v)" in paragraph 265.1034(c)(1)(vi) should be to "(c)(1)(iv)."
- There is a typographical error in the <u>Federal Register</u> for this checklist (55 <u>FR</u> 25512, June 21, 1990). The reference to "paragraph (3)" in paragraph 265.1035(c)(5) should be to "paragraph (4)."
- There is a typographical error in the <u>Federal Register</u> for this checklist (55 <u>FR</u> 25513). The reference to "(a)(2)" in paragraph 265.1052(e)(3) should be to "(e)(2)."

					 STATE ANALOG IS:		
				ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	1	FEDERAL RCRA CITATION	L	STATE CITATION	 ALENT	STRINGENT	IN SCOPE

There is a typographical error in the <u>Federal Register</u> for this checklist (55 <u>FR</u> 25516, June 21, 1990). The reference to "265.1953" in paragraph 265.1064(c) should be to "265.1053."

There is a typographical error in the <u>Federal Register</u> for this checklist (55 <u>FR</u> 25518, June 21, 1990). The reference to "264.103(k)" in paragraph 270.24(d)(2) should be to "264.1033(k)."

Removal of Strontium Sulfide from the
List of Hazardous Wastes; Technical Amendment
56 FR 7567-7568
February 25, 1991
(RCRA Cluster I, Non-HSWA Rule)

- Note: 1) Because of an error in the amendatory language in the rule (53 <u>FR</u> 43881, October 31, 1988, Revision Checklist 57) removing strontium sulfide from the list of hazardous wastes, this chemical was not removed from §261.33 or Part 261, Appendix VIII. This technical amendment corrects that error by removing strontium sulfide from the two lists. States which have not adopted the changes addressed by Revision Checklist 57, but intend to remove strontium sulfide from their lists of hazardous waste, are strongly encouraged to adopt these technical amendments at the same time the Revision Checklist 57 provisions are adopted. States already adopting the Revision Checklist 57 changes are encouraged to adopt the Revision Checklist 86 amendments as soon as possible.
- 2) This is a conditionally optional checklist. States choosing to not remove strontium sulfide from their hazardous waste lists should not adopt the changes addressed by this present checklist. However, those States which choose to remove this waste must adopt the changes addressed by Revision Checklist 86 to assure that strontium sulfide has been properly removed from the State's hazardous waste lists and appendices.

					STATE ANALO	G IS:
			ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQ	UIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
	PART 261	- IDENTIFICATION A	ND LISTING OF HAZ	ZARDOUS W	/ASTE	
		SUBPART D - LISTS	OF HAZARDOUS W	/ASTES		
		CIAL CHEMICAL PRO , AND SPILL RESIDU	• • • • • • • • • • • • • • • • • • •	FICATION SI	PECIES,	
	R RESIDUES Ig		• • • • • • • • • • • • • • • • • • •	FICATION SI	PECIES,	
CONTAINEF remove listin as shown be	R RESIDUES g elow	, AND SPILL RESIDU	261.33(e)		PECIES,	

RCRA REVISION CHECKLIST 86: Removal of Strontium Sulfide from the List of Hazardous Wastes; Technical Amendment (cont'd)

SPA 11

	•			STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
	APPENDIX	VIII TO PART 261			,
HAZARDOUS CONSTIT	TUENTS .			***	
as shown below	Appendix VIII	Appendix VIII	X		
The following listing has		•			

Organic Air Emission Standards for Process

Vents and Equipment Leaks; Technical Amendment

56 FR 19290

April 26, 1991

(RCRA Cluster I, HSWA Rule)

Note: The technical amendment addressed by this checklist corrects errors made in the Organic Air Emissions Final rule at 55 <u>FR</u> 25454 (June 21, 1990; Revision Checklist 79). States are strongly encouraged to adopt the corrections addressed by Revision Checklist 87 at the same time the Revision Checklist 79 provisions are adopted. States which have already adopted the Checklist 79 provisions are encouraged to adopt the corrections addressed by Revision Checklist 87 as soon as possible.

•				•	
	<u> </u>			STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
	T 264 - STANDARDS FO				
HAZARDOL	JS WASTE TREATMENT	I, STORAGE, AND DIS	POSAL F	ACILITIES	

SIIRDA	RT AA - AIR EMISSION	STANDARDS FOR PE	OCESS V	/ENTS	
SUDITA	AT AA - AIN EMISSION	STANDARDS FOR FE	IOCESS V	LINIO	
APPLICABILITY					
change "2641" to				·	
<u>"264.1"</u>	264.1030(a)	264.1030(a)	X		
change					
"§§264.1034(d) and				•	
264.1035(e)" to	•				
"§264.1034 (d)					
and (e)"	264.1030(b)	264.1030(b)	X		
OTANDADDO OLOGE		CONTROL DEVICES			
	D-VENT SYSTEMS AND	CONTROL DEVICES			
change "paragraphs	•	•			
(1) and (2) of this section" to		•			
!					
"paragraphs (f)(1) and (2) of this			•		,
section"	264.1033(f)(3)	264.1033(f)(3)	Χ		•
36011011	207.1000(1)(0)	204.1000(1)(0)			

		•	*	STATE ANALO	
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
DECODDIZEDNO DEC) NUIDEMENTO				•
RECORDKEEPING REC	JUIREMENTS		,		
change "Records including the dates of"					,
to "Records, including					
the dates, of"	264.1035(b)(4)(ii)	264.1035(b)(4)(ii)	X	d.	
the dates, of	204.1033(D)(4)(II)	204.1003(b)(4)(11)			
SUBPART	BB - AIR EMISSION S	TANDARDS FOR EQU	JIPMENT	LEAKS	
STANDARDS: PUMPS I	N LIGHT LIQUID SERVI	CE		-	-
change "a instrument					
reading" to "an					
instrument reading"	264.1052(b)(1)	264.1052(b)(1)	X		
	ITERIM STATUS STAND				
OF HAZARDOL	JS WASTE TREATMEN	T, STORAGE, AND D	ISPOSAL	FACILITIES	5
	SUBPART B - GENER	AL EACH ITV STAND	, ADDC		
	SUBPART B - GENER	AL PACILITY STAND	ANDS		
			•		
GENERAL WASTE ANA	ı ysıs	×	•		
	LYSIS				
change "265.193"		265 13(b)(6)	X		
change "265.193"	LYSIS 265.13(b)(6)	265.13(b)(6)	X		
GENERAL WASTE ANA change "265.193" to "265.200" SUBPART E				PORTING	
change "265.193" to "265.200" SUBPART E	265.13(b)(6)			PORTING	
change "265.193" to "265.200" SUBPART E OPERATING RECORD	265.13(b)(6)			PORTING	
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193"	265.13(b)(6)			PORTING	
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193"	265.13(b)(6) E - MANIFEST SYSTEM	, RECORDKEEPING,	AND REF	PORTING	
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193" to "265.200"	265.13(b)(6) E - MANIFEST SYSTEM	, RECORDKEEPING, 265.73(b)(3)	AND REF		
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193" to "265.200" SUBPAR	265.13(b)(6) E - MANIFEST SYSTEM 265.73(b)(3)	, RECORDKEEPING, 265.73(b)(3)	AND REF		
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193" to "265.200" SUBPAR APPLICABILITY change	265.13(b)(6) E - MANIFEST SYSTEM 265.73(b)(3)	, RECORDKEEPING, 265.73(b)(3)	AND REF		
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193" to "265.200" SUBPAR APPLICABILITY change '§§265.1034(d) and	265.13(b)(6) E - MANIFEST SYSTEM 265.73(b)(3)	, RECORDKEEPING, 265.73(b)(3)	AND REF		
change "265.193" to "265.200" SUBPART E OPERATING RECORD change "265.193" to "265.200"	265.13(b)(6) E - MANIFEST SYSTEM 265.73(b)(3)	, RECORDKEEPING, 265.73(b)(3)	AND REF		

SPA 11

EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 87: Organic Air Emission Standards for Process Vents and Equipment Leaks; Technical Amendment (cont'd)

			STATE ANALOG IS:			
		ANALOGOUS	EQUIV-	MORE	BROADEF	
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE	
TEST METHODS AND P	ROCEDURES					
change "E _h , as						
determined in	•					
paragraph (c)(1)(v) of						
the section" to "E _n ,						
as determined in						
paragraph (c)(1)(iv)	265 1024(a)(1)(vi)	265 1024(a)(1)(vi)	V			
of this section"	265.1034(c)(1)(vi)	265.1034(c)(1)(vi)	X			
RECORDKEEPING REQ	LUREMENTS			_		
change "Records	OH (CIVIC) (1)					
including the dates of"					•	
to "Records, including						
the dates, of	265.1035(b)(4)(ii)	265.1035(b)(4)(ii)	Χ			
change "Paragraph						
(3)" to "paragraph						
(c)(4) of this section"	265.1035(c)(5)	265.1035(c)(5)	_X			
				•		
SUBPART	BB - AIR EMISSION ST	ANDARDS FOR EQU	IIPMENT	LEAKS		
CTANDADDC, DUADC IN	LUCUT LICUID CEDVI	`				
STANDARDS: PUMPS IN	LIGHT LIQUID SERVIC	<u>, E</u>				
revise "paragraph						
(a)(2)" to read "paragraph (e)(2)"	265.1052(e)(3)	265.1052(e)(3)	X			
paragraph (e)(2)	200.1002(6)(0)	200.1002(8)(0)			1	
RECORDKEEPING REQ	UREMENTS					
change "265.1953"	J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					
to "265.1053"	265.1064(c)	265.1064(c)	Χ			

JS EPA ARCHIVE DOCUMENT

of"

RCRA REVISION CHECKLIST 87: Organic Air Emission Standards for Process Vents and Equipment Leaks; Technical Amendment (cont'd)

SPA 11

With the Committee of t				STATE ANALO	G IS:
		ANALOGOUS	EQUIV-	MORE	BROADEF
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE
F	PART 270 - EPA ADMINIS THE HAZARDOUS W				
·	SUBPART B - P	ERMIT APPLICATIO	N		
SPECIFIC PART B INI	FORMATION REQUIREM	ENTS FOR PROCES	SS VENTS		
change "records including the dates of				•	٠
each compliance test required by					
§264.103(k)." to "Records, including					
the dates, of each compliance test					
required by §264.1033(k)."	270.24(d)(2)	122.24(d)(2)	X		
SPECIFIC PART B INF	FORMATION REQUIREM	ENTS FOR EQUIPM	ENT		
change "Records including the dates		,			,
of" to "Records, including the dates,					

122.25(e)(2)

270.25(e)(2)

Revision to the Petroleum Refining Primary and Secondary
Oil/Water/Solids Separation Sludge Listings (F037 and F038)
56 FR 21955-21960
May 13, 1991
(RCRA Cluster I, HSWA Rule)

Note: This checklist amends the listings of F037 and F038 which were made at 55 <u>FR</u> 46354 (November 2, 1990; Revision Checklist 81). This rule revises and narrows these listings by 1) excluding non-contact, once-through cooling water from F037 and F038 listings and 2) not including, within the scope of the F038 listing, floats generated in or after aggressive biological treatment units. States wishing to adopt this optional change are strongly encouraged to adopt this change at the same time the Revision Checklist 81 provisions are adopted.

					STATE ANALO	G IS:
			ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RORA CITATIO	N	STATE CITATION	ALENT	STRINGENT	IN SCOPE
PART	261 - IDENTIFICATION	I AND	LISTING OF HA	ZARDOUS W	ASTE	
	SUBPART D - LIS	TS OF	HAZARDOUS W	/ASTES		
	ES FROM NON-SPECI	FIC S	OURCES			
revise description of F037 and F038	261.31(a)		261.31(a)	X		•

Mining Waste Exclusion III 56 <u>FR</u> 27300-27330 June 13, 1991 (RCRA Cluster I, Non-HSWA Rule)

Notes: 1) This is the third revision to the mining waste exclusion, with the two previous revisions addressed by Revision Checklist 65 (54 FR 36592; September 1, 1989) and Revision Checklist 71 (55 FR 2322; January 23, 1990). As such, states which have not yet been authorized for these checklists are encouraged to apply for Revision Checklist 90 at the same time the provisions in Revision Checklists 65 and 71 are applied for. States already authorized for Revision Checklists 65 and 71 requirements are encouraged to adopt the corrections addressed by Revision Checklist 90 as quickly as possible.

2) In the <u>FR</u> notice addressed by this checklist, a series of appendices follows the change made to 40 <u>CFR</u> 261.4(b)(7). These appendices were <u>not</u> included in this checklist because they will not appear in the <u>Code of Federal Regulations</u> and because the subjects of these appendices are the Public Comments on EPA's Report to Congress and the Notice of Data Availability.

ANALOGOUS EQUIV- MORE BROADER
FEDERAL REQUIREMENT | FEDERAL RCRA CITATION | STATE CITATION | ALENT | STRINGENT | IN SCOPE

PART 261 - IDENTIFICATION AND LISTING OF HAZARDOUS WASTES

SUBPART A - GENERAL

EXCLUSIONS

remove "until EPA completes a report to Congress and a regulatory determi-

nation on their ultimate regulatory

status"

261.4(b)(7)

261.4(b)(7)

X

Wood Preserving Listings; Technical Corrections
56 FR 30192-30198
July 1, 1991
(RCRA Cluster II, HSWA and Non-HSWA provisions)

Notes: 1) The rule addressed by this checklist makes technical corrections to the Wood Preserving listing rule (55 FR 50450; December 6, 1990; Revision Checklist 82). States are strongly encouraged to adopt these technical corrections at the same time the Revision Checklist 82 provisions are adopted. Those States that have already adopted the Revision Checklist 82 provisions should adopt Revision Checklist 92 as soon as possible.

2) Note that on June 13, 1991 (56 \underline{FR} 27332), an administrative stay was published affecting the December 6, 1990 (55 \underline{FR} 50450; Revision Checklist 82) final rule. Because the Federal code was changed, a checklist was developed, Revision Checklist 91. The changes addressed by that checklist are all optional.

			STATE ANALOG IS:		
	FEDERAL	ANALOGOUS		MORE	BROAD -
FEDERAL	RCRA	STATE	EQUIV-	STRIN-	ER IN
REQUIREMENT	CITATION	CITATION	ALENT	GENT	SCOPE
	PART 261 - IDENTIFICAT	ION AND LISTING OF HAZARDO	JS WASTE	-	
	SUBF	PART A - GENERAL			-
EXCLUSIONS					
redesignate					
261.4(a)(9) as					
261.4(a)(9)(i); delete					
used and are" after	•				
"been"; insert "are"					
pefore "reused";					
replace closing					
"." with "; and"	261.4(a)(9)(i)	261.4(a)(i)	χ.		
add new paragraph					
excluding waste-					
waters from the wood					
preserving process					
that have been					
reclaimed and are					
reused to treat wood	261.4(a)(9)(ii)	261.4(a)(ii)	×		
cused to treat wood	201.4(0)(7)(11)	201.4(8)(11)			
	SUBPART D - L	ISTS OF HAZARDOUS WASTES			
DELETION OF CERTAIN WAZARD	OHE WASTE CODES FOLLOWING	CONTRACT OF CANTAC AND DECI-	ACEUENT		
generators must either	OUS MASTE CODES PULLOWING !	EQUIPMENT CLEANING AND REPL	ACEMEN I	•	
clean or replace all					
specified process					
equipment that may					
ave come into					
contact with					
chlorophenolic					
ormulations or					
	244 75/61	241 75/6)	x		
onstituents Jenerators shall do	261.35(b)	261.35(b)	^		
•	241 75/63/43	244 75/53/43	. x		
one of the following:	261.35(b)(1)	261.35(b)(1)	х		
repare and follow an					
quipment cleaning					
olan; clean equipment					
n accordance with	0.4 77.4	0/4 75 (1) 44 / 41			
261.35	261.35(b)(1)(i)	261.35(b)(1)(i)	X		
prepare and follow an					
quipment replace-			~		
ent plan; replace	•				
quipment in accor-			. x		
lance with 261.35	_261.35(b)(1)(ii)	261.35(b)(1)(ii)			

FEDERAL RCRA REQUIREMENT CITATION document cleaning and replacement in accordance with 261.35, carried out after termination of use of chlorophenolic preservations 261.35(b)(2) cleaning requirements 261.35(b)(2) requirement cleaning plan that describes: 261.35(b)(2)(i)(A how equipment will be cleaned solvent rinses will be disposed equipment must be cleaned as follows: 261.35(b)(2)(i)(B how cleaning residues will be disposed equipment must be cleaned as follows: 261.35(b)(2)(i)(E residues from process equipment with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements 261.35(b)(2)(iii) restricted 261.35(b)(2)(iii) restricted 261.35(b)(2)(iii) restricted 261.35(b)(2)(iii) restricted 261.35(b)(2)(iii) requirements 261.35(b)(3)(iii) requirements 261.35(b)(3)(iiii) requirements 261.35(b)(3)(iiii) requirements 261.35(b)(3)(iiii) requirements 261.35(b)(3)(iiii) requirements 261.35(b)(3)(iiiii) requirements 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	*****	STATE		
document cleaning and replacement in accordance with 261.35, carried out after termination of use of chlorophenolic preservations 261.35(b)(1)(iii) cleaning requirements 261.35(b)(2) cleaning requirements 261.35(b)(2) prepare and sign a written equipment cleaning plan that describes: 261.35(b)(2)(i)(A how equipment will be cleaned 261.35(b)(2)(i)(B how solvent to be used in cleaning 261.35(b)(2)(i)(B how solvent rinses will be disposed 261.35(b)(2)(i)(B how cleaning residues will be disposed 261.35(b)(2)(i)(E how cleaned as follows: 261.35(b)(2)(ii)(E how cleaned as follows: 261.35(b)(3)(ii)(E how cleaned as follows: 261	ANALOGOUS		MORE	BROAD -
document cleaning and replacement in accordance with 261.35, carried out after termination of use of chlorophenolic preservations 261.35(b)(1)(iii) 2 (leaning requirements 261.35(b)(2) prepare and sign a written equipment cleaning plan that describes: 261.35(b)(2)(i)(B (solvent to be cleaned 261.35(b)(2)(i)(B (solvent to be used in cleaning residues will be disposed 261.35(b)(2)(i)(B (solvent to be used in cleaning residues will be disposed 261.35(b)(2)(i)(B (solvent to be used in cleaning residues 261.35(b)(2)(i)(B (solvent until no dioxin or dibenzofuran detection in final solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(B (solvent until no dioxin or dibenzofuran detected 261.35(b)(2)(ii)(B (solvent until no dioxin or dibenzofuran detected 261.35(b)(2)(ii)(B (solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(B (solvent until no dioxin or dibenzofuran detected 261.35(b)(2)(iii)(B (solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(iii)(B (solvent until no dioxin or dibenzofuran detected 261.35(b)(2)(iii)(B (solvent until no dioxin or dibenzofuran detected 261.35(b)(3)(i)(B (solvent until no dioxin or dibenzofuran detection in final solvent until no dioxin or dibenzofuran detection in final solvent until	STATE CITATION	EQUIV-	STRIN- GENT	ER IN SCOPE
and replacement in accordance with accordance with 261.35, carried out after termination of use of chlorophenolic preservations 261.35(b)(2) (iii) arithmetic eleaning requirements 261.35(b)(2) (iii) arithmetic eleaning plan that describes: 261.35(b)(2)(i) (arithmetic eleaning plan that describes: 261.35(b)(2)(i) (arithmetic eleaned 261.35(b)(3)(i) (ari	CITATION	ALENT	GENI	SCOPE
and replacement in accordance with 261.35, carried out 261.35, carried out 261.35 (b)(1)(iii) 261.35 (b)(2)(iii) 261.35 (b)(2)(iii) 261.35 (b)(2)(iii) 261.35 (b)(2)(iii) 261.35 (b)(2)(iii) 261.35 (b)(2)(iii) 261.35 (b)(2)(iiii) 261.35 (b)(2)(iiii) 261.35 (b)(2)(iiiii) 261.35 (b)(2)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii				
accordance with 261.35, carried out after termination of use of chlorophenolic preservations 261.35(b)(1)(iii) cleaning requirements 261.35(b)(2) cleaning requirements 261.35(b)(2)(i) cleaning plan that describes: 261.35(b)(2)(i)(A 20) cleaning plan that describes: 261.35(b)(2)(i)(A 20) convert to be cleaned 261.35(b)(2)(i)(B 20) convert to be used in cleaning 261.35(b)(2)(i)(B 20) convert to be used 261.35(b)(3)(i)(B 20)				
261.35, carried out after termination of use of chlorophenolic preservations Cleaning requirements Cleaning requirements Cleaning plan that describes: Cleaning plan that describes: Cobe cleaned Cow equipment Cobe cleaned Colvent to be used in cleaning Colvent must be used in cleaning Colvent in the disposed in cleaning Colvent in the disposed in cleaning Colvent until no dioxin or dibenzofuran Colvent until no dioxin or dibenzofuran Colvent rinse in cleaning Colvent in cleaning Collidation Colvent in cleaning Collidation Colvent in cleaning Collidation				
after termination of use of chlorophenolic preservations cleaning requirements cleaning requirements cleaning plan that describes: cleaning plan that describes: colvent to be used in cleaning plan that discover trinses will be tested and cleaning residues will be disposed and the colvent until no dioxin or dibenzofuran detection in final scalvent rinse with appropriate solvent rinse with appropriate solvent until no dioxin or dibenzofuran detection in final scalvent rinse analytical requirements constructed as per schede as per schede as process designed as designed as process designed as				
use of chlorophenolic preservations cleaning requirements cleaning requirements prepare and sign a unitten equipment cleaning plan that describes: cquipment to be cleaned colvent to be used in cleaning colvent rinses dill be tested convected to disposed cquipment must be cleaned as follows: cremove all visible residues from process cquipment colvent rinse cremove all visible residues from process cquipment colvent until no dioxin condition of dibenzofuran detection in final colvent rinse colvent until no dioxin colvent rinse colvent rinse colvent until no dioxin colvent rinse colvent rin				
cleaning requirements prepare and sign a written equipment cleaning plan that describes: equipment to be cleaned now equipment will be cleaned solvent to be used in cleaning now solvent rinses will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment cleation in final describes in sea per SW-846, Method 8290 hot detected" defined denerator manages cleaning process residues as 1032 waste requirements cobe replaced cow equipment will cobe replaced cow equipment cobe replaced co				
cleaning requirements prepare and sign a written equipment cleaning plan that describes: equipment to be cleaned how equipment will be cleaned how solvent rinses will be tested how cleaning residues will be disposed cleaned as follows: premove all visible residues from process equipment colvent until no dioxin prodibenzofuran detection in final solvent rinses sure with appropriate solvent until no dioxin prodibenzofuran detection in final solvent rinses sure with appropriate solvent until no dioxin prodibenzofuran detection in final solvent rinse senalytical requirements cleaning process residues as prossidues as prospare and sign process residues as preplacement requirements propare and sign pritten equipment replacement propare and sign pritten equipment replacement plan that describes: propare and sign pritten equipment replacement plan that describes: propare and sign pritten equipment replaced propare and sign pritten equipment replaced propare and sign pritten equipment replacement plan that describes: propare and sign pritten equipment replaced propare and sign propare and sign pritten equipment replaced propare and sig	0/4 75/1 >/4>/**			
prepare and sign a written equipment cleaning plan that describes: 261.35(b)(2)(i) (A describes: 261.35(b)(2)(ii) (A describes: 261.35(b)(3)(i) (A des	261.35(b)(1)(iii)	X		
prepare and sign a written equipment cleaning plan that describes: 261.35(b)(2)(i) (A constraint) describes: 261.35(b)(2)(i) (A constraint) describes: 261.35(b)(2)(i) (A constraint) describes: 261.35(b)(2)(i) (B constraint) describes de	261.35(b)(2)	x		
cleaning plan that describes: equipment to be cleaned how equipment will be cleaned how solvent to be used in cleaning how cleaning residues will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment dibenzofuran detection in final solvent rinse solvent rinse solvent until no dioxin or dibenzofuran detection in final solvent rinse solvent rinse consolvent until requirements consolvent solvent defined denerator manages cleaning process residues as cleaning process residues defined cleaning residues cleaned as follows:		ŧ		
cleaning plan that describes: equipment to be cleaned how equipment will be cleaned solvent to be used in cleaning how solvent rinses will be tested how cleaning residues will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment rinse with appropriate solvent rinse solvent rinse solvent rinse solvent until no dioxin or dibenzofuran detection in final solvent rinse solvent rinse solvent rinse analytical requirements dest rinses as per SW-846, Method 8290 'not detected" defined generator manages cleaning process residues as FO32 waste replacement requirements corepare and sign written equipment replacement plan that describes: coreplaced core replaced core repla				
describes: equipment to be cleaned how equipment will be cleaned solvent to be used in cleaning how solvent rinses will be tested how cleaning residues will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment or dibenzofuran detection in final solvent rinse sunstytical requirements test rinses as per SW-846, Method 8290 "not detected" defined generator manages cleaning process residues as F032 waste replacement replacement to be replaced how equipment will be replaced how equipment will be disposed generator must 261.35(b)(2)(ii) 261.35(b)(2)(iii) 261.35(b)(2)(iii) 261.35(b)(2)(iii) 261.35(b)(2)(iii) 261.35(b)(3)(i)(2) 261.35(b)(3)(i)(3) 261.35(b)(3)(i)(4) 261.35(b)(3)(i)(6) 261.35(b)(6)(6)(6) 261.35(b)(6)(6)(6) 261.35(b)(6)(6)(6) 2				
requipment to be cleaned how equipment will be cleaned how solvent to be used in cleaning how solvent rinses will be tested how cleaning residues will be disposed will be disposed cleaned as follows: remove all visible residues from process equipment rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements test rinses as per SW-846, Method 8290 how detected defined generator manages cleaning process residues as re32 waste replacement requirements cleaning process residues as red32 waste replacement requirements cleaning process replacement requirements cleaning process residues as red32 waste replacement requirements cleaning process replacement requirements cleaning process replacement requirements cleaning process residues as red32 waste replacement requirements cleaning process replacement requirements cleaning process residues residues red1.35(b)(2)(iii) red1.35(b)(3)(ii)(A) red2.35(b)(3)(i)(A) red3.55(b)(3)(i)(B) r	261.35(b)(2)(i)	x		
to be cleaned to be cleaned thow equipment will be cleaned solvent to be used in cleaning thow solvent rinses will be tested thow cleaning residues will be disposed to cleaned as follows: remove all visible residues from process requipment rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements test rinses as per SW-846, Method 8290 rhot detected defined generator manages cleaning process residues as 1032 waste replacement replacement replacement replacement to be replaced to be replaced to we equipment will per replaced per replaced to we equipment will per replaced generator must 261.35(b)(2)(i) 261.35(b)(2)(iii) 261.35(b)(2)(iii) 261.35(b)(2)(iii) 261.35(b)(3)(i)(8 261.35(b)(3)(i)(6 261.35(b)(6 261.35(b)(6 261.35(b)(6 261.35(b)(6 261.35(b)(6 261.35(b)(6 261.35(b)(6 261.35(b)	201.33(8)(27(1)			
how equipment will be cleaned 261.35(b)(2)(i)(B solvent to be used in cleaning 261.35(b)(2)(i)(C how solvent rinses will be tested 261.35(b)(2)(i)(D how cleaning residues will be disposed 261.35(b)(2)(i)(E equipment must be cleaned as follows: 261.35(b)(2)(ii) remove all visible residues from process equipment 261.35(b)(2)(ii)(F remove all visible residues from process equipment 261.35(b)(2)(ii)(F remove all visible residues from process equipment 261.35(b)(2)(ii)(F remove all visible residues from process equipment 261.35(b)(2)(ii)(F requirements 261.35(b)(2)(iii) riot detected replacement 261.35(b)(2)(iii) replacement 261.35(b)(2)(iii) replacement 261.35(b)(3)(i)(F replacement plan 261.35(b)(3)(i)(F replacement plan 261.35(b)(3)(i)(F replacement plan 261.35(b)(3)(i)(F replacement plan 261.35(b)(3)(i)(F replacement will 261.35(b)(3)(i)(F replaced 261.35(b)() 261.35(b)(2)(i)(A)	x		
will be cleaned solvent to be used in cleaning 261.35(b)(2)(i)(0) convert to be used in cleaning 261.35(b)(2)(i)(0) convert trinses will be tested 261.35(b)(2)(i)(0) convert trinse will be disposed 261.35(b)(2)(i)(0) convert trinse becleaned as follows: 261.35(b)(2)(ii) convert trinse with appropriate solvent until no dioxin for dibenzofuran detection in final solvent rinse 261.35(b)(2)(iii) convert trinse 261.35(b)(3)(iii) convert trinse 261.35(b)(3)(iiii) convert trinse 261.35(b)(3)(iiii) convert trinse 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii) 201.35(U)(2)(1)(A)	^		
solvent to be used in cleaning 261.35(b)(2)(i)(0) now solvent rinses will be tested 261.35(b)(2)(i)(D) now cleaning residues 261.35(b)(2)(i)(E) equipment must be cleaned as follows: 261.35(b)(2)(ii) remove all visible residues from process equipment 261.35(b)(2)(ii) or dibenzofuran detection in final solvent until no dioxin prodibenzofuran detection in final solvent rinse 261.35(b)(2)(iii) sequirements 261.35(b)(2)(iii) requirements 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(3)(iii) defined 261.35(b)(3)(iiii) defined 261.35(b)(3)(iiiiiii) defined 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	3/4 75/61/31/31/31/31	X		
used in cleaning 261.35(b)(2)(i)(0 chow solvent rinses will be tested 261.35(b)(2)(i)(b) tow cleaning residues will be disposed 261.35(b)(2)(i)(E equipment must be cleaned as follows: 261.35(b)(2)(ii) remove all visible residues from process equipment 261.35(b)(2)(ii)(E ensidues from process equipment 261.35(b)(2)(iii)(E ensidues from E endiffered 261.35(b)(3)(i)(E ensidue from E endiffered 261.35(b)(E) 261.35(b)(2)(i)(B)	X		
how solvent rinses will be tested how cleaning residues will be disposed will be disposed will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements test rinses as per SW-846, Method 8290 'not detected" defined generator manages cleaning process residues as FO32 waste replacement requirements corepare and sign written equipment replacement plan chat describes: course disposed convequipment will de replaced convequipment will de replaced convequipment will de replaced convequipment will de disposed generator must	0/4 95/11/01/11/	••		
will be tested how cleaning residues will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements test rinses as per SW-846, Method 8290 "not detected" defined generator manages cleaning process residues as F032 waste replacement requirements propers and sign written equipment replacement plan that describes: equipment to be replaced now equipment will pe replaced now equipment will pe disposed generator must) 261.35(b)(2)(i)(C)	X	·	
how cleaning residues will be disposed 261.35(b)(2)(i)(E equipment must be cleaned as follows: 261.35(b)(2)(ii) remove all visible residues from process equipment 261.35(b)(2)(ii)(rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(analytical requirements 261.35(b)(2)(iii) destraines as per SW-846, Method 8290 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(3)(iii) dereplacement requirements 261.35(b)(3) orepare and sign written equipment replacement plan chat describes: 261.35(b)(3)(i) dereplaced 261.35(b)(3)(i)(A now equipment will dereplaced 261.35(b)(3)(i)(B now equipment will dereplaced 261.35(b)(3)(i)(B now equipment will dereplaced 261.35(b)(3)(i)(C generator must				
will be disposed equipment must be cleaned as follows: remove all visible residues from process equipment rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements test rinses as per SW-846, Method 8290 'not detected" defined generator manages cleaning process residues as FO32 waste requirements crequirements requirements cleaning process residues as requirement) 261.35(b)(2)(i)(D)	X		· · · · · · · · · · · · · · · · · · ·
requipment must be cleaned as follows: 261.35(b)(2)(ii) remove all visible residues from process equipment 261.35(b)(2)(ii)(rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(iii)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)				
remove all visible residues from process equipment rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements destrinses as per SW-846, Method 8290 Inot detected defined generator manages cleaning process residues as r032 waste requirements requirement) 261.35(b)(2)(i)(E)	X		
remove all visible residues from process equipment 261.35(b)(2)(ii)(rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(analytical requirements 261.35(b)(2)(iii) requirements 261.35(b)(2)(iii) requirements 261.35(b)(2)(iii) requirements 261.35(b)(2)(iii) requirement 261.35(b)(2)(iii) requirement 261.35(b)(2)(iii) requirement 261.35(b)(2)(iv) replacement 261.35(b)(3) replacement 261.35(b)(3) replacement 261.35(b)(3)(i) requirement 261.35(b)(3)(i) requirement 261.35(b)(3)(i)(A replacement 261.35(b)(3)(i)(A requirement 261.35(b)(3)(i)(A replacement 261.35(b)(3)(i)(A replacement 261.35(b)(3)(i)(A replacement 261.35(b)(3)(i)(A replacement 261.35(b)(3)(i)(A replacement 261.35(b)(3)(i)(B replaced 261.35(b)(3)(i)(B replaced 261.35(b)(3)(i)(B replaced 261.35(b)(3)(i)(C replaced 261.35(b)(3)(i)(C replaced 261.35(b)(3)(i)(C replaced 261.35(b)(3)(i)(C replaced 261.35(b)(3)(i)(C				-
remove all visible residues from process equipment 261.35(b)(2)(ii)(rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(analytical requirements 261.35(b)(2)(iii) requirements 261.35(b)(2)(iii) detected" defined 261.35(b)(2)(iii) generator manages cleaning process residues as r032 waste 261.35(b)(2)(iv) requirements 261.35(b)(2)(iv) requirements 261.35(b)(3) original process residues as r032 waste 261.35(b)(3)(iv) requirements 261.35(b)(3) original process requirement 261.35(b)(3)(iv) requirement 261	261.35(b)(2)(ii)	X		
rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements 261.35(b)(2)(iii) (analytical requirements 261.35(b)(3)(iii) (analytical requirements 261.35(b)(3)(iiii) (analytical requirement 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii				
rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse analytical requirements 261.35(b)(2)(iii) (analytical requirements 261.35(b)(3)(iii) (analytical requirements 261.35(b)(3)(iiii) (analytical requirement 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii				
rinse with appropriate solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(3 analytical requirements 261.35(b)(2)(iii) 261.35(b)(3)(iii) 261.35(b)(3)(iiii) 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	A) 261.35(b)(2)(ii)(A)	X		
solvent until no dioxin or dibenzofuran detection in final solvent rinse 261.35(b)(2)(ii)(analytical requirements 261.35(b)(2)(iii) requirements 261.35(b)(2)(iii) retained 261.35(b)(3)(iii) retained 261.35(b)(3) retained 261.35(b)(3)(iii) retained 261.35(b)(3)(iiii) retained 261.35(b)(3)(iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	201105/20/12/11/1//			
or dibenzofuran detection in final solvent rinse				
detection in final solvent rinse 261.35(b)(2)(ii)(2) analytical requirements 261.35(b)(2)(iii) test rinses as per SW-846, Method 8290 261.35(b)(2)(iii) mot detected 261.35(b)(2)(iii) generator manages cleaning process residues as 261.35(b)(2)(iv) requirements 261.35(b)(2)(iv) requirements 261.35(b)(3) moritten equipment replacement plan that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will be replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must				
solvent rinse 261.35(b)(2)(ii)(analytical requirements 261.35(b)(2)(iii) test rinses as per 58-846, Method 8290 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) defined 261.35(b)(2)(iii) generator manages cleaning process residues as 7032 waste 261.35(b)(2)(iv) replacement requirements 261.35(b)(3) prepare and sign pritten equipment replacement plan that describes: 261.35(b)(3)(i) dequipment cobe replaced 261.35(b)(3)(i)(A cow equipment will be replaced 261.35(b)(3)(i)(B cow equipment will pe disposed 261.35(b)(3)(i)(C cow equipment must				
analytical requirements test rinses as per SW-846, Method 8290 Whot detected" defined generator manages cleaning process residues as F032 waste replacement requirements propepare and sign written equipment replacement plan that describes: equipment to be replaced now equipment will be replaced now equipment will be disposed generator must 261.35(b)(3)(i)(8 261.	0/4 75/63/03/22/03	v		
requirements 261.35(b)(2)(iii) test rinses as per SW-846, Method 8290 261.35(b)(2)(iii) "not detected" defined 261.35(b)(2)(iii) generator manages cleaning process residues as F032 waste 261.35(b)(2)(iv) replacement requirements 261.35(b)(3) written equipment replacement plan that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will pe replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must	B) 261.35(b)(2)(ii)(B)	<u> </u>		
test rinses as per SW-846, Method 8290 Thot detected defined generator manages cleaning process residues as F032 waste replacement requirements prepare and sign written equipment replacement plan that describes: cquipment to be replaced now equipment will pe replaced now equipment will pe disposed generator must 261.35(b)(3)(i)(B 261.35(b)(3)(i)(B	044 754 5405 4445			
SW-846, Method 8290 "not detected" defined generator manages cleaning process residues as F032 waste replacement requirements prepare and sign written equipment replacement plan that describes: cquipment to be replaced now equipment will pe replaced now equipment will pe disposed generator must 261.35(b)(3)(i)(B	261.35(b)(2)(iii)	X		
"not detected" defined 261.35(b)(2)(iii) generator manages cleaning process residues as F032 waste 261.35(b)(2)(iv) replacement requirements 261.35(b)(3) prepare and sign written equipment replacement plan that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will be replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must				
defined 261.35(b)(2)(iii) generator manages cleaning process residues as F032 waste 261.35(b)(2)(iv) replacement requirements 261.35(b)(3) written equipment replacement plan that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will be disposed 261.35(b)(3)(i)(B generator must	(A) 261.35(b)(2)(iii)(A)	X .		
generator manages cleaning process residues as F032 waste				
cleaning process residues as residues as replacement requirements replacement replacement group and sign written equipment replacement plan that describes: requipment replaced group and sign requipment group and sign requipment group and sign replacement plan that describes: requipment group and	(B) 261.35(b)(2)(iii)(B)	<u> </u>		
residues as 7032 waste 7033 (b)(3)(3) 703 (c) 704 (c) 705				
replacement requirements replacement replacement replacement replacement replacement replacement plan that describes: requipment replaced repl				
replacement requirements prepare and sign written equipment replacement plan that describes: equipment to be replaced now equipment will pe replaced now equipment will pe disposed generator must 261.35(b)(3)(i)(B				
replacement requirements prepare and sign written equipment replacement plan that describes: equipment to be replaced now equipment will pe replaced pow equipment will pe disposed generator must 261.35(b)(3)(i)(8 261.35(b)(3)(i)(8 261.35(b)(3)(i)(8 261.35(b)(3)(i)(8 261.35(b)(3)(i)(6 261.35(b)(3)(i)(6) 261.35(b)(3)(i)(6)	261.35(b)(2)(iv)	X		
requirements 261.35(b)(3) prepare and sign written equipment replacement plan that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will pe replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must				
prepare and sign written equipment replacement plan that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will pe replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must	261.35(b)(3)	X		
written equipment replacement plan that describes: color replaced color equipment will color				
replacement plan that describes: equipment to be replaced convequipment will the replaced convequipment will the disposed generator must 261.35(b)(3)(i)(A 261.35(b)(3)(i)(B 261.35(b)(3)(i)(B 261.35(b)(3)(i)(C	•			*
that describes: 261.35(b)(3)(i) equipment to be replaced 261.35(b)(3)(i)(A now equipment will be replaced 261.35(b)(3)(i)(B now equipment will be disposed 261.35(b)(3)(i)(C generator must				
equipment to be replaced 261.35(b)(3)(i)(A now equipment will the replaced 261.35(b)(3)(i)(B now equipment will the disposed 261.35(b)(3)(i)(C the disposed 261.35(b)(3)(i)(C	261.35(b)(3)(i)	X		
to be replaced 261.35(b)(3)(i)(A now equipment will pe replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must	201.33(0)(3)(1)	^		
now equipment will pe replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must	261 75/63/73/63/43	v .		·
pe replaced 261.35(b)(3)(i)(B now equipment will pe disposed 261.35(b)(3)(i)(C generator must) 261.35(b)(3)(i)(A)			
now equipment will me disposed 261.35(b)(3)(i)(C me disposed 261.35(b)(3)(i)(C	224 75/61/71/21/71	V		
pe disposed 261.35(b)(3)(i)(C generator must) 261.35(b)(3)(i)(B)	х		
generator must	9/4 9F/L1/91/21/44	v		
) 261.35(b)(3)(i)(C)	X	· ·	
manage discarded				
equipment as				
032 waste 261.35(b)(3)(ii)	261.35(b)(3)(ii)	X		
documentation		•		
requirements 261.35(b)(4)	261.35(b)(4)	X		

	FERENAL	4444 00045	STATE ANALOG IS:		
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	MORE STRIN- GENT	BROAD ER IN SCOPE
document previous equipment cleaning				,	
and/or replacement performed in accordance with	•				
261.35 and occurred after cessation of chlorophenolic				. •	
preservative use	261.35(b)(4)(i)	261.35(b)(4)(i)	X		
	PART 262 - STANDARDS APPLICA	BLE TO GENERATORS OF HAZARD	OOUS WASTE		
	SUBPART C - PRE	-TRANSPORT REQUIREMENTS		-	
ACCUMULATION TIME					
the waste is placed:	262.34(a)(1)	262.34(a)(1)	X		
in containers	202.34(d)(1)	202.34(a)(1)		***************************************	
and generator					
complies with Subpart I of					
Part 265; and/or	262.34(a)(1)(i)	262.34(a)(1)(i)	X		
in tanks					
and generator					
complies with Subpart J of					
art 265, except		-			
265.197(c) and	0/0 7/4 / 15:11:11				
265.200; and/or on drip pads	262.34(a)(1)(ii)	262.34(a)(1)(ii)	X		
and generator					
complies with					
Subpart W of Part 265 and main-					
rart 200 and main- tains following		-			
records:	262.34(a)(1)(iii)	262.34(a)(1)(iii)	X		
description of pro-	•				
edures to ensure all					
from drip pad and					
issociated collection					
system at least once every 90 days	242 7//22/42/22/22	2/2 7///4-/:::/	v		
documentation of each	262.34(a)(1)(iii)(A)	262.34(a)(1)(iii)(A)	<u> </u>		
waste removal, inclu-					
ling quantity, date		•			
and time of removal; generator exempt from					
Subparts G and H of					
art 265, except					
265.111 and 265.114	262.34(a)(1)(iii)(B)	262.34(a)(1)(iii)(B)	<u> </u>		-
emove 262.34(a)(2) as added by					
55 <u>FR</u> 50450;					
redesignate					
262.34(a)(3) as	262 3/(2)/2)	242 3//21/21	х		
262.34(a)(2) redesignate	262.34(a)(2)	262.34(a)(2)	^		
262.34(a)(4) as					

5

RCRA REVISION CHECKLIST 92: Wood Preserving Listings; Technical corrections (cont'd)

			STATE ANALOG IS:			
	FEDERAL	ANALOGOUS	***************************************	MORE	BROAD-	
FEDERAL	RCRA	STATE	EQUIV-	STRIN-	ER IN	
REQUIREMENT	CITATION	CITATION	ALENT	GENT	SCOPE	
20 74 27	2/2 7/4	0/0 7/4 \		•		
262.34(a)(3) redesignate	262.34(a)(3)	262.34(a)(3)	•			
262.34(a)(5) as						
262.34(a)(4)	262.34(a)(4)	262.34(a)(4)	X			
		RDS FOR OWNERS AND OPERATOR ENT, STORAGE, AND DISPOSAL				
	SUB	PART W - DRIP PADS				
APPLICABILITY						
insert ", precipitation,						
and/or surface water		-				
run-on" after						
"drippage"	264.570(a)	264.570(a)	X			
change "§264.572(e)						
or §264.572(f)" to "§264.573(e)						
or §264.573(f)"	264.570(b)	264.570(b)	x			
		-				
ASSESSMENT OF EXISTING DRI	P PAD INTEGRITY					
change "264.572(b)"						
to "264.573(b)" and						
"264.572" to						
"264.573" each time they appear in this						
paragraph	264.571(a)	264.571(a)	X			
change "264.572(b)"	204.371(a)	204.37 1(a)				
to "264.573(b)"; add a	•					
comma after "subpart"					_	
in first sentence;						
change "264.572" to		•				
'264.573"	264.571(b)	264.571(b)	X			
change "264.572" to						
'264.573" in first and						
last sentences; delete "as" after "deadline":						
'as" after "deadline"; change "264.572(b)"						
to "264.573(b)"	264.571(b)(3)	264.571(b)(3)	X			
nsert "upgrades"	207.311(0)(3)	254.57 1(5)(5)	^			
after "all"	264.571(c)	264.571(c)	X			
change "264.572(m)"						
to "264.573(m)";						
change "264.574" to						
'264.575"	264.571(d)	264.571(d)	X			
DESIGN AND INSTALLATION OF	NEU DRIP PARS					
edesignate	HER DUIT FADS			·		
Section 264.575 as		. 1				
ection 264.572;						
hange "264.572,						
264.573 and 264.574"	ı					
o "264.573, 264.574						
and 264.575"	264.572	264.572	X			
ESIGN AND OPERATING REQUIR	REMENTS					
edesignate old						
Section 264.572 as	044 577					
Section 264.573	264.573	264.573	X			

RCRA REVISION CHECKLIST 92: Wood Preserving Listings; Technical corrections (cont'd)

			STATE ANALOG IS:		
	FEDERAL	ANALOGOUS	MORE BR		
FEDERAL	RCRA	STATE	EQUIV-	STRIN-	ER IN
REQUIREMENT	CITATION	CITATION	ALENT	GENT	SCOPE
delete "of					
installation, and					
the stress"	264.573(a)(5)	264.573(a)(5)	X		
change "A drip pad"	,				
to "A new drip pad or					
an existing drip pad,					
after the deadline					
established in					
§264.571(b) of this	0// 577// 5	244 57744			
subpart,"	264.573(b)	264.573(b)	X		
remove "and" after the ending semicolon	36/ E77/EN/3N/EN/DN	2// 577/53/23/23/03	X		
change the "."	264.573(b)(2)(i)(B)	264.573(b)(2)(i)(B)			
at the end of the				-	
requirement to "; and"	264.573(b)(2)(ii)	264.573(b)(2)(ii)	X		
replace "run-on" with	204.010(0/(2/(11/	204.07.07.07.177			
"run-off"; delete					
", or the drip pad is					
protected by a struc-					
ture or cover, as	•				
described in				*	•
§264.570(b) of this					
subpart"	264.573(e)	264.573(e)	X		
replace "could lead					
to" with "may have	2// 577/>	2// 577/>	.,		
caused" replace "has led or	264.573(m)	264.573(m)	Χ		
could lead to with					
"may have caused or					*
has caused"	264.573(m)(1)	264.573(m)(1)	X	•	
replace "(m)(3)" with	,				
"(m)(1)(iv)"	264.573(m)(3)	264.573(m)(3)	X		
INSPECTIONS					
redesignate old	······································				
Section 264.573					
as Section 264.574	264.574	264.574	X		
change "264.572" to					
"264.573"; insert a			•		
comma between					
"installation" and					
"liners" in last	24/ 57/4-5	2// 57//->	.,		
sentence	264.574(a)	264.574(a)	<u> </u>		
CLOSURE					
redesignate old					
Section 264.574 as					
Section 264.575	264.575	264.575	X		
change "practically"					
after "contaminated subsoils can be" to					
subsoils can be" to "practicably"; change					
"for the purposes of					
closure" to "for the					
purpose of closure"	264.575(b)	264.575(b)	X		
change					
"264.572(b)(1)" to			,		
"264.573(b)(1)"	264.575(c)(1)	264.575(c)(1)	X		

PART 265 - INTERIM STATUS STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

STATE ANALOG IS:

RCRA REVISION CHECKLIST 92: Wood Preserving Listings; Technical corrections (cont'd)

-	
ш	
Σ	
ฮ	
0	
۵	
ш	
>	
Ξ	
5	
≍	
₹	
4	
Δ.	
ш	
S	
⊃	

change "264.573(a)"

			STATE ANALUG TS.		
FEDERAL	FEDERAL RCRA	ANALOGOUS STATE	EQUIV-	MORE STRIN-	BROAD- ER IN
REQUIREMENT	CITATION	CITATION	ALENT	GENT	SCOPE

	SUBPAR	T W - DRIP PADS			
APPLICABILITY					
insert ", precipitation, and/or surface water					
run-on" after "drippage"	265.440(a)	265.440(a)	x		
DESIGN AND OPERATING REQUIR	EMENTS				
redesignate 265.443(b)(2)(ii) as 265.443(b)(2)(iii); add new paragraph 265.443(b)(2)(ii)					
regarding design and operation to function without clogging through scheduled					
drip pad closure redesignate	265.443(b)(2)(ii)	265.443(b)(2)(ii)	X		
265.443(b)(2)(ii) as 265.443(b)(2)(iii)	265.443(b)(2)(iii)	265.443(b)(2)(iii)	, x .		
replace "could lead to" with "may have caused"	265.443(m)	265.443(m)	x		_
replace "has led or could lead to" with	203.443(11)	203.443(III)			
"may have caused or nas caused"	265.443(m)(1)	265.443(m)(1)	X		
change the internal reference "265.443(m)(3)" to					
265.443(m)(1)(iv)"	265.443(m)(3)	265.443(m)(3)	X		·
		INISTERED PERMIT PROGRAMS:			
·	SUBPART B -	PERMIT APPLICATION			
SPECIAL PART B INFORMATION F	REQUIREMENTS FOR DRIP PADS				
redesignate the Section 270.22 Introduced at					
55 <u>FR</u> 50450 as Section 270.26	270.26	122.26	Х		
change "264.572" co "264.573"	270.26(c)	122.26(c)	×		
change "264.572" to "264.573"	270,26(c)(14)	122.26(c)(14)	X		
thange "264.571" to "264.573"	270.26(c)(15)	122.26(c)(15)	x		
hange "264.573(a)"					

to "264.575(a)" Revision Checklist 82 originally introduced §261.35 into the code. This technical correction makes extensive formatting and wording changes to 261.35(b). Thus, the Federal requirement description summarizes the requirements rather than the changes.

122.26(c)(16)

270.26(c)(16)

DRAFT

EPA ARCHIVE DOCUMENT

***************************************			STATE	ANALOG IS:	
	FEDERAL	ANALOGOUS		MORE	BROAD -
FEDERAL	RCRA	STATE	EQUIV-	STRIN-	ER IN
REQUIREMENT	CITATION	CITATION	ALENT	GENT	SCOPE

RCRA REVISION CHECKLIST 92: Wood Preserving Listings;

Technical corrections (cont'd)

- Although the <u>Federal Register</u> for this technical correction contains the text of the introductory paragraph of §262.34, i.e., 262.34(a), no revisions were made to this paragraph and, as such, it has not been included in this checklist. Also, as this technical correction makes extensive changes to this section of code, the Federal requirement description sumarizes the requirements rather than the changes.
- By redesignating 262.34(a)(3) as 262.34(a)(2), the text of the previous 262.34(a)(2) is effectively deleted. However, it is noted that most of that previous text has been incorporated into 262.34(a)(1) at 262.34(a)(1)(iii) and (iii)(A)-(B), also through this technical correction notice to the wood preserving listing rule.
- The entire text of Subpart W of Part 264 was printed in the <u>Federal Register</u> for this checklist. This was done to demonstrate the numeration of each citation following the redesignation of sections to correspond with the order of the sections in Subpart W of Part 265. Numerous paragraphs within the redesignated sections have had no revisions made to them; these paragraphs have not been included in this checklist. Paragraphs that contain revisions, whether revisions to the wording of the paragraphs or to internal references within the paragraphs because of the renumbering, are addressed by this checklist.
- Note that a typographical error occurs in the text of 264.571(b) in the <u>Federal Register</u> for this checklist; "in sufficient detail" should not be changed to "insufficient detail."
- ⁶ Note that a typographical error occurs in the text of 264.571(b)(3) in the <u>Federal Register</u> for this checklist; "leak detection systems" should not be changed to "lead detection systems."
- Note that a typographical error occurs in the text of 264.573(a)(5) in the <u>Federal Register</u> for this checklist; "daily perations" should be "daily operations" as introduced into the code by Revision Checklist 82 (55 <u>FR</u> 50450).
- Note that the Boilers and Industrial Furnaces rule (56 FR 7134; February 21, 1991; Revision Checklist 85) also placed its specific Part B information requirements at 270.22 inadvertently displacing the wood preserving requirements.

Exports of Hazardous Waste; Technical Correction 56 FR 43704-43705 September 4, 1991 (RCRA Cluster II, HSWA provisions)

Note: This Revision Checklist amends §262.53 and §262.56 originally introduced into the code by Revision Checklist 31 (August 8, 1986; 51 FR 28664), by changing the office to which notifications of export activities and annual export reports must be sent.

				STATE ANALO	G IS
		ANALOGOUS	EQUIV-	MORE	BROADER.
FEDERAL REQUIREMENT	FEDERAL RORA CITATION	STATE CITATION	I ALENT	STRINGENT	IN SCOPE

PART 262 - STANDARDS APPLICABLE TO GENERATORS OF HAZARDOUS WASTE

SUBPART E - EXPORTS OF HAZARDOUS WASTE

NOTIFICATION OF INTENT TO EXPORT replace "Office of International

Activities (A-106), EPA" with "Office of Waste Programs Enforcement, RCRA

Enforcement Division (OS-520),

Environmental

Protection Agency" 262.53(b) 262.53(b)

Comment for 262.53(b): In addition to the requirement that primary exporters send a copy of the Notification of Intent to Export to EPA, Delaware requires that a copy of this notification be sent to the Department. This additional requirement makes Delaware's code more stringent.

replace "Office of International Activities (A-106)" with "Office of Waste Programs Enforcement, RCRA Enforcement Division (OS-520), Environmental

Protection Agency" 262.56(b) 262.56(b)

Amendments to Interim Status Standards for Downgradient Ground-Water Monitoring Well Locations 56 FR 66365-66369

December 23, 1991

(RCRA Cluster II, Non-HSWA)

				STATE ANALO	OG IS:
		ANALOGOUS	EQUIV-	MORE	BROADER
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	· STATE CITATION	ALENT	STRINGENT	IN SCOPE
PART 260) - HAZARDOUS WAS	TE MANAGEMENT SY	STEM: G	ENERAL	
	SUBPART	B - DEFINITIONS			
DEFINITIONS					
"qualified ground-					
water scientist"	260.10	260.10	X		-
		ARDS FOR OWNERS T, STORAGE, AND DIS)F
	SUBPART F - GRO	UND-WATER MONITO	RING		
GROUND-WATER MON	IITORING SYSTEM				
demonstrate alternate					
hydraulically down-	•				
gradient monitoring	4				
well location will meet					
alternate criteria;					
in writing and kept at				•	
facility; certified by qualified ground-water			-		
scientist and establish:	265.91(a)(3)	265.91(a)(3)	X		
existing physical	200.51(4)(0)	200.51\a/\0/			
obstacle prevents	1			•	
monitoring well					
installation at					
hydraulically					
downgradient limit					•
of the waste				,	
management area	265.91(a)(3)(i)	265.91(a)(3)(i)	X		

RCRA REVISION CHECKLIST 99: Amendments to Interim Status Standards for Downgradient Ground-Water Monitoring Well Locations (cont'd)

			STATE ANALOG IS:					
		ANALOGOUS	EQUIV-	MORE	BROADER			
FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	STATE CITATION	ALENT	STRINGENT	IN SCOPE			
selected alternate			•					
downgradient location				•				
is as close to limit of								
waste management								
area as practical	265.91(a)(3)(ii)	265.91(a)(3)(ii)	X					
location ensures	,							
detection that, given	•							
alternate location, is	•							
as early as possible								
of any statistically								
significant amounts	· ·							
of hazardous waste								
or constituents								
that migrate from the waste								
management area to uppermost aquifer	265.91(a)(3)(iii)	265.91(a)(3)(iii)	Χ					
lateral expansion,	200.01(a)(0)(iii)	200.3 ((a)(0)(111)	^_		,			
new or replacement								
units not eligible for								
an alternate				•				
downgradient								
location	265.91(a)(3)(iv)	265.91(a)(3)(iv)	Χ					

Used Oil Filter Exclusion
57 FR 21524-21534
May 20, 1992
(RCRA Cluster II, HSWA provisions)

Note: The final rule addressed by this Revision Checklist preserves the status quo for used oil destined for disposal and exempts, from the definition of hazardous waste, certain types of used oil filters. The Agency is not taking final action, at this time, on a listing determination and/or management standards for used oils that are recycled as proposed in 1985 and 1991. It will, in the near future, make a final decision on such a listing under the authority of RCRA section 3014. The Agency may also propose standards controlling the burning of used oil in boilers and furnaces at a later date.

The standards addressed by this checklist narrow the scope of the Toxicity Characteristic (TC) rule promulgated pursuant to HSWA authority, as well as the characteristics of EP toxicity regulations promulgated under non-HSWA authority; thus, authorized States are not required to adopt them.

				STATE ANALOG IS:					
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE	EQUIV- ALENT	MORE STRIN- GENT	LESS STRIN- GENT	BROADER IN SCOPE		
	PART 261 -	IDENTIFICATION AND	LISTING OF HAZA	RDOUS	WAS	ΓE			
		SUBPART A	- GENERAL						
†	EXCLUSIONS								
	non-terne plated used oil filters not mixed with waste listed in Part 261, subpart C if oil filters have been gravity hotdrained using one of the following methods:	261.4(b)(15)	261.4(b)(13)	X					
	puncturing the filter anti- drain back valve of the filter dome end and hot- draining	261.4(b)(15)(i)	261.4(b)(13)(i)	X					
	hot-draining and crushing	261.4(b)(15)(ii)	261.4(b)(13)(ii)	Х					
	dismantling and hot- draining	261.4(b)(15)(iii)	261.4(b)(13)(iii)	x					

RCRA REVISION CHECKLIST 104: Used Oil Filter Exclusion (cont'd)

				STATE	ANALOG IS	i.
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	MORE STRIN- GENT	LESS STRIN- GENT	BROADER IN SCOPE
any other equivalent hot- draining method which will remove used oil	261.4(b)(15)(iv)	261.4(b)(13)(iv)	×			

EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 107

Used Oil Filter Exclusion; Technical Corrections
57 FR 29220
July 1, 1992
(RCRA Cluster III, HSWA provisions)

Note: 1) This revision checklist corrects typographical errors in the May 20, 1992 (57 FR 21524; Revision Checklist 104) final rule. This checklist is considered "conditionally optional" because it is linked to whether a State chooses to adopt the optional oil filter exclusion addressed by Revision Checklist 104. If a State does adopt this exclusion, it must also adopt the technical corrections addressed by Revision Checklist 107. If the State does not adopt this exemption (i.e., Revision Checklist 104), the State should not adopt Revision Checklist 107. States that adopt the Revision Checklist 104 provisions are encouraged to make the corrections addressed by this checklist at the same time.

2) Because no revisions were made to 261.4(b)(15)(i) - (iv) in the <u>Federal Register</u>, these citations are not included in this checklist.

		,	i		STATE ANALOG IS		S:		
FEDEF	RAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE		
	PART 261	- IDENTIFICATION AND	LISTING OF HAZARD	OUS V	VASTE	=			
	SUBPART A - GENERAL								

†	EXCLUSIONS					
•	change "waste" to "wastes"; replace "Subpart C" with			-		
	"Subpart D"; change "which" to "that"	261.4(b)(15)	261.4(b)(13)	Х		

Toxicity Characteristic Revisions; Technical Corrections
57 FR 30657-30658

July 10, 1992

(RCRA Cluster III, HSWA provisions)

Note: This Revision Checklist corrects errors made at the time of the promulgation of the final Toxicity Characteristic (TC) rule on March 29, 1990 (55 <u>FR</u> 11798; Revision Checklist 74). States that have not adopted Revision Checklist 74 provisions are strongly encouraged to adopt these corrections at the same time that the Revision Checklist 74 provisions are adopted.

					STATE	ANALOG IS	S:	
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
	PART 261	- IDENTIFICATION AND	LISTING OF HAZARD	ous v	VASTE			
	SUBPART A - GENERAL							
	EXCLUSIONS							
1	replace "characteristic of EP toxicity, and do not fail the test for" with "toxicity characteristic for any other constituent, and do not exhibit"	261.4(b)(6)(ii)	261.4(b)(6)(ii)	X				
	insert "arsenical- treated" after "discarded"; replace "solely for arsenic" with "for Hazardous Waste Codes D004 through D017"; delete "or reasons," after "reason"	261.4(b)(9)	261.4(b)(9)	X	•			

EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 108: Toxicity Characteristic Revisions; Technical Corrections (cont'd)

				STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE

PART 265 - INTERIM STATUS STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE TREATMENT, STORAGE, AND DISPOSAL FACILITIES

SUBPART N - LANDFILLS

	DESIGN REQUIREMEN	TS				
2	replace "EP toxicity characteristics" with "Toxicity					
	Characteristic"; insert ", with EPA Hazardous Waste Numbers D004 through D017" after	,			-	
	"chapter"	265.301(d)(1)	265.301(d)(1)	X		

- There is an error in the <u>Federal Register</u> at 57 <u>FR</u> 30658. "Specific waste" should read "Specific wastes" as found in the 1991 <u>CFR</u>. Note that there is also an error in the July 1, 1991 <u>CFR</u> for this citation; "charactristic of EP" should be "characteristic of EP."
- There are several errors in the <u>Federal Register</u> for this citation. First, "such <u>waste does not</u>" should read "such <u>wastes do not</u>" and "261.4 of this chapter" should read "261.24 of this chapter" as they are found in the March 29, 1990 <u>Federal Register</u> and in the 1991 <u>CFR</u>. Second, "Waste Number" should be "Waste Numbers."

Consolidated Liability Requirements
53 FR 33938-33960
September 1, 1988
56 FR 30200
July 1, 1991
57 FR 42832-42844
September 16, 1992
(RCRA Cluster III, Non-HSWA provisions)

Notes: 1) This special consolidated checklist addresses changes made to the Federal code by the September 1, 1988 final rule (53 FR 33938, withheld Revision Checklist 51) as well as amendments made by the July 1, 1991 (56 FR 30200, withheld Revision Checklist 93) and the September 16, 1992 (57 FR 42832) final rules. The September 1, 1988 rule was the subject of litigation and its checklist, Revision Checklist 51, was withheld by EPA to encourage States not to adopt those changes until a final settlement agreement could be reached and implemented. The July 1, 1991 and September 16, 1992 rules were promulgated to make the revisions mandated by the settlement agreement. Now that all requirements of the settlement agreement have been met, EPA is issuing this Consolidated Liability Requirements Checklist to aid States in correctly adopting the changes made by these three rules.

Revision Checklists 51 and 93 will not be issued individually. Rather, States should use this Consolidated Liability Requirements Checklist to adopt the provisions of the three final rules. States that have already adopted changes based on the September 1, 1988 final rule are strongly encouraged to complete this consolidated checklist to ensure that all revisions pursuant to the two amendments are correctly made in the State's code. Note that the deadline for this consolidated checklist is July 1, 1994, based on the promulgation date of the most recent of the amendments.

- 2) In the September 1, 1988 final rule, all changes were classified as less stringent and, therefore, optional with regard to State adoption. Note that, as part of the settlement agreement with Chemical Waste Management, Inc., the claims reporting requirements were reclassified as more stringent and, therefore, required for State adoption. Only those changes marked as optional (†) in this consolidated checklist should be considered less stringent provisions. The September 16, 1992 rule modified the claims reporting requirements (264.147(a)(7)&(b)(7) and 265.147(a)(7)&(b)(7)) and they are less stringent than the claim reporting requirements promulgated in the September 1, 1988 rule. Thus, States which have already adopted the September 1, 1988 provisions are not required to adopt the "clarified" reporting requirements of the September 16, 1992 rule, although EPA strongly encourages them to do so. States that did <u>not</u> adopt the September 1, 1988 claims reporting requirements should <u>not</u> do so but should, instead, adopt the clarified September 16, 1992 version included in this consolidated checklist.
- 3) This checklist includes a "rule" reference column. To simplify references to the three rules addressed by this checklist, "51" will signify the September 1, 1988 rule, "93" will signify the July 1, 1991 rule, and "113" will indicate the September 16, 1992 rule.
- 4) There were several typographical errors in the September 1, 1988 Federal Register article. These are explained in endnotes in this consolidated checklist.

EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 113: Consolidated Liability Requirements (cont'd)

5) The optional designation (†) is placed in the margin of the consolidated checklist if a checklist introduced a new <u>optional paragraph</u> into the Federal code. If a checklist addresses <u>optional changes</u> to an existing paragraph, the optional designation is placed beside the corresponding checklist number.

	•					STATE AN	ALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	PART 264 - STA		FOR OWNERS AND NT, STORAGE, AND				WASTE	
		SUBF	PART H - FINANCIA	L REQUIREMEN	NTS			,
	DEFINITIONS OF TER	MS AS USI	ED IN THIS SUBPA	RT		-		
†	add new paragraph defining "substantial business relationship"	51	264.141(h)	264.141(h)	x			
	FINANCIAL ASSURAN	CE FOR CI	LOSURE	,	,			
	remove "hereafter referred to as 'corporate guarantee'" from first sentence; insert "direct or highertier" before "parent corporation"; add phrase regarding sibling firms and firms with substantial business relationships to end of second sentence; remove "corporate" before "guarantee" in three places; insert "certified copy of the" before							
	copy of the" before "guarantee must accompany"; add text regarding letter from guarantor's chief financial officer and what the letter must describe	†113	264.143(f)(10)	264.143(f)(10)	×			

CL113.14 - Revised: 2/10/9.

Printed: 2/28/97

RCRA REVISION CHECKLIST 113: Consolidated Liability Requirements (cont'd)

							
				STATE ANALOG IS:			
FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
FINANCIAL ASSURANC	CE FOR PO	OST-CLOSURE CAP	RE .				
replace "of" with "for" in the first sentence; remove "hereafter referred to as 'corporate guarantee'"; insert "direct or higher-						·	
tier" before "parent corporation"; add phrase regarding sibling firms and firms with substantial			. *		•		
business relationships to end of second sentence; remove "corporate" before "guarantee" in three							
places; insert "A certified copy of" after "§ 264.151(h)."; change "The corporate" to "the			,				
corporate"; add text regarding letter from guarantor's chief financial officer and what the letter must	*						
describe	†113	264.145(f)(11)	264.145(f)(11)	X			
LIABILITY REQUIREME	NTS						,
delete "in one of three ways"; replace "and (3)" with "(3), (4), (5), or (6)"	† 51	264.147(a)	264.147(a)	X	·		

				·	T ·	STATE AN	IALOG IS.	**Application of the same of t
	FEDERAL REQUIREMENTS .	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
3	insert "or" after "owner"; delete "corporate" before "guarantee"; change "paragraph (g)" to "paragraphs (f) and	†51,93	264.147(a)(2)	264.147(a)(2)	×			
	replace existing paragraph; requirements may be met by obtaining letter of credit for liability coverage	†51	264.147(a)(3)	264.147(a)(3)	×	-		
†	add new paragraph; requirements may be met by obtaining surety bond for liability coverage	51	264.147(a)(4)	264.147(a)(4)	×			
†	add new paragraph; requirements may be met by obtaining trust fund for liability coverage	51	264.147(a)(5)	264.147(a)(5)	×			
4	add new paragraph; liability coverage may be demonstrated by combination of financial mechanisms; amount of coverage must total at least the minimum amounts required by 264.147; specification of "primary" and "excess" coverage	51	264.147(a)(6)	264.147(a)(6)	×			
	add and amend new paragraph; notify Regional Administrator in writing whenever:	51,113	264.147(a)(7)	264.147(a)(7)	X			

						STATE AN	ALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
2	add and amend new subparagraph; claims reduce amount of financial assurance for liability coverage	51,113	264.147(a)(7)(i)	264.147(a)(7) (i)	X	,		
2	Certification of Valid Claim for bodily injury or property damages caused by sudden or non-sudden accidental occurrence is entered between the owner or operator and a third- party claimant	51,113	264.147(a)(7)(ii)	264.147(a)(7) (ii)	X			
2	final court order establishing judgment for bodily injury or property damage caused by sudden or non-sudden accidental occurrence is issued against the owner or operator or an instrument providing financial assurance	113	264.147(a)(7)(iii)	264.147(a)(7) (iii)	X			

						STATE AN	IALOG IS.	- Constant
•	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
3	change "miscellaneous disposal unit" to						-	
•	"disposal miscellaneous unit"; after "legal defense costs" insert text regarding combination of per-occurrence			1				
	coverage levels for sudden and non- sudden accidental occurrences, single annual aggregate level, and							
	requirements for combining coverage; delete "in one of three ways,"; replace "and (3)" with "(3), (4), (5), or (6),"	†51,93	264.147(b)	264.147(b)	x ´			
	delete "corporate" before "guarantee"	† 51	264.147(b)(2)	264.147(b)(2)	×			
•	replace existing paragraph; requirements may be met by obtaining letter of credit for liability coverage	† 51	264.147(b)(3)	264.147(b)(3)	×	·		
	replace existing paragraph; requirements may be met by obtaining surety bond for liability coverage	† 51	264.147(b)(4)	264.147(b)(4)	×			

						STATE AN	IALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
†	add new paragraph; requirements may be met by obtaining trust fund for liability coverage	51	264.147(b)(5)	264.147(b)(5)	X			
†	add new paragraph; liability coverage may be demonstrated by combination of mechanisms; amount of coverage must total at least the minimum amount required by 264.147; specification of "primary" and "excess" coverage	51	264.147(b)(6)	264.147(b)(6)	X	-		•
2	add and amend new paragraph; notify Regional Administrator in writing whenever:	51,113	264.147(b)(7)	264.147(b)(7)	X			
2	add and amend new subparagraph; claims reduce amount of financial assurance for liability coverage	51,113	264.147(b)([;])(i)	264.147(b)(7) (i)	X			
2	add and amend new subparagraph; Certification of Valid Claim for bodily injury or property damages caused by sudden or non-sudden accidental occurrence is entered between the owner or operator and a third-party claimant	51,113	264.147(b)(7)(ii)	264.147(b)(7) (ii)	X	,		

JS EPA ARCHIVE DOCUMENT

					*	STATE AN	IALOG IS:	· .
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
2	add new subparagraph; final court order establishing judgment for bodily injury or property damage caused by sudden or non-sudden accidental occurrence is issued against the owner or operator or an instrument providing financial assurance	113	264.147(b)(7)(iii)	264.147(b)(7) (iii)	X			
	insert ", a letter of credit, a surety bond, a trust fund, or a guarantee" after "obtain insurance"; replace "Evidence of insurance" with "Evidence of liability coverage"	†113	264.147(f)(6)	264.147(f)(6)	×		-	
	remove "corporate" before "guarantee"	†51	264.147(g)	264.147(g)	X			

					STATE AN	ALOG IS:	
FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
remove "corporate" before "guarantee" in three places; insert "direct or higher-tier" before "parent"; after "parent corporation of the owner or operator" insert ", a firm whose		•	í,				
parent corporation is also the parent corporation of the owner or operator, or a firm with a					-		
'substantial business relationship' with the owner or operator."; change "The	1.2	·		-			·
guarantee must meet" to "The guarantor must meet"; change "(f)(7)" to "(f)(6)"; add "of this part" after "§	-						
264.151(h)(2)"; replace "The terms of the corporate guarantee must provide that:" with text regarding letter from					·		
the guarantor's chief financial officer	† 51	264.147(g)(1)	264.147(g)(1)	X			
remove and reserve	† 51	264.147(g)(1)(ii)	264.147(g)(1) (ii)	Х	-		
remove "corporate" before "guarantee"	† 51	264.147(g)(2)(i)	264.147(g)(2) (i)	X			
remove "corporate" before "guarantee"	† 51	264.147(g)(2)(ii)	264.147(g)(2) (ii)	Х			

						STATE AN	IALOG IS	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	redesignate old paragraph (h) as (k); add new paragraph titled "Letter of credit for liability coverage"	 	264.147(h)	264.147(h)	X			
†,5	requirements may be satisfied by obtaining irrevocable standby letter of credit that conforms to 264.147(h) requirements and submitting copy to Regional Administrator	51	264.147(h)(1)	264.147(h)(1)	X	-		
†	criteria for financial institution issuing letter of credit	51	264.147(h)(2)	264.147(h)(2)	X			
†	wording of letter of credit must be identical to wording specified in 264.151(k)	51	264.147(h)(3)	264.147(h)(3)	X		,	
†	establishment and use of standby trust fund by owner or operator using letter of credit	113	264.147(h)(4)	264.147(h)(4)	X			
†	wording of standby trust fund must be identical to wording specified in 264.151(n)	113	264.147(h)(5)	264.147(h)(5)	X			
†	add new paragraph titled "Surety bond for liability coverage"	51	264.147(i)	264.147(i)	X			

						STATE AN	ALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
†	requirements may be satisfied by obtaining surety bond conforming to 264.147(i) requirements and submitting copy to Regional Administrator	51	264.147(i)(1)	264.147(i)(1)	X			
†	criterion for surety company issuing bond	51	264.147(i)(2)	264.147(i)(2)	Х	-		
†	wording of surety bond must be identical to wording specified in 264.151(I)	51	264.147(i)(3)	264.147(i)(3)	X			,
†			264.147(i)(4)	264.147(i)(4)	Χ			
4	conditions under which		264.147(i)(4)(i)	264.147(i)(4) (i)	Х			
	surety bond may be used	51	264.147(i)(4)(ii)	264.147(i)(4) (ii)	Х			
†	add new paragraph titled "Trust fund for liability coverage"	51	264.147(j)	264.147(j)	X			
,	requirements may be satisfied by establishing trust fund and submitting an originally signed duplicate of trust agreement to Regional Administrator	51	264.147(j)(1)	264.147(j)(1)	X			
† .	criteria for trustee	51	264.147(j)(2)	264.147(j)(2)	X			
-			•					

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
†	trust fund must be funded for full amount of liability coverage it is to provide; requirements if fund is reduced below full amount; definition of "full amount"	51	264.147(j)(3)	264.147(j)(3)	X			
†	wording of trust fund must be identical to wording specified in 264.151(m)	51	264.147(j)(4)	264.147(j)(4)	X		,	
	old paragraph 264.147(h) becomes 264.147(k)	† 51	264.147(k)	264.147(k)	. X	,		
	WORDING OF THE INS	STRUMENT	S		<.			
				·				
	add text given at 53 FR 33952 to end of "Financial Guarantee Bond"	 	264.151(b)	264.151(b)	×			·
6	replace wording of letter from chief financial officer for closure and/or post-closure care with that shown at 57 FR 42836 & 42837	†113	264.151(f)	264.151(f)	x			
7,8	replace wording of letter from chief financial officer for liability coverage with that shown at 57 FR 42837 & 42838	51,†113	264.151(g)	264.151(g)	X			

						STATE AN	ALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
9	replace wording of corporate guarantee for closure and/or post-closure care with that shown at 57 FR 42838 & 42839	†113	264.151(h)(1)	264.151(h)(1)			X	-
10	replace wording of guarantee for liability coverage with that shown at <u>FR</u> 42839 & 42840	† 51,113	264.151(h)(2)	264.151(h)(2)			X	

Comment for 264.151(h)(1): In the first sentence of the first paragraph under "Corporate Guarantee for Closure or Post-Closure Care", Delaware replaces "[insert name of state]" with "Delaware". By so doing, it restricts to Delaware the state of incorporation for any guaranteeing entity, making Delaware more stringent.

	after "insured" add other entities that may cancel endorsement; delete "sixty" before "60"	† 51	264.151(i)(2)(d)	264.151(i)(2) (d)	X		
11	after "insured" add other entities that may cancel endorsement; delete "sixty" before "60"	† 51	264.151(j)(2)(d)	264.151(j)(2) (d)	X		•
12	add new introductory subparagraph and wording for letter of credit for liability coverage as shown at 57 FR 42840 & 42841	† 51,113	264.151(k)	264.151(k)	X		
13	add new introductory subparagraph and wording for surety bond as shown at 53 FR 33955 & 33956	† 51	264.151(l)	264.151(l)	X		,

						STATE AN	ALOG IS:	٠)
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
	add new introductory subparagraph and wording for trust agreement as shown at 53 FR 33956-33958	† 51	264.151(m)(1)	264.151(m)(1)	x			
†,14	add new introductory subparagraph and example of certification of acknowledgement as shown at 53 FR 33958, third column	51	264.151(m)(2)	264.151(m)(2)	×			
†,15	add new introductory subparagraph and wording for standby trust agreement as shown at 57 FR 42841-42843	113	264.151(n)(1)	264.151(n)(1)	×			ĺ
†	add new introductory subparagraph and wording for certification of acknowledgement to accompany trust agreement, as shown at 57 FR 42843, first and second columns	113	264.151(n)(2)	264.151(n)(2)	X		·	

PART 265 - INTERIM STATUS STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE TREATMENT, STORAGE, AND DISPOSAL FACILITIES

SUBPART H - FINANCIAL REQUIREMENTS

†,16 add new paragraph defining "substantial business relationship" 51 265.141(h) 265.141(h) X

1					STATE AN	IALOG IS:	
FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
FINANCIAL ASSURAN	CE FOR CI	LOSURE				•	
remove "hereafter referred to as 'corporate guarantee'" from first sentence;							
insert "direct or higher- tier" before "parent corporation"; add phrase regarding					•	-	
sibling firms and firms with substantial business relationships			,				
to end of second sentence; remove "corporate" before "guarantee" in three		·	,				
places; insert "A certified copy of" after "§ 264.151(h)."; change "The" to "the";		-					
add text regarding letter from guarantor's chief financial officer			005 140(-)				
and what the letter must describe	†113	265.143(e)(10)	265.143(e) (10)	X	,	. "	

CL113.14 - Revised: 2/10/93

Printed: 2/28/97

Bulle		f .		i		
RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
ICE FOR P	OST-CLOSURE CAR	RE				
				-		
	· · · · · · · · · · · · · · · · · · ·		,			
†113	265.145(e)(11)	265.145(e) (11)	X			
ENTS						
	·				,	
† 51	265.147(a)	265.147(a)	X			
	005.4.77 (20)	005 4477 \(\text{(2)} \)				
	†113 ENTS	†113 265.145(e)(11) ENTS †51 265.147(a)	†113 265.145(e)(11) (11) ENTS †51 265.147(a) 265.147(a)	†113 265.145(e)(11) 265.145(e) X ENTS †51 265.147(a) 265.147(a) X	265.145(e) X ENTS †51 265.147(a) 265.147(a) X	†113 265.145(e)(11) 265.145(e) X ENTS †51 265.147(a) 265.147(a) X

-						STATE AN	IALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	replace existing paragraph; requirements may be met by obtaining letter of credit for liability coverage	†51	265.147(a)(3)	265.147(a)(3)	X			
†	add new paragraph; requirements may be met by obtaining surety bond for liability coverage	51	265.147(a)(4)	265.147(a)(4)	X	•		
†	add new paragraph; requirements may be met by obtaining trust fund for liability coverage	51	265.147(a)(5)	265.147(a)(5)	X			
†	add new paragraph; liability coverage may be demonstrated by combination of mechanisms; amount of coverage must total at least the minimum amounts required by 265.147; specification of "primary" and "excess" coverage	51	265.147(a)(6)	265.147(a)(6)	X			
19	add new paragraph; notify Regional Administrator in writing whenever:	51,113	265.147(a)(7)	265.147(a)(7)	X			
19	add new subparagraph; claims reduce amount of financial assurance for liability coverage	51,113	265.147(a)(7)(i)	265.147(a) (7)(i)	×			

				·		STATE AN	IALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
19	Certification of Valid Claim for bodily injury or property damages caused by sudden or non-sudden accidental occurrence is entered between the owner or operator and a third- party claimant	51,113	265.147(a)(7)(ii)	265.147(a) (7)(ii)	X			
19	final court order establishing judgment for bodily injury or property damage caused by sudden or non-sudden accidental occurrence is issued against the owner or operator or an instrument providing financial assurance	113	265.147(a)(7)(iii)	265.147(a) (7)(iii)	X			
	change "bodily damage" to "bodily injury"; after "legal defense costs." insert text regarding combination of peroccurrence coverage levels for sudden and non-sudden accidental occurrences, single annual aggregate level, and requirements for combining coverage; delete "in one of three ways,"; replace "and (3)" with "(3), (4), (5), or (6)"	† 51	265.147(b)	265.147(b)	×			
	delete "corporate" before "guarantee"	†51	265.147(b)(2)	265.147(b)(2)	×		,	

EPA ARCHIVE DOCUMENT

						STATE AN	IALOG IS:	
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	replace existing paragraph; requirements may be met by obtaining letter of credit for liability coverage	† 51	265.147(b)(3)	265.147(b)(3)	X	a		
,	replace existing paragraph and subparagraphs; requirements may be met by obtaining surety bond for liability coverage	† 51	265.147(b)(4)	265.147(b)(4)	X	-		
20	replace existing paragraph; requirements may be met by obtaining trust fund for liability coverage	† 51	265.147(b)(5)	265,147(b)(5)	X		-	
†	add new paragraph; liability coverage may be demonstrated by combination of mechanisms; amount of coverage must total at least the minimum amount required by 265.147; specifying "primary" and "excess" coverage	51	265.147(b)(6)	265.147(b)(6)	X	·		
19	add and amend new paragraph; notify Regional Administrator in writing whenever:	51,113	265.147(b)(7)	265.147(b)(7)	X			
19	claims reduce amount of financial assurance for liability coverage	51,113	265.147(b)(7)(i)	265.147(b) (7)(i)	×		•	

						STATE AN	IALOG IS:	
•	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
19	Certification of Valid Claim for bodily injury or property damages caused by sudden or non-sudden accidental occurrence is entered between the owner or operator and a third- party claimant	51,113	265.147(b)(7)(ii)	265.147(b) (7)(ii)	X	-		
19	add new subparagraph; final court order establishing judgment for bodily injury or property damage caused by sudden or non-sudden accidental occurrence is issued against the owner or operator or an instrument providing financial assurance	113	265.147(b)(7)(iii)	265.147(b) (7)(iii)	X		·	
	insert ", a letter of credit, a surety bond, a trust fund, or a guarantee" after "obtain insurance"; replace "Evidence of insurance" with "Evidence of liability coverage"	†113	265.147(f)(6)	265.147(f)(6)	X			
	remove "corporate" before "guarantee"	† 51	265.147(g)	265.147(g)	Х			

					STATE AN	IALOG IS:	
FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
remove "corporate" before "guarantee" in three places; insert							. :
"direct or higher-tier" before "parent"; after "parent corporation of the owner or operator"					-	·	
insert ", a firm whose parent corporation is also the parent					-		
corporation of the owner or operator, or a firm with a substantial business				g.			
relationship' with the owner or operator"; change "(f)(7)" to "(f)(6)"; add "of this chapter" after "§ 264.151(h)(2)";				-			
replace "The terms of the corporate guarantee must provide that:" with text regarding letter from							·
the guarantor's chief financial officer	† 51	265.147(g)(1)	265.147(g)(1)	X	,		
remove and reserve	† 51	265.147(g)(1)(ii)	265.147(g) (1)(ii)	X			
remove "corporate" before "guarantee"	†51	265.147(g)(2)(i)	265.147(g) (2)(i)	х		-	
remove "corporate" before "guarantee"	† 51	265.147(g)(2)(ii)	265.147(g) (2)(ii)	Х			
redesignate old 265.147(h) as 265.147(k); add new paragraph titled "Letter of credit for liability							•
coverage"	† 51	265.147(h)	265.147(h)	X			

CL113.14 - Revised: 2/10/93

Printed: 2/28/97

					T T	67175 44		`
				,	STATE ANALOG IS.		T	T
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
†	requirements may be satisfied by obtaining irrevocable standby letter of credit that conforms to 265.147(h) requirements and submitting copy to Regional Administrator	51	265.147(h)(1)	265.147(h)(1)	×	-		
†	criteria for financial institution issuing letter of credit	51	265.147(h)(2)	265.147(h)(2)	X			
†	wording of letter of credit must be identical to wording specified in 264.151(k)	51	265.147(h)(3)	265.147(h)(3)	X			
†	establishment and use of standby trust fund by owner or operator using letter of credit	113	265.147(h)(4)	265.147(h)(4)	X			
†	wording of standby trust fund must be identical to wording specified in 264.151(n)	113	265.147(h)(5)	265.147(h)(5)	X			-
†	add new paragraph titled "Surety bond for liability coverage"	51	265.147(i)	265.147(i)	X	•		. ,
†	requirements may be satisfied by obtaining surety bond conforming to 265.147(i) requirements and submitting copy to Regional Administrator	51	265.147(i)(1)	265.147(i)(1)	×			
†	criterion for surety company issuing bond	51	265.147(i)(2)	265.147(i)(2)	X			

	·		·		STATE ANALOG IS:			
	FEDERAL REQUIREMENTS	RULE REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
,21	wording of surety bond must be identical to wording specified in				·	·		
	264.151(I)	51	265.147(i)(3)	265.147(i)(3)	Х			
†			265.147(i)(4)	265.147(i)(4)	Х			
	conditions under		265.147(i)(4)(i)	265.147(i) (4)(i)	Х			
	which surety bond may be used	51	265.147(i)(4)(ii)	265.147(i) (4)(iii)	X	-		
†	add new paragraph titled "Trust fund for liability coverage"	51	265.147(j)	265.147(j)	X			
†	requirements may be satisfied by establishing trust fund conforming to 265.147(j) requirements and submitting signed duplicate of trust agreement to Regional Administrator	51	265.147(j)(1)	265.147(j)(1)	X			
†	criteria for trustee	51	265.147(j)(2)	265.147(j)(2)	Х			
†	trust fund must be funded for full amount of liability coverage it is to provide; requirements if fund is reduced below full amount; definition of "full amount"	51	265.147(j)(3)	265.147(j)(3)	X			
†	wording of trust fund must be identical to wording specified in 264.151(m)	51	265.147(j)(4)	265.147(j)(4)	X			

STATE ANALOG IS: LESS MORE EQUIV-RULE ANALOGOUS STATE STRIN-STRIN-BROADER FEDERAL REQUIREMENTS REFERENCE FEDERAL RCRA CITATION CITATION ALENT GENT GENT IN SCOPE former 265.147(h) X becomes 265.147(k) 265.147(k) 265.147(k) **†51**

- Note that there is an error in the <u>Federal Register</u>; "direct of higher tier" should be "direct or higher tier."
- The September 1, 1988 (53 FR 33938) rule added 264.147(a)(7) and (b)(7) to the code, and the September 16, 1992 rule (57 FR 42832) revised them (including adding 264.147(a)(7)(iii) and (b)(7)(iii)). Note that the preamble of the September 1, 1988 Federal Register Incorrectly characterized these paragraphs as less stringent. The September 16, 1992 Federal Register clarified this issue by stating that, in fact, these paragraphs are more stringent because they address an additional reporting requirement. The amendment made by the September 16, 1992 rule made these requirements less stringent than those introduced by the September 1, 1988 rule. Thus, those States that adopted the more stringent September 1, 1988 provisions are not required to adopt the amendments made by the September 16, 1992 rule, although EPA urges them to do so. States that did not adopt the September 1, 1988 requirements at 264.147(a)(7) and (b)(7) should not do so but should adopt the clarified version promulgated by the September 16, 1992 rule.
- Revision Checklist 45 added the reference to miscellaneous units to the first sentence of this paragraph. When the September 1, 1988 rule revised this paragraph, the Revision Checklist 45 change was inadvertently omitted. The July 1, 1991 rule restored the Revision Checklist 45 reference to miscellaneous units.
- Note that only (g)(1)(ii) is removed and reserved; (g)(1)(i) remains as it was prior to the September 1, 1988 final rule.
- Note that there is an error in the <u>Federal Register</u>; "letter or credit" should be "letter of credit".
- The changes addressed by Revision Checklist 113 at this citation are "conditionally optional" because they are linked to whether a State chooses to adopt the Revision Checklist 113 optional changes at 264.143(f)(10), 264.143(f)(11), 265.143(e)(10) and 265.143(e)(11). If a State chooses to adopt the optional changes at 264.143(f)(10), 264.143(f)(11), 265.143(e)(10) and 265.143(e)(11), it must also adopt the changes at this citation. If the State does not adopt those changes, it should not adopt the Revision Checklist 113 changes at 264.151(f).
- The changes addressed by Revision Checklist 113 at this citation are "conditionally optional" because they are linked to whether a State chooses to adopt the Revision Checklist 113 optional changes at 264.147(f)(6) and 265.147(f)(6). If a State chooses to adopt the optional changes at 264.147(f)(6) and 265.147(f)(6), it must also adopt the changes at this citation. If the State does not adopt those changes, it should not adopt the Revision Checklist 113 changes at 264.151(g).

Note that there are several typographical errors in the <u>Federal Register</u> at 264.151(g) as indicated below:

Federal citation	Federal Register location	Error/Corrections
264.151(g) paragraph 4, line 5	57 <u>FR</u> 42837, column 3	"'nonsudden' of 'both sudden" should read "'nonsudden' or 'both sudden"
264.151(g), item 3., line 8	57 <u>FR</u> 42838, column 1	"subpart H or 40 CFR parts" should read "subpart H of 40 CFR parts"
264.151(g), Part A, Alternative I.3	57 <u>FR</u> 42838, column 1	"Current \$" should read "Current <u>liabilities</u> \$"
264.151(g), Part B, Alternative II.7., line 5	57 <u>FR</u> 42838, column 3	")\$" should be ") \$

- The changes addressed by Revision Checklist 113 at this citation are "conditionally optional" because they are linked to whether a State chooses to adopt the Revision Checklist 113 optional changes at 264.147(h)(4), 264.147(h)(5), 265.147(h)(4) and 265.147(h)(5). If a State chooses to adopt the optional changes at 264.147(h)(4), 264.147(h)(5), 265.147(h)(4) and 265.147(h)(5), it must also adopt the changes at this citation. If the State does not adopt those changes, it should not adopt the Revision Checklist 113 changes at 264.151(h)(1).
- Note that there are several typographical errors in the <u>Federal Register</u> at 264.151(h)(2) as indicated below:

Federal citation	Federal Register location	Error/Corrections
264.151(h)(2), Guarantee for Liability Coverage, line 15	57 <u>FR</u> 42839, column 3	"or which guarantor is" should read "of which guarantor is"
264.151(h)(2), Guarantee for Liability Coverage, line 19	57 <u>FR</u> 42839, column 3	"264.141(h)]" should read "264.141(h) <u>or 265.141(h)]</u> "
264.151(h)(2), Certification of Valid Claim, line 8	57 <u>FR</u> 42840, column 2	insert "]" after "facility"

- Note that there is a typographical error in the <u>Federal Register</u>; in line three of the revised text of (j)(2)(d) shown at 53 <u>FR</u> 33955, "corporation" should be "corporation".
- Note that there are several typographical errors in the <u>Federal Register</u> at 264.151(k) as indicated below:

Federal citation	Federal Register location	Error/Corrections
264.151(k), Irrevocable Standby Letter of Credit, line 26	57 <u>FR</u> 42840, column 3	insert "]" after "trust fund:"
264.151(k), (2), 2nd paragraph, lines 2 & 5	57 <u>FR</u> 42841, column 1	delete "]" in "[date]" in line 2 add "]" after "[date" in line 5
264.151(k), (2), 4th paragraph, line 7	57 <u>FR</u> 42841, column 1	end paragraph with "]"

- Note that there are several errors in the September 1, 1988 <u>Federal Register</u>. Explanatory paragraph 10, as well as the actual text of the revised code, should read "(I)" rather than "(1)" (letter rather than number one). Also, the first sentence of the introductory text for the surety bond should reference "§ 264.147(i) or § 265.147(i)" rather than "§ 264.147(h) or § 265.147(h)".
- Note that the introductory paragraph for 264.151(m)(2) is not clearly distinguished from the preceding and following certifications. In the middle of the third column at 53 <u>FR</u> 33958, the paragraph numbered (2) and ending with "of this acknowledgement." is the introductory paragraph and should have been printed in the larger type size used for such paragraphs. The example of the certification begins "State of".
- Note that there are several typographical errors in the <u>Federal Register</u> at 264.151(n)(1) as indicated below:

Federal citation	Federal Register location	Error/Corrections
264.151(n)(1) Standby Trust Agreement (e)(3)	57 <u>FR</u> 42841, column 3	insert "to" after "Property loaned"

- Note that the September 1, 1988 <u>Federal Register</u> incorrectly labels this paragraph "264.141" rather than "265.141".
- Note that there is an error in the September 16, 1992 <u>Federal Register</u>. In the preamble text at the bottom of the second column at 57 <u>FR</u> 42834, "265.143(e)(11)" should be "265.143(e)(10)".
- Note that an error which appears in the July 1, 1989, 1990 and 1991 <u>CFR</u>s has only been partially corrected in the July 1, 1992 <u>CFR</u>. The July 1, 1989, 1990 and 1991 <u>CFR</u>s incorrectly omit 265.147(a)(1)(i)&(ii) and 265.147(b(1)(i)&(ii). The September 23, 1991 <u>Federal Register</u> (56 <u>FR</u> 47912) reinstated 265.147(a)(1)(i)&(ii) but erroneously did not reinstate 265.147(b)(1)(i)(&(ii). Thus, the July 1, 1992 <u>CFR</u> omits 265.147(b)(1)(i)&(ii). A technical correction will be published in

the near future to correct this error. In the meantime, States should include analogous requirements in their regulations.

- The September 1, 1988 rule added 265.147(a)(7) and (b)(7) to the code, and the September 16, 1992 rule revised them (including adding 265.147(a)(7)(iii) and (b)(7)(iii)). Note that the preamble of the September 1, 1988 Federal Register incorrectly characterized these paragraphs as less stringent. The September 16, 1992 Federal Register clarified this issue by stating that, in fact, these paragraphs are more stringent because they address an additional reporting requirement. The amendment made by the September 16, 1992 rule made these requirements less stringent than those introduced by the September 1, 1988 rule. Thus, those States that adopted the more stringent September 1, 1988 provisions are not required to adopt the amendments made by the September 16, 1992 rule, although EPA urges them to do so. States that did not adopt the September 1, 1988 requirements at 265.147(a)(7) and (b)(7) should not do so but should adopt the clarified, less stringent version promulgated by the September 16, 1992 rule.
- The <u>Federal Register</u> for Revision Checklist 51, in Item 3. in the first column at 53 <u>FR</u> 33959, erroneously indicates that 265.147(b)(5) is a new paragraph to be added. In fact, this final rule replaces the old 265.147(b)(5) with a new paragraph (b)(5).
- Note that there is a typographical error in the <u>Federal Register</u>: "264.151(1)" [number 1], should be "264.151(I)" [letter I].

RCRA REVISION CHECKLIST 115

Chlorinated Toluenes Production Waste Listing 57 FR 47376-47386 October 15, 1992 (RCRA Cluster III, HSWA provisions)

						STATE	NALOG IS	S:	
. EEDERAL DEGLUDE	LUENTE	EEDERAL ROBA CITA	TION	ANALOGOUS STATE SITATION	EQUIV-	LESS STRIN-	MORE STRIN-	BROADER	
FEDERAL REQUIRE		FEDERAL RCRA CITA		ANALOGOUS STATE CITATION	ALENT	GENT	GENT	IN SCOPE	
P/	ART 261	- IDENTIFICATION	DIAND	LISTING OF HAZARI	oous v	VASTE			
		SUBPART DLIS	TS OF	HAZARDOUS WAST	ES				
HAZARDOUS WASTES FROM SPECIFIC SOURCES									
alphanumeric or the subgroup "C	add waste streams in alphanumeric order to the subgroup "Organic Chemicals" in the table 261.32 261.32 X								
Chemicals in tr	ie table	201.32	·	261.32					
Industry and EPA hazardous waste No. Hazardous waste									
•		•	•	•	•		•		
K149	chlorina	ted toluenes, benzoyl chic	orides, and	alpha- (or methyl-) chlorinated d compounds with mixtures of ottoms from the distillation of	these fun	ctional		(T)	
K150	hydroch chlorina	loric acid recovery proces	ses associated toluer	adsorbent, from the spent chlocated with the production of a nes, benzoyl chlorides, and ∞	lpha- (or r	nethyl-)		(T)	
K151	during the toluenes	he treatment of wastewate	ers from th	eutralization and biological slane production of alpha- (or medical sland) compounds were supposed to the compound to the	thyl-) chic	rinated	e	(T)	
•		•	•	•	•		•		
		APPENI	IIV XIC	TO PART 261					
BASIS FOR LIS	TING HA	ZARDOUS WAST	Έ						
add entries in alpha- numeric order Appendix VII Appendix VII X									

CL115.14 - Revised: 7/28/93

Printed: 2/26/97

RCRA REVISION CHECKLIST 115: Chlorinated Toluenes Production Waste Listing (cont'd)

		•			STATE		ANALOG IS:				
FEDERAL R	EQUIREMENTS	FEDERAL RCRA CITA	ATION ANALOG	GOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADI IN SCOI			
EPA hazardous waste No. Hazardous constituents for which listed											
*	•	•	•	*	•		•				
K149		benzyl chloride, chlorofo ne, pentachlorobenzene			dichlorob	enzene,					
K150		ride, chloroform, chlorom obenzene, 1,1,2,2-tetrac					lorobenz	ene,			
K151		Benzene, carbon tetrachloride, chloroform, hexachlorobenzene, pentachlorobenzene, toluene, 1,2,4,5-tetrachlorobenzene, tetrachloroethylene.									
				_	_						

In the <u>Federal Register</u>'s hazardous waste description for K149, there is a comma after "groups" rather than the correct period, and there appears to be an extra period after "chloride.)". States are advised to use a period after "groups" and omit the period after the closing parenthesis, as shown on this checklist.

RCRA REVISION CHECKLIST 117B

Toxicity Characteristic Amendment 57 <u>FR</u> 23062-23063 June 1, 1992 (RCRA Cluster III, HSWA provision)

Note: The Toxicity Characteristic rule [55 FR 11798 (March 29, 1990); Revision Checklist 74] and its subsequent amendments [55 FR 26986 (June 29, 1001) and 57 FR 30657 (July 10, 1992); Revision Checklist 74] omitted changing the reference to the "Extraction Procedure Toxicity Characteristic" at 261.3(a)(2)(i). The March 3, 1992 reissuance of the "mixture" and "derived-from" rules, reissued 261.3 with that error still in it. The June 1, 1992 amendment (57 FR 23062) to that reissued code corrected this error. Because this change makes the Federal code more stringent, it is required and was placed in a checklist separate from the other provisions (considered optional, for States) addressing the reissuance of the "mixture" and "derived-from" rules.

			STATE ANALOG IS:			5:			
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT.	BROADER IN SCOPE			
PART 261 - IDENTIFICATION AND LISTING OF HAZARDOUS WASTE									
	SUBPART A - GENERAL								
DEFINITION OF HAZAR	DOUS WASTE								
change "Extraction Procedure Toxicity characteristic" to "Toxicity Characteristic"	261.3(a)(2)(i)	261.3(a)(2)(i)	×		,				

RCRA REVISION CHECKLIST 118

Liquids in Landfills II 57 <u>FR</u> 54452-54461 November 18, 1992 (RCRA Cluster III, HSWA provisions)

	-									
			STATE ANALOG IS:			S:				
FEDERAL REQUIREMENTS	FEDERAL RORA CITATION	ANALOGOUS STATE CITATION	EQUIV-	LESS STRIN- GENT	MORE STRIN- GENT	BROADER				
-			L	1	L	114 3007 2				
PART 260 - HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL										
SUBPART B - DEFINITIONS										
DEFINITIONS										
add "sorbent"	260.10	260.10	Х							
PART 264 - STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE TREATMENT, STORAGE, AND DISPOSAL FACILITIES										
SUBPART B - GENERAL FACILITY STANDARDS										
GENERAL WASTE ANA	LYSIS									
add new paragraph; procedures owner or operator will use to determine whether biodegradable sorbent has been added to	s									
waste in container	264.13(c)(3)	264.13(c)(3)	X							
	SUBPART N	- LANDFILLS				,				
SPECIAL REQUIREMEN	ITS FOR BULK AND CO	NTAINERIZED LIQUIC)S							
change "an absorbent" to "a sorbent"	264.314(a)(2)	264.314(a)(2)	X							
change "absorbents" to "sorbents"	264.314(b)	264.314(b)	Х		·					
change "absorbent" to "sorbent"	264.314(d)(1)(ii)	264.314(d)(1)(ii)	Х							

CL118.14 - Revised: 7/28/93

Printed: 2/26/97

				STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
redesignate old 264.314(e) as 264.314(f); add new paragraph requiring that sorbents, used to treat free liquids disposed in landfills, must be nonbiodegradable; definition of						
nonbiodegradable sorbents	264.314(e)	264.314(e)	X	-		
•	264.314(e)(1)	264.314(e)(1)	X			
	264.314(e)(1)(i)	264.314(e)(1)(i)	Х			
nonbiodegradable	264.314(e)(1)(ii)	264.314(e)(1)(ii)	Х			
sorbents	264.314(e)(1)(iii)	264.314(e)(1)(iii)	Х			
	264.314(e)(2)	264.314(e)(2)	Х	٠		
tests for nonbiodegradable	264.314(e)(2)(i)	264.314(e)(2)(i)	Х			
sorbents	264.314(e)(2)(ii)	264.314(e)(2)(ii)	X			
	264.314(f)	264.314(f)	Х			
former 264.314(e)	264.314(f)(1)	264.314(f)(1)	Х			
becomes 264.314(f)	264.314(f)(2)	264.314(f)(2)	×			

CL118.14 - Revised: 7/28/93

Printed: 2/26/97

	I The state of the	I				
					MALOG IS	S:
. FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
DISPOSAL OF SMALL (PACKS)	CONTAINERS OF HAZAR	DOUS WASTE IN OV	ERPA	CKED	DRUM	IS (LAB
change "absorbent" to "sorbent" in two places; add ", determined to be nonbiodegradable in accordance with § 264.314(e)," before "to completely"; change "absorb" to "sorb";						
change "packing" to "it has been packed"	264.316(b)	264.316(b)	X			
change "absorbent" to "sorbent"; add "," after "containers"	264.316(c)	264.316(c)	x			
· · · · · · · · · · · · · · · · · · ·	RIM STATUS STANDARI WASTE TREATMENT, S					_
	SUBPART B - GENERAL	FACILITY STANDARI	DS			
GENERAL WASTE ANA	LYSIS			r		
add new paragraph; procedures owner or operator will use to determine whether biodegradable sorbent has been added to						
waste in container	265.13(c)(3)	265.13(c)(3)	X			
	SUBPART N	- LANDFILLS		¥		
SPECIAL REQUIREMEN	ITS FOR BULK AND CO	NTAINERIZED LIQUID	S			
change "an absorbent" to "a sorbent"	265.314(a)(2)	265.314(a)(2)	X			
change "absorbents" to "sorbents"	265.314(b)	265.314(b)	X			
change "absorbent" to "sorbent"	265.314(c)(1)(ii)	265.314(c)(1)(ii)	X			

		·		STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RORA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
redesignate old 265.314(f) as 265.314(g); add new paragraph requiring that sorbents, used to treat free liquids disposed in landfills, must be nonbiodegradable; definition of						
nonbiodegradable sorbents	265.314(f)	265.314(f)	X			
	265.314(f)(1)	265.314(f)(1)	×			
	265.314(f)(1)(i)	265.314(f)(1)(i)	X			
nonbiodegradable	265.314(f)(1)(ii)	265.314(f)(1)(ii)	X			
sorbents	265.314(f)(1)(iii)	265.314(f)(1)(iii)	Х			
	265.314(f)(2)	265.314(f)(2)	X			
tests for nonbiodegradable	265.314(f)(2)(i)	265.314(f)(2)(i)	Х			
sorbents	265.314(f)(2)(ii)	265.314(f)(2)(ii)	Х			,
	265.314(g)	265.314(g)	Х			
former 265.314(f)	265.314(g)(1)	265.314(g)(1)	Х			
becomes 265.314(g)	265.314(g)(2)	265.314(g)(2)	X			

CL118.14 - Revised: 7/28/93

Printed: 2/26/97

	•	·		STATE ANALOG IS:			3:	
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
	DISPOSAL OF SMALL CONTAINERS OF HAZARDOUS WASTE IN OVERPACKED DRUMS (LA PACKS)							
	change "absorbent" to "sorbent" in both places; add ", determined to be nonbiodegradable in accordance with § 265.314(f)," before "to completely"; change "absorb" to "sorb"; change "packing" to "it has been packed"	265.316(b)	265.316(b)	X	,			
2	change "absorbent" to "sorbent"; add "," after "containers"	265.316(c)	265.316(c)	X				

Note that there is a typographical error in the <u>Federal Register</u> article; at 265.314(f)(1)(ii), "polysobutylene" should be "polyisobutylene."

Note that there is an error in the <u>Federal Register</u> article; "container's" should be "containers,".

RCRA REVISION CHECKLIST 119

Toxicity Characteristic Revision;
TCLP Correction
57 <u>FR</u> 55114-55117
November 24, 1992
as amended on February 2, 1993 at 58 <u>FR</u> 6854
(RCRA Cluster III, HSWA provisions)

Note: The November 24, 1992 rule amends the version of the TCLP that was added to Appendix II to Part 261 by the March 29, 1990 final rule (55 FR 11798; Revision Checklist 74), concurrent with the removal of the old version of the TCLP from Appendix I to Part 268.

	•				STATE	NALOG IS	3:		
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GEÑT	MORE STRIN- GENT	BROADER IN SCOPE		
	PART 261	- IDENTIFICATION AND	LISTING OF HAZARD	ous v	WASTE	=			
	APPENDIX II TO PART 261								
†	METHOD 1311 TOXICIT	Y CHARACTERISTIC LE	ACHING PROCEDUR	E (TCL	_P)				
	change "data is" to "data are"; delete sentence regarding bias determined from matrix spike determination and parenthetical reference phrase following it	Appendix II, 8.2	Appendix II, 8.2	X					
	change "may not be not less" to "may not be less"	Appendix II, 8.2.2	Appendix II, 8.2.2	X					
	remove subparagraph	Appendix II, 8.2.5	Appendix II, 8.2.5	Х					
1		Appendix II, 8.4	Appendix II, 8.4	Х					
	redesignate former 8.4	Appendix II, 8.4.1	Appendix II, 8.4.1	Х					
	as 8.5; add new 8.4 and subparagraphs	Appendix II, 8.4.2	Appendix II, 8.4.2	X		- :			
	addressing use of internal calibration	Appendix II, 8.4.3	Appendix II, 8.4.3	Х					
	quantitation methods	Appendix II, 8.4.4	Appendix II, 8.4.4	Х					

There is a typographical error in the November 24, 1992 <u>Federal Register</u>; "84.4.4" should be "8.4.4." The February 2, 1993 rule made this correction.

2 former 8.4 becomes 8.5 Appendix II, 8.5

CL119.14 - Revised: 2/11/93

Printed: 2/21/97

Appendix II, 8.5

Х

RCRA REVISION CHECKLIST 119: Toxicity Characteristic Revision; TCLP Correction (cont'd)

There is a typographical error in the <u>Federal Register</u>; in the table at 8.5, second column heading, there should be a space between "TCLP" and "extraction."

†

RCRA REVISION CHECKLIST 129

Revision of Conditional Exemption for Small Scale Treatability Studies 59 FR 8362-8366 February 18, 1994 (RCRA Cluster IV, Non-HSWA provisions)

- 1) This rule revises the July 19, 1988 (53 FR 27290) Treatability Studies Sample Exemption Rule addressed by Revision Checklist 49. States which are not authorized for Revision Checklist 49 are encouraged to adopt these present revisions at the same time the requirements addressed by Revision Checklist 49 are adopted.
- 2) As with the July 19, 1988 rule, States are not required to adopt these present revisions because they are less stringent or reduce the scope of the existing Federal requirements. However, EPA strongly encourages States to adopt these revisions. In addition, the Agency plans to work with States to encourage timely adoption of this rule because of its benefits to the development of treatment capacity.

				STATE ANALOG IS:			
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
PART 261 - IDE	NTIFICATION AND LI	STING OF HAZARD	oous 1	WASTE			
	SUBPART A -	GENERAL					
EXCLUSIONS							
replace "1000 kg of any non-acute hazardous waste" with "10,000 kg of media contaminated with non-acute hazardous waste, 1000 kg of non-acute hazardous waste other than contaminated media"; replace "or 250 kg of soils, water, or debris" with "2500 kg media"	261.4(e)(2)(i)	261.4(e)(2)(i)	X				

DCL 129, 15 - Revised: 03/14/94

Printed: 2/26/97

RCRA REVISION CHECKLIST 129: Revision of Conditional Exemption for Small Scale Treatability Studies (cont'd)

				STATE	NALOG IS	:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
replace "1000 kg of non-acute hazardous waste, 1 kg of acute hazardous waste, or 250 kg of soils, water, or debris contaminated with acute hazardous waste" with "10,000 kg; the 10,000 kg quantity may be all media contaminated with non-acute hazardous waste, or may include 2500 kg of media contaminated with acute hazardous waste, 1000 kg of hazardous waste, and 1 kg				-		
of acute hazardous waste"	261.4(e)(2)(ii)	261.4(e)(2)(ii)	Χ			

	·		-	STATE	ANALOG IS	:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
completely revise paragraph;						
add a new first sentence				·		
regarding requests for						
treatability studies involving						
bioremediation; delete the						
phrase ", or State Director (if		,				
located in an authorized				_		
State)," after "The Regional Administrator"; delete						
commas around the phrase						
"on a case-by-case basis";						
change "paragraph (e)(2)(i)"						
to "paragraphs (e)(2)(i)&(ii)						
and (f)(4)"; replace "500 kg						
of non-acute hazardous						
waste," with "5000 kg of						
media contaminated with						
non-acute hazardous waste,		•				
500 kg of non-acute						
hazardous waste, 2500 kg of						
media contaminated with						
acute hazardous waste and";				·		
delete the phrase ", and 250						
kg of soils, waterto		•				
conduct further treatability			·			
study evaluation when";						
restructure the remaining						'
portions of paragraph						
261.4(e)(3) starting with			*			
"There has been an						
equipment failure" and						
"The additional quantities						
allowed", and redesignate						
them as new subparagraphs (e)(3)(ii) and (e)(3)(iii)	261.4(e)(3)	261.4(e)(3)	×			_

				,			`
					STATE	ANALOG IS	i '
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
1	redesignate old 261.4(e)(3)(i) as 261.4(e)(3)(iii)(A); add new subparagraph regarding factors to be considered when reviewing requests for authorization to ship, store and conduct treatability studies	261.4(e)(3)(i)	261.4(e)(3)(i)	X			
•	Studies	201.4(8)(3)(1)	261.4(8)(3)(1)	^	* .		
•	redesignate old 261.4(e)(3)(ii) as 261.4(e)(3)(iii)(B); the third to the last sentence ("There has been an equipment specifications for treatment.") from the old 261.4(e)(3)(intro) becomes the new 261.4(e)(3)(ii); to the beginning of that sentence add the phrase "In response to requests for authorization to ship, store and conduct treatability studies on additional quantities after initiation or completion of initial	004.4(=)(0)(ii)	001.4/5/(0)/(1)	>			
	treatability studies, when:"	261.4(e)(3)(ii)	261.4(e)(3)(ii)	Х			
-							

			·	STATE AN			
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	redesignate old 261.4(e)(3)(iii) as 261.4(e)(3)(iii)(C); the last two sentences (beginning with "The additional quantities") from the old 261.4(e)(3)(intro) become the new 264.4(e)(3)(iii);						
	revise the first of these two sentences by inserting the phrase "and timeframes" between "quantities" and "allowed" and replacing "are subject to all the provisions in paragraphs (e)(1) and (e)(2)(ii)(vi) of this section" with "in paragraph (e)(3)(i) and (ii) of this section are subject to all the provisions in paragraphs (e)(1) and (e)(2)(iii) through (vi) of this						
	section."	261.4(e)(3)(iii)	261.4(e)(3)(iii)	X,			
2	old 261.4(e)(3)(i) becomes 261.4(e)(3)(iii)(A); insert "time or" between both occurrences of "additional" and "quantity"; replace the semicolon at the end of the subparagraph with a comma	261.4(e)(3)(iii)(A)	261.4(e)(3)(iii)(A)	X			
	old 261.4(e)(3)(ii) becomes 261.4(e)(3)(iii)(B); change "data" to "date" after "studies including the"	261.4(e)(3)(iii)(B)	261.4(e)(3)(iii)(B)	X			
! *	old 261.4(e)(3)(iii) becomes 261.4(e)(3)(iii)(C)	261.4(e)(3)(iii)(C)	261.4(e)(3)(iii)(C)	X			
	old 261.4(e)(3)(iv) becomes 261.4(e)(3)(iii)(D)	261.4(e)(3)(iii)(D)	261.4(e)(3)(iii)(D)	Х	·		

	т	·	• (
				STATE	ANALOG IS	:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
old 261.4(e)(3)(v) becomes 261.4(e)(3)(iii)(E)	261.4(e)(3)(iii)(E)	261.4(e)(3)(iii)(E)	.x			
replace "250 kg of "as received" hazardous waste is subjected" with "10,000 kg of "as received" media				~		
contaminated with non-acute hazardous waste, 2500 kg of media contaminated with		(•		
acute hazardous waste or 250 kg of other "as received" hazardous waste is subject"	261.4(f)(3)	261.4(f)(3)	X			
replace "1000 kg, the total of which can include 500 kg of					•	
soils, water, or debris contaminated with acute hazardous waste or with						
"10,000 kg, the total of which can include 10,000 kg of media contaminated with						
non-acute hazardous waste, 2500 kg of media contaminated with acute						
hazardous waste, 1000 kg of non-acute hazardous wastes other than contaminated		•				
media, and"; in the last sentence delete the colon, remove text of 261.4(f)(4)(i)						
and the subparagraph designators "(i) and (ii)", including only the text of						
261.4(f)(4)(ii), with "Treatment materials" changed to "treatment						
materials"	261.4(f)(4)	261.4(f)(4)	Х			

	·			STATE ANALOG IS:			
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
insert "(two years for treatability studies involving bioremediation)" after "no more than one year"; replace "has elapsed" with "have elapsed"; add two new sentences at the end of the paragraph regarding treated material from treatability							
studies that can be archived	261.4(f)(5)	261.4(f)(5)	X			·	

Note that there is a typographical error in this subparagraph; "treatability" should be "treatability."

The replacement of the semi-colon with a comma at the end of 261.4(e)(iii)(A) may be a typographical error as other 261.4(e)(iii) subparagraphs (i.e., 261.4(e)(iii)(B)-(D)) end with a semi-colon.

RCRA REVISION CHECKLIST 130

Recycled Used Oil Management Standards;
Technical Amendments and Corrections II
59 FR 10550-10560
March 4, 1994
(RCRA Cluster IV, HSWA and Non-HSWA provisions)

Notes: 1) This rule provides clarifying amendments to the recycled used oil management standarule, published September 10, 1992 (57 <u>FR</u> 41566; Revision Checklist 112) and expands the exert from the Part 279 requirements to other petroleum refinery applications. This rule also corrects errors in regulations that appeared in the May 3, 1993 rule <u>Federal Register</u> (58 <u>FR</u> 26420; Revi Checklist 122).

- 2) As stated in the preamble to the May 3, 1993 Technical Correction to the September 10, 1992 rule, EPA is treating the majority of the final used oil management standards in the same manner "non-HSWA" Subtitle C requirements. However, provisions that were issued under HSWA autit the November 29, 1985 rule (50 FR 49201; Revision Checklist 19) and recodified in part 279 by September 10, 1992 rule (specifically 279.10, 279.11, and portions of 279.1 and Subparts G and remain HSWA requirements and will continue to be enforced by EPA until a State becomes authority for them. The HSWA provisions changed by this checklist are designated by a "•" (diamond syn
- 3) The standards promulgated in the March 4, 1994 rule at 279.20(g), 279.41(c), 279.46(a)(5), 279.46(b)(5) and the revision to the transfer facility definition are less stringent than or reduce the scope of the existing Federal requirements. Thus, authorized States are not required to moditheir programs to adopt the provisions addressed by these citations. States are required to adopt the other provisions addressed by this checklist, however.
- 4) States are encouraged to apply for Checklists 112, 122 and 130 at the same time. A checklist which consolidates the Checklist 112, 122 and 130 provisions has been developed to help States apply for these checklists concurrently. States that have already adopted Revision Checklists 112 and 122 are encouraged to adopt Revision Checklist 130 as soon as possible.

			STATE ANALOG IS:							
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	EROADERIN SCOPE				
PART 279 - STANDARDS FOR THE MANAGEMENT OF USED OIL										
	SIIRDADT A . D	PEINITIONS								

SUBPART A - DEFINITIONS

STATE ANALOG IS:

US EPA ARCHIVE DOCUMENT

			·		SIMIL	MALOG I	J.
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTFATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADERIN SCOPE
	DEFINITIONS						
	add, in alphabetical order, definition of "petroleum refining facility"	279.1	279.1	Χ			
†	remove comma after "storagareas"; insert "and no longer than 35 days" after "24 hours"; replace "and no longer than 35 days" after "normal course of transportation" with "or prior to an activity performed pursuant to 279.20(b)(2)"		27911 "Used oil transfer fac"	X			
		SUBPART B - AP	PLICABILITY				
	APPLICABILITY						
	in the last sentence, remove phrase "for the cost of \$110.00."	279.10(b)(1)(ii)	349.10(b)(Xi)	1			
•	delete phrase "and is not listed in subpart D of part 261 of this chapter"; insert "ignitable-only" before "mineral spirits" and "resultant" before "mixture does not exhibit"	279.10(b)(2)(iii)	229.1db)21::			*	
†	replace old paragraph with new heading "Used oil introduced into crude oil pipelines or a petroleum refining facility"	279.10(g)	279.10(3)	+			7

				STATE A	NALOG I	S:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTIATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	EROADERIN SCOPE
† add new paragraph; used oil mixed with crude oil or natural gas liquids for insertion into a crude oil pipeline is exempt from the Part 279 requirements; this used oil is subject to Part 279 requirements prior to mixing of used oil with crude oil or natural gas liquids			X			
† add new paragraph; mixture of used oil and crude oil or natural gas liquids containing less than 1% use oil being stored or transported to crude oil pipeline or petroleum refining facility for insertion into refining process at a point prior to crude distillation or catalytic cracking are exempt from the Part 279 requirements			, 			

EPA ARCHIVE DOCUMENT

					STATE A	NALOG I	S:
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTIATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADERIN SCOPE
Ť	add new paragraph; used oi inserted into petroleum refining facility process before crude distillation or catalytic cracking without prior mixing with crude oil exemption is exempt from the Part 279 requirements provided used oil constitutes less than 1% of crude oil feed to any petroleum facility process unit at any time; this used oil is subject to Part 279 requirements prior to insertion into the petroleum	ne		~			
†	refining facility process add new paragraph; except provided in 279.10(g)(5), used oil introduced into petroleum refining facility process after crude distillation or catalytic cracking is exempt from the Part 279 requirements only if used oil meets 279.11 specifications; this used oil is subject to Part 279 requirements prior to insertion into petroleum refining facility process						

					STATE A	NALOG I	S:
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTIATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADERIN SCOPE
†	add new paragraph; used oi incidentally captured by hydrocarbon recovery system or wastewater treatment system as part of routine process operations at petroleum refining facility and inserted into the petroleum refining facility process is exempt from the Part 279 requirements; exemption does not extend to used oil intentionally introduced into a hydrocarbon recovery system	m		X			
†	add new paragraph; tank bottoms from stock tanks containing exempt mixtures of used oil and crude oil or natural gas liquids are exempt from the Part 279 requirements	279.10(g)(6)		X			

US EPA ARCHIVE DOCUMENT

			STATE ANALOG IS:			S:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTTATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADERIN SCOPE
SUBPART	C - STANDARDS F	OR USED GENE	RATC	RS		
APPLICABILITY						·
redesignate existing paragraph 279.20(b)(2) as 279.20(b)(2)(i); insert "Except as provided in paragraph (b)(2)(ii) of this section," at the beginning of the sentence	279.20(b)(2)(i)		V			
add new subparagraph; generators who perform the following activities are not processors provided the use oil is generators on-site and is not being sent offsite to a burner of on- or off-specification used oil fuel:			X			
filtering, cleaning, or otherwise reconditioning used oil before returning it for reuse by generator	279.20(b)(2)(ii)(A)		X			
separating used oil from wastewater generated onsite to make the wastewater acceptable for discharge or reuse under CWA or other applicable Federal regulations governing the management or discharge of wastewaters			X			

RCRA REVISION CHECKLIST 130: Recycled Used Oil Management Standards; Technical Amendments and Corrections II (cont'd)

			STATE ANALOG IS:			S:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTTATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADERIN SCOPE
using oil mist collectors to remove small droplets of used oil from in-plant air to make plant air suitable for continued recirculation	279.20(b)(2)(ii)(C)		X		·	
draining or removing used oil from materials containing or contaminated with used oil in order to remove excessive oil pursuant to 279.10(c)	279.20(b)(2)(ii)(D)		X			
filtering, separating or reconditioning used oil before burning it in a space heater pursuant to 279.23	279.20(b)(2)(ii)(E)		X			

SUBPART E - STANDARDS FOR USED OIL TRANSPORTERS AND TRANSFER FACILITIES

RESTRICTIONS ON TRANSPORTERS WHO ARE NOT ALSO PROCESSORS OR RE-REFI

† add new paragraph; transporters of used oil removed from oil bearing	<u> </u>	<i>e</i>			
electrical transformers a	and				
turbines and filtered by	c			!	
transporter or at a trans	rer				
facility prior to being					
returned to its original u	ise				
are not subject to the	*		-		
processor/re-refiner					
requirements in subpart	Fof				
Part 279	279.41(c)			,	

REBUTTABLE PRESUMPTION FOR USED OIL

RCRA REVISION CHECKLIST 130: Recycled Used Oil Management Standards; Technical Amendments and Corrections II (cont'd)

				STATE ANALOG IS:			S:
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTIATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	EROADERIN SCOPE
	in the last sentence, remove phrase "for the cost of \$110.00."	279.44(c)		Χ	2		
	TRACKING			7			
†	redesignate existing paragraph 279.46(a)(5) as 279.46(a)(5)(i); insert "Except as provided in paragraph (a)(5)(ii) of this section," at the beginning of the sentence	279.46(a)(5)(i)		X		·	
†	add new subparagraph; intermediate rail transporters not required to sign record of delivery	279.46(a)(5)(ii)		X	·		
†	redesignate existing paragraph 279.46(b)(5) as 279.46(b)(5)(i); insert "Except as provided in paragraph (b)(5)(ii) of this section," at the beginning of the sentence	279.46(b)(5)(i)	· · ·	7			
†	add new subparagraph; intermediate rail transporters not required to sign record of delivery	279.46(b)(5)(ii)		\times			

SUBPART F - STANDARDS FOR USED OIL PROCESSORS AND RE-REFINERS

REBUTTABLE PRESUMPTION FOR USED OIL

			STATE ANALOG IS:			S:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUSSTATECTIATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	EROADERIN SCOPE
in the last sentence, remove phrase "for the cost of \$110.00."	279.53(c)	·	X			
SUBPARTGSTANDARDSFORUSE	OOLBURNERSWHOBURN	OF SPECIFICATIONUS	EDOLL	CRENE	RGYRB	COVERY
REBUTTABLE PRESUMP	TION FOR USED C	OIL ·				
in the last sentence, remove phrase "for the cost of \$110.00."	279.63(c)		X			

RCRA REVISION CHECKLIST 137

Universal Treatment Standards and Treatment Standards for Organic Toxicity Characteristic Wastes and Newly Listed Wastes 59 FR 47982-48110

September 19, 1994

as amended at 60 FR 242-302, January 3, 1995 (RCRA Cluster V, HSWA/non-HSWA provisions)

					STATE A	ANALOG I	S:		
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN-	BROADEF		
		HAZARDOUS WASTE N	<u> </u>		L	GENT L	IN SCOPE		
		SUBPART C - RULEN	MAKING PETITIONS						
İ	VARIANCES FROM CLAS	ID WASTE	-						
	change "Regional Administrator" to "Administrator"	260.30 intro	260.30 intro	X					
	remove "primary production"	260.30(b)	260.30(b)	×					
١.	STANDARDS AND CRITE	ERIA FOR VARIANCES F	ROM CLASSIFICATIO	N AS	A SOL	ID WA	STE		
	change both occurrences of "Regional Administrator" to "Administrator"; remove "standards and" from the last sentence	260.31(a)	260.31(a)	X					
	change "Regional Administrator" to "Administrator"	260.31(b)	260.31(b)	X					
- -	VARIANCE TO BE CLASS	SIFIED AS A BOILER				, :			
	change "Regional Administrator" to "Administrator"	260.32 intro	260.32	X					
	PROCEDURES FOR VARIANCES FROM CLASSIFICATION AS A SOLID WASTE OR TO BE CLASSIFIED AS A BOILER								
	change "Regional Administrator" to "Administrator"	260.33 intro	260.33	X	-				

•				STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
change "Regional Administrator" to "Administrator"; replace "in the region where the recycler is located" with "for the variance"; remove "of this part" after "260.32"	260.33(a)	260.33(a)	×			
change the three occurrences of "Regional Administrator" to "Administrator"; remove ", and this decision may not be appealed to the Administrator"	260.33(b)	260.33(b)	×			

PART 261 - IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

SUBPART A - GENERAL

DEFINITION OF SOLID WASTE 261.2(e)(1)(iii) † insert "or land 261.2(e)(1)(iii) Χ disposed" after "first being reclaimed"; replace the phrase "raw material feedstock, and the process must use raw materials as principal feedstocks": with "feedstock materials"; add a sentence prohibiting the placement on the land of materials that are returned to a secondary process

DCL126.15 - Revised: 09/29/93

Printed: 1/21/97

	T	T	T				
				STATE A	ANALOG IS	S: '	
FEDERAL REQUIREMENTS	· FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
	ARDS FOR OWNERS AI EATMENT, STORAGE, A			DOUS	WAST	ΓE	
	SUBPART A	- GENERAL					
PURPOSE, SCOPE AND	PURPOSE, SCOPE AND APPLICABILITY						
replace "268.42, Table 2, of this chapter," with "268.40 of this chapter, Table Treatment Standards for Hazardous Wastes"; replace "corrosive (D002)" with "reactive (D003)"; remove "of this part" after "§264.17(b)"	264.1(g)(6)	264.1(g)(6)	X				
	RIM STATUS STANDAR VASTE TREATMENT, S						
	SUBPART A	- GENERAL					
PURPOSE, SCOPE, AND	APPLICABILITY						
replace "268.42, Table 2, of this chapter," with "268.40 of this chapter, Table Treatment Standards for Hazardous Wastes"; replace "corrosive (D002)" with "reactive (D003)"; remove "in order" before "to remove"	265.1(c)(10)	265.1(c)(10)	X				

							1
			,		STATE	ANALOG IS	S: '
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
		ANDARDS FOR THE MAI					ES
	SUBPART C - RECYC	LABLE MATERIALS USE	D IN A MANNER COM	ISTITU	JTING	DISPO	SAL
	STANDARDS APPLICABLE CONSTITUTES DISPOSA		RIALS THAT ARE USI	ED IN A	AMA	INER T	НАТ
1	replace "Subparts A through N of parts 264 and 265 and Parts 270 and 124" with "subparts A through N of parts 264 and 265 and parts 268, 270 and 124"	266.23(a)	266.23(a)	X			
	SUBPART H - HAZAF	RDOUS WASTE BURNED	IN BOILERS AND IN	DUSTR	NAL FU	JRNAC	CES
	APPLICABILITY						
	insert "or mercury recovery furnace," after "recovery furnace"	266.100(c)(1)	266.100(c)(1)	X			
	insert "or mercury" after "nickel- chromium"; insert "(c)(3)" at the end of paragraph	266.100(c)(3)	266.100(c)(3)	× .			
	replace "and XII" with ", XII, and XIII"	266.100(c)(3)(i)	266.100(c)(3)(i)	X			

DCL126.15 - Revised: 09/29/93

Printed: 1/21/97

			7	,						
		1			STATE	ANALOG I	S: ,			
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE			
. 2	insert "of this part" after "appendix XI"; insert "of this part" after "appendix XII"; after "nickel or chromium" insert "a waste listed in appendix XIII of this part must contain recoverable levels of mercury and contain less than 500 ppm of 40 CFR part 261, appendix VIII organic constituents,"	266.100(c)(3)(i)(A)	266.100(c)(3)(i)(A)	X						
	replace "or XII" with "XII, or XIII"	266.100(c)(3)(ii)	266.100(c)(3)(ii)	×						
	APPENDIX XIII TO PART 266									
	MERCURY BEARING WA UNITS	STES THAT MAY BE PF	ROCESSED IN EXEMPT	MER	CURY	RECO\	/ERY			
	add a new appendix addressing certain mercury-bearing wastes	266/Appendix XIII	266/Appendix XIII	X						
		PART 268 - LAND DISF	OSAL RESTRICTIONS	3						
•	_	SUBPART A	- GENERAL							
-	PURPOSE, SCOPE AND A	APPLICABILITY	•	-						
-	replace the ending period with "; and"	268.1(c)(3)(ii)	268.1(c)(3)(ii)	×						
	add a new paragraph addressing D001 High TOC subcategory wastes or D012-D017 pesticide wastes	268.1(c)(3)(iii)	268,1(c)(3)(iii)	×						

DCL126.15 - Revised: 09/29/93

Printed: 1/21/97

:				STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
after "corrosive (D002)," add "or are organic constituents that exhibit the characteristic of toxicity (D012-D043),"; replace "268.2 of this part" with "268.2(i)"; replace the ending period with a semicolon and add the phrase "discharges from safety showers and rinsing and cleaning of personal safety equipment; and rinsate from empty containers or from containers that are rendered empty by that rinsing; or"	268.1(e)(4)	268.1(e)(4)	X		•	
insert "for hazardous characteristic wastes" after "prohibitions"; replace "or corrosivity (D002)" with ", corrosivity (D002), or organic toxicity (D012-D043)"; remove "that are commingled withlaboratory operations,"; change the two occurrences of "headwork" to "headworks"	268.1(e)(5)	268.1(e)(5)	X			
DEFINITIONS APPLICABL	E TO THIS PART					
insert ", namely lead acid batteries, cadmium batteries, and radioactive lead solids" after "Part 268"	268.2(g) -	268.2(g)	X			

EPA ARCHIVE DOCUMENT

				STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
3 rewrite definition to refer to the constituents listed in 268.28 Table UTSUniversal Treatment Standards which can reasonably be expected to be present at point of generation, excluding zinc and vanadium	268.2(i)	268.2(i)	X			

				STATE	E ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADEF IN SCOPE	
WASTE ANALYSIS AND	RECORDKEEPING	·					
replace "the Toxicity Characteristic Leaching Procedure, Method 1311 in" with "test method 1311 (the Toxicity Characteristic Leaching Procedure, described in"; insert ")" after "chapter" in the first sentence; remove "of this part" after	268.7(a)	268.7(a)	X				
"§ 268.32"; replace "the Extraction Procedure Toxicity Test, Method 1310 in" with "test method 1311 (the Toxicity Characteristic Leaching Procedure, described in"; replace the second occurrence of "EPA Publication SW-846, as			-				
incorporated by reference in 260.11 of this chapter," with "(SW-846)"; in the last sentence, replace "waste displays" with "waste exhibits"; replace "INCIN, FSUBS, or RORGS" with "CMBST or RORGS"; remove "of this Part"						•	
after "\$268.37" and insert "; and/or the characteristic of organic toxicity (D012-D043), and is prohibited under	·						

					STATE	NALOG IS	3:
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	§268.38"; replace "are reasonably expected to be present in the D001 or D002 waste" after "§268.2" with "in the D001, D002, or D012-D043 wastes"	268.7(a) (continued)				,	
3	insert "it" before "exceeds"; remove the end of the first sentence after "notify the treatment or storage facility in writing"	268.7(a)(1)	268.7(a)(1)	X	·	·	
	remains unchanged even though included in rule	263.7(a)(1)(i)	268.7(a)(1)(i)	X		,	
3	replace with subparagraph addressing waste constituents the treater will monitor, if monitoring will not include all regulated constituents for specified wastes; generator must indicate whether wastewater or nonwastewater	268.7(a)(1)(ii)	268.7(a)(1)(ii)	×			
	remains unchanged even though included in rule	268.7(a)(1)(iii)	268.7(a)(1)(iii)	X			
3	replace "40 CFR 268.45; and" with "40 CFR 268.45;"	268.7(a)(1)(iv)	268.7(a)(1)(iv)	X -	·		
-	replace "Waste" with "The waste"; replace ending period with "; and,"	268.7(a)(1)(v)	268.7(a)(1)(v)	X			

DCL126.15 - Revised: 09/29/93 Printed: 1/21/97

	,				STATE ANALOG IS:		
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
3	add new subparagraph: "The date the waste is subject to the prohibitions."	268.7(a)(1)(vi)	268.7(a)(1)(vi)	X			
	remains unchanged even though included in this rule	268.7(a)(2)	268.7(a)(2)	X			
	remains unchanged even though included in this rule	268.7(a)(2)(i)	268.7(a)(2)(i)	X		•	
	remains unchanged even though included in this rule	268.7(a)(2)(i) (A)	268.7(a)(2)(i)	X			
3	replace subparagraph; waste constituents the treater will monitor, if monitoring will not include all regulated constituents for specified wastes; indicate whether wastewater or nonwastewater	268.7(a)(2)(i)(B)	268.7(a)(2)(i)(B)	X			
	remains unchanged even though included in this rule	268.7(a)(2)(i)(C)	268.7(a)(2)(i)(C)	X			-
	remains unchanged even though included*in this rule	268.7(a)(2)(i)(D)	268.7(a)(2)(i)(D)	X		·	
	remains unchanged even though included in this rule	268.7(a)(2)(ii)	268.7(a)(2)(ii)	Х		·	
	remains unchanged even though included in this rule	268.7(a)(3)	268.7(a)(3)	Х			

		-		STATE	ANALOG I	S:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
remains unchanged even though included in this rule	268.7(a)(3)(i)	268.7(a)(3)(i)	×			
replace subparagraph; waste constituents the treater will monitor, if monitoring will not include all regulated constituents for specified wastes; generator must indicate whether wastewater or nonwastewater	268.7(a)(3)(ii)	268.7(a)(3)(ii)	X			
remains unchanged even though included in this rule	268.7(a)(3)(iii)	268.7(a)(3)(iii)	X			
remains unchanged even though included in this rule	268.7(a)(3)(iv)	268.7(a)(3)(iv)	X			
replace subparagraph; for hazardous debris when using alternative treatment technologies provided by 268.45	268.7(a)(3)(v)	268.7(a)(3)(v)	×			
add new subparagraph: contaminants subject to treatment as described in 268.45(b)	268.7(a)(3)(v)(A)	268.7(a)(3)(v)(A)	X			
add new subparagraph; indicate that these contaminants are treated to comply with 268.45	268.7(a)(3)(v)(B)	268.7(a)(3)(v)(B)	X			

DCL126.15 - Revised: 09/29/93

Printed: 1/21/97

					STATE ANALOG IS:		5:
•	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
3	replace subparagraph; for hazardous debris when using the treatment standards for the contaminating waste(s) in 268.40: the requirements described in 268.7(a)(3)(i), (ii), (iii), (iv), and (vii)	268.7(a)(3)(vi)	268.7(a)(3)(vi)	X			
3	add new subparagraph: "the date the waste is subject to the prohibitions."	268.7(a)(3)(vii)	268.7(a)(3)(vii)	X	`		
	remains unchanged even though included in this rule	268.7(a)(4)	268.7(a)(4)	X			
-	remains unchanged even though included in this rule	268.7(a)(4)(i)	268.7(a)(4)(i)	×			
	remains unchanged even though included in this rule	268.7(a)(4)(ii)	268.7(a)(4)(ii)	X			
:	remains unchanged even though included in this rule	268.7(a)(4)(iii)	268.7(a)(4)(iii)	Х			
	remains unchanged even though included in this rule	268.7(a)(5)	268.7(a)(5)	X			
	delete a comma between "RCRA" and "Subtitle C"	268.7(a)(6)	268.7(a)(6)	X			
	change "261.2-261.6" to "261.2 through 261.6"; insert "RCRA" before "Subtitle C"	268.7(a)(7)	268.7(a)(7)	X			

			`		STATE A	ANALOG IS	3:
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	replace "that contains wastes identified in Appendix IV of this part" with "that contains none of the wastes specified in appendix IV of part 268"; replace "268.42" with "268.42(c)"; after "paragraph (a)(1) of this section" add ", except that underlying hazardous constituents need not be determined"; in the certification, replace "contains only the wastes specified in appendix IV" with "does not contain any wastes identified at	268.7(a)(8)	268.7(a)(8)	X			
	Appendix IV"; remove the phrase "or solid wastes not subject to regulation under 40 CFR part 261"; remove the comma after "certification"						-
_1	remove and reserve	268.7(a)(9)	268.7(a)(9)	X			
6	remains unchanged even though included in rule	268.7(a)(10)	268.7(a)(10)	X			

3

				STATE ANALOG IS:			3:
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	replace subparagraph; waste constituents to be monitored if monitoring will not include all regulated constituents; include whether nonwastewater or wastewater; indicate subcategory	268.7(b)(4)(ii)	268.7(b)(4)(ii)	X	·		
	add new subparagraph addressing characteristic wastes D001, D002, and D012-D043 meeting specified requirements; certification	268.7(b)(5)(iv)	268.7(b)(5)(iv)	X	-		
3	replace "Director" with "EPA Regional Administrator (or his designated representative) or State authorized to implement part 268 requirements"	268.7(d)	268.7(d)	X			
3,5	insert ", including the following information," after "notification"; replace "Director or authorized State including the following information" with "EPA Regional hazardous waste management division director (or his designated representative) or State authorized to implement part 268 requirements"	268.7(d)(1)	268.7(d)(1)	X			

				STATE	ANALOG IS	S:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV-	LESS STRIN- GENT	MORE STRIN- GENT	BROADEF
SPECIAL RULES REGARD	ING WASTES THAT EX	HIBIT A CHARACTER	RISTIC			,
change "40 CFR part	268.9(a)	268.9(a)	Х			
261" to "40 CFR 261"	1					
in the first two						
occurrences; in the third						
sentence replace						
"treatment standard for						
the waste code listed in						
40 CFR Part 261,						
Subpart D operates in	· ·					
lieu of the standard for						
the waste code under						
40 CFR part 261,						
subpart C" with						
"treatment standard for						
the waste listed in part		·				
261, subpart D						
operates in lieu of the			1		ļ	
treatment standard for						
the waste under part		, '				
261, subpart C";						
replace "INCIN, FSUBS,					*	
or RORGS of § 268.42,		>			-	
Table 1" with "CMBST,			Ì	·		
or RORGS"; after						
"§ 268.37" replace "of						
the Part" with "; or that	*					
his waste displays the						
characteristic of toxicity	,					
(D012-D043), and is			.			
prohibited under	•		1			
§ 268.38,"; replace			-			
"determine what" with			ļ			
"determine the";						
remove "of this Part"						
after "§ 268.2"; replace				-		
"are reasonably						*
expected to be present	·					
in the D001 or D002		·		,	l	

3

FEDERAL REQUIREMENTS FEDERAL RCRA CITATION ANALOGOUS STATE CITATION					[™] T	T	
waste" with "in the D001, D002, or D012-D043 wastes" insert "RCRA" before "Subtitle D facility"; add "and" at the end of the subparagraph remove "and" before "treatability group(s)"; after "treatability group(s)" add ", and underlying hazardous federal RCRA citation analogous state citation denoted analogous analogous denoted analogous state citation denoted analogous state citation denoted analogous analogous denoted analogous analogous denoted analogous state citation denoted analogous denoted analogous denoted analogous analogous denoted analogou	IS:	NALOG IS	STATE ANALOG				•
D001, D002, or D012-D043 wastes" insert "RCRA" before "Subtitle D facility"; add "and" at the end of the subparagraph remove "and" before "treatability group(s)"; after "treatability group(s)" add ", and underlying hazardous "268.9(d)(1)(ii) "268.9(d)(1)(ii) X **Touching the subparagraph	BROADER	MORE STRIN- GENT	STRIN-		ANALOGOUS STATE CITATION	FEDERAL RCRA CITATION	FEDERAL REQUIREMENTS
"Subtitle D facility"; add "and" at the end of the subparagraph remove "and" before "treatability group(s)"; after "treatability group(s)" add ", and underlying hazardous				`		268.9(a) (continued)	D001, D002, or D012-
"treatability group(s)"; after "treatability group(s)" add ", and underlying hazardous				. X	268.9(d)(1)(i)	268.9(d)(1)(i)	"Subtitle D facility"; add "and" at the end of the
in §268.2(i) in D001 and D002 wastes prohibited under §268.37, or D012- D043 wastes under §268.38"				X	268.9(d)(1)(ii)	268.9(d)(1)(ii)	"treatability group(s)"; after "treatability group(s)" add ", and underlying hazardous constituents (as defined in §268.2(i) in D001 and D002 wastes prohibited under §268.37, or D012- D043 wastes under
add new subparagraph; if treatment removes the characteristic but does not treat underlying hazardous constituents, then the certification found in §268.7(b)(5)(iv) applies				×	268.9(d)(2)(i)	268.9(d)(2)(i)	if treatment removes the characteristic but does not treat underlying hazardous constituents, then the certification found in
reserved 268.9(d)(2)(ii) 268.9(d)(2)(ii) X	-			X	268.9(d)(2)(ii)	268.9(d)(2)(ii)	reserved

	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·			
	,			STATE	ANALOG I	S;
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV-	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
S	UBPART C - PROHIBITIC	ONS ON LAND DISPOS	SAL			*
WASTE SPECIFIC PROH WASTES AND NEWLY L WASTES						
land disposal prohibitions for specified wastes as of December 19, 1994; definition of CWA- equivalent treatment	268.38(a)	268.38(a)				
September 19, 1996 land disposal prohibition of radioactive wastes mixed with D018-D043 meeting certain criteria; definition of CWA-equivalent treatment; similar prohibition for radioactive wastes mixed with K141-K145 and K147-K151 and for soil and debris contaminated with these radioactive mixed wastes	268.38(b)	268.38(b)	X			
where 268.38(b) wastes may be disposed of between December 19, 1994 and September 19, 1996	268.38(c)	268.38(c)	X	-		
when the requirements of 268.38(a), (b), and (c) do not apply:	268.38(d)	268.38(d)	X			
wastes meet applicable Part 268, Subpart D treatment standards	268.38(d)(1)	268.38(d)(1)	X	-		-

						. \
				STATE A	ANALOG IS	3:
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
exemption pursuant to a 268.6 petition	268.38(d)(2)	268.38(d)(2)	X			
wastes meet alternate treatment standards pursuant to 268.44	268.38(d)(3)	268.38(d)(3)	X			
granted an extension to the effective date of a prohibition pursuant to 268.5	268.38(d)(4)	268.38(d)(4)	X			
how to and who determines whether a hazardous waste identified in 268.38 exceeds applicable treatment standards specified in 268.40	268.38(e)	268.38(e)	X			
	SUBPART D - TREAT	MENT STANDARDS		-		
APPLICABILITY OF TREA	TMENT STANDARDS					
replace paragraph; when a waste identified	268.40(a)	268.40(a)	X			
in "Treatment Standards for Hazardous Wastes" may be land disposed	:			·		
all hazardous constituents in the waste or in the treatment residue must be at or below the values found in the table for that waste ("total waste standards")	268.40(a)(1)	268.40(a)(1)	X			

				STATE	ANALOG I	S: [,]
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
hazardous constituents in the extract of the waste or in the extract of the treatment residue must be at or below the values found in the table ("waste extract standards")	268.40(a)(2)	268.40(a)(2)	X			
waste must be treated using the technology specified in the table ("technology standard"), which are described in detail in 268.42, Table 1 - Technology Codes and Description of Technology-Based Standards	268.40(a)(3)	268.40(a)(3)	X			
replace paragraph; how to comply for wastewaters; how to comply for nonwastewaters; compliance for wastes covered by the waste exhaust standards; compliance for wastes covered by a technology standard	268.40(b)	268.40(b)	X			
replace paragraph; treatment standards when wastes with differing treatment standards are combined	268.40(c)	268.40(c)	X			

				STATE ANALOG IS:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
replace paragraph; how treatment and disposal facilities demonstrate (and certify pursuant to 40 CFR 268.7(b)(5)) compliance with the treatment standards for organic constituents	268.40(d)	268.40(d)	×		·	
treatment standards were established based on incineration in units operated in accordance with Part 264, Subpart O or on combustion in fuel substitution units operating in accordance with applicable technical requirements	268.40(d)(1)	268.40(d)(1)	X			
use of methods referenced in 268.40(d)(1) to treat organic constituents	268.40(d)(2)	268.40(d)(2)	X			
demonstrate that good- faith analytical efforts achieve detection limits for the regulated organic constituents that do not exceed the treatment standards specified in 268.40 by an order of magnitude	268.40(d)(3)	268.40(d)(3)	×			

DCL126.15 - Revised: 09/29/93

Printed: 1/21/97

			·		STATE ANALOG IS		IS:	
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
6	for characteristic wastes with treatment standards in the "Treatment Standards for Hazardous Wastes" Table, all underlying hazardous constituents must meed Universal Treatment Standards	268.40(e)	268.40(e)	×				
	other wastes to which the treatment standards for F001-F005 nonwastewater constituents carbon disulfide, cyclohexanone, and/or methanol apply; how compliance is measured	268.40(f)	268.40(f)	×				
	insert new table "Treatment Standards for Hazardous Waste" at 60 <u>FR</u> 246 (January 3, 1995)	268.40/Table	268.40/Table	X		-		
_	TREATMENT STANDARD	S EXPRESSED AS CON	CENTRATIONS IN W	ASTE E	XTRA	СŤ		
	replace section and Table CCWE with paragraph referring to 268.40	268.41 and Table CCWE	268.41 and Table CCWE	×				
_	TREATMENT STANDARD	S EXPRESSED AS SPEC	IFIED TECHNOLOGIE	S				
	add note referring to 268.40 for the requirements previously found in 268.42, Tables 2 and 3	268.42 note	268.42 note	×				

				STATE ANALOG IS:		S: '	
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	replace "Table 2 and Table 3 of this section" with "the table in § 268.40 "Treatment Standards for Hazardous Wastes", for which standards are expressed as a treatment method rather than a concentration level,"	268.42(a)	268.42(a)	X			
3	insert entry for "CMBST", in alphabetical order, as shown at 60 <u>FR</u> 302 (January 3, 1995)	268.42(a)/Table 1	268.42(a)/Table 1	×			
	remove	268.42(a)/Table 2	268.42(a)/Table 2	·X			
1	remove	268.42(a)/Table 3	268.42(a)/Table 3	X		·	
	replace subparagraph; lab pack does not contain any Part 268, Appendix IV wastes	268.42(c)(2)	268.42(c)(2)	X		·	

			STATE ANALOG IS:			S: '
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
replace paragraph; radioactive mixed wastes are subject to the treatment standards in 268.40; when standards are specified in Table of Treatment Standards, then those govern; where there is no specific standard for radioactive mixed waste, then the treatment standard for the hazardous waste applies; hazardous debris containing radioactive waste is subject to the 268.45 treatment standards	268.42(d)	268.42(d)	X	4		
TREATMENT STANDARD	S EXPRESSED AS WAS	TE CONCENTRATION	√S			
replace section with a paragraph referring to 268.40	268.43	268.43	X			
remove	268.43/Table CCW	268.43/Table CCW	X			

			STATE ANALOG IS:			S:		
FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE		
TREATMENT STANDARD	REATMENT STANDARDS FOR HAZARDOUS DEBRIS							
replace text starting with "for which BDAT" with " or wastes for which treatment standards are established for the waste under §268.40"	268.45(b)(2)	268.45(b)(2)	Х					
ALTERNATIVE TREATME	NT STANDARDS BASE	D ON HTMR						
replace section with paragraph referring to 268.40	268.46	268.46	X .					
UNIVERSAL TREATMENT	INIVERSAL TREATMENT STANDARDS							
Table UTS identifies the hazardous constituents along with the nonwastewater and wastewater treatment standard levels used to regulate most prohibited hazardous wastes with numerical limits; standards cannot be exceeded for determining compliance with treatment standards for underlying hazardous constituents as defined in 268.2(i); compliance measured by analysis of grab samples unless noted in table	268.48(a)	268.48(a)	X					

		Ţ	1	T					
				STATE ANALOG IS: .		S: ,			
	FEDERAL REQUIREMENTS	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE		
3	add table titled "Table UTS - Universal Treatment Standards" including change made to the footnotes by 60 FR 242 (January 3, 1995)	268.48/Table UTS	268.48/Table UTS	X					
	APPENDIX IV TO PART 268								
	replace appendix with a paragraph containing a list of the EPA hazardous waste codes for hazardous wastes that may not be placed in lab packs under the alternative lab pack treatment standards at 268.42(c)	268/Appendix IV	268/Appendix IV	X					
•		APPENDIX V T	O PART 268						
•	remove and reserve	268/Appendix V	268/Appendix V	X					
APPENDIX X TO PART 268									
3	add new appendix containing 1) a table addressing recordkeeping, notification, and/or	268/Appendix X	268/Appendix X	X					
	certification, and 2) requirements and 2) certification statements A-G; include amendment to Certification Statement B made by 60 FR 242, (January 3, 1995)			·					

Note, in the September 19, 1994 <u>FR</u> article for this rule, there is an error in the internal references in this paragraph--"subparts A through N of parts 124, 264, 265, 268 and 270"

should be "subparts A through N of parts 264 and 265, and parts 268, 270, and 124." The correct internal references are given on the checklist.

- There is a typographical error in the September 19, 1994 <u>FR</u> article: the reference to "appendix IX" should be to "appendix XI." In the version of 266.100(c)(3)(i)(A) prior to this rule, the reference was to "appendix XI", but this rule incorrectly changed it to "appendix IX." States should <u>not</u> make this change. As such, this change was <u>not</u> listed on the checklist.
- Amended by 60 \overline{FR} 242 (January 3, 1995).
- Note, there are two typographical errors in the September 19, 1994 <u>FR</u> article: there should be a ")" after "§268.2" and "(SW-846))" should be "(SW-846)".
- There appears to be an error in the January 3, 1995 amendment. The phrase "or State authorized to implement part 268 requirements" is printed twice in the same sentence. On the checklist, the second occurrence is not included.
- There is a typographical error in the September 19, 1994 <u>FR</u> article: there should not be a "(" before "D001".

DCL126.15 - Revised: 09/29/93

Printed: 1/21/97